


CONTENTS AND INDEX
OF
THE MEMOIRS OF THE GEOLOGICAL
SURVEY OF INDIA.


VOLS. XXI—XXXV

1884 TO 1911.

BY
G. de P. COTTER,
CURATOR, GEOLOGICAL SURVEY OF INDIA



CALCUTTA
SUPERINTENDENT GOVERNMENT PRINTING, INDIA
1916



P R E F A C E.

THIS index is in two parts, the first an index of Authors, the second a General or Subject Index. Page references are to the volume-paging and never to the paging of the monographs which form part of a volume, except (1) where they coincide, or (2) where the volume paging has been omitted. The practice of the various editors of the Memoirs has been inconsistent. Sometimes the volume-page numbers are placed at the top of the page, as in the first, second and third parts of Volume XXXIV. Sometimes volume-paging is omitted, as in the cases of Volume XXXIV, Part 4, and Volume XXXIII, parts 2 and 3. Sometimes volume-paging is placed at the bottom of the page, while monograph paging is at the top, as in Volume XXVII. In cases where volume-paging has been omitted, the number of the part is quoted in the Index. I must thank my colleague Mr. R. C. Burton for help in the tedious task of editing part of this index. Mr. Bankim Behari Gupta, Field Collector, Geological Survey, has also lightened the task by arranging the various entries in alphabetical order.

G. DE P. COTTER.

Calcutta, September 15th, 1915.

INDEX

TO

THE MEMOIRS OF THE GEOLOGICAL SURVEY OF INDIA.

VOLUMES XXI—XXXV.

(1)—AUTHORS.

AUTHORS AND TITLE OF MEMOIR.	Volume.	Page.
B		
BLANFORD, W. T.—Report on the Geological Congress of Paris, 1900	xxx	225—230.
BOSE, P. N.—Geology of the Lower Narbáda Valley, between Nimáwar and Káwant	xxi	1.
D		
DATTA, P. N.—see Oldham R. D.		
DE MONTESSUS DE BALLORE, COUNT F.—Seismic phenomena in British India, and their connection with its Geology	xxxv	153—194.
DIENER, DR. C.—Notes on the Geological Structure of the Chitichun region	xxviii	1—27.
DUNSTAN, W. R.—Report on a sample of graphite obtained from the Kalahandi State	xxxiii (pt. 3).	22.
F		
FEDDEN, F.—Geology of Kathiáwár Peninsula in Guzerat	xxi	73.
FOOTE, R. BRUCE.—Geology of Bellary District, Madras	xxv	..
G		
GRIESBACH, C. L.—Geology of the Central Himalayas	xxiii	..
GRIMES, G. E.—Geology of part of the Myingyan, Magwe, and Pakokku districts, Burma	xxviii	30—71.

AUTHORS AND TITLE OF MEMOIRS.	Volume.	Page.
H		
HATCH, F. H.—Kolar Gold-Field	xxxiii (pt. 1).	1—81.
" " Report on the Auriferous Quartzites of Parhardjah, Chota Nagpur	xxxiii (pt. 2).	68—71.
" " <i>see</i> Hayden.
HAYDEN, H. H., and HATCH, F. H.—The Gold-Fields of Wainád	xxxiii (pt. 2).	1—48.
" " Some Auriferous localities in North Coimbatore	xxxiii	53—67.
" " Geology of Tirah and Bazár Valley	xxviii	96—117.
HOBDAY, CAPT. J. R., and F. R. MALLET.—Volcanoes of Barren Island and Narcondam	xxi	251.
HOLLAND, SIR T. H.—The Charnockite Series, a Group of Archæan Hypersthenic rocks in Peninsular India	xxviii	119—249.
" " Geology of the neighbourhood of Salem, Madras Presidency	xxx	103—168.
" " The Mica Deposits of India	xxxiv	11—121.
" " Note on Rock-specimens collected by Dr. F. H. Hatch on the Kolar Gold-Field	xxxiii (pt. 1).	74—81.
" " A peculiar form of altered Peridotite in the Mysore State	xxxiv	1—9.
" " The Sivamalai Series of Elæolite Syenites in the Coimbatore District.	xxx	169—224.
HUGHES THEODÔRE, W. H.—The Southern Coal-fields of the Rewah Gondwana Basin	xxi	137.
J		
JONES, E. S.—Southern Coal-Fields of Sâtpura Gondwana Basin	xxiv	1—58.
K		
KRAFFT, A. VON.—Notes on the " Exotic Blocks " of Malla Johar in the Bhot Mahals of Kumaon	xxxii	127—182.
L		
LAKE, P.—Geology of South Malabar	xxiv	201.
LA TOUCHE, T. H. D.—Geology of Western Rajputana	xxxv	1—115.
LYDEKKER, R.—Geology of Kashmir and Chamba	xxii	..

AUTHORS AND TITLE OF MEMOIR.	Volume.	Page.
T		
TIPPER, G. H.—Geology of the Andaman Islands with reference to the Nicobars	xxxv	195—212.
V		
VREDENBURG, E.—see OLDHAM, R. D.	..	
" Recent Artesian Experiments in India . .	xxxii	1—88.
" A Geological sketch of part of the Baluchistan Desert and part of Eastern Persia . .	xxxi	179—302.
W		
WALKER, T. L.—Geology of Kalahandi State	xxxiii (pt. 3).	1—22.

SUBJECT.	Volume.	Page.
Aftershocks — List of —, the Great Earthquake of 12th June 1897	xxx	1—102.
Agamennone, G.	xxix	186, 227, 251, 387, 379.
Agate	xxi	92, 109, 110, 134.
Agglomerates and Ashes, of Deccan Trap	xxi	52.
Aggregates, felspar — Malani rhyolites	xxxv	81.
Agolai, Malani series at	xxxv	47.
Agori stage	xxxi	59, 60, 61, 165.
Agra, artesian well at	xxxii	39—44.
„ Vindhya found in boring at	xxxii	39—44.
Agram earthquake	xxix	57.
Air compressors (Kolar)	xxxiii	34.
Aitchison, Dr. G. E. T.	(pt. 1).	
Ajiana, granite near	xxxix	286.
Ajmere	xxxv	61.
Akhund Baba sections	xxxiv	70.
Akyab, trial artesian well at	xxvi	256, 257.
Alabaster, oriental	xxxii	68—69.
Alaknanda river	xxv	188.
Alaungsitha, Legend of King —	xxiii	26, 28.
Albite, Coimbatore	xxvii	47, 48, 49, 50.
„ Himalayas	xxx	202.
„ granite, Himalayas	xxiii	43, 196.
„ in pegmatite	xxiii	44.
Alburz	xxxiv	31.
Alcock, Col.	xxiii	47.
<i>Alethopteris whithyensis</i>	xxxv	208.
Allah-Bund — Note on the — in the north-west of the Rann of Kachh	xxi	82.
Allanite in pegmatite	xxviii	27—30.
Allardyce, Capt. J.	xxxiv	31.
Allen, B. C.	xxviii	122.
Allport, S., Wrekin rhyolites	xxix	341.
Alluvial deposits, Káthiáwár	xxxv	88.
„ Deposits of Sátapura Gondwana basin	xxi	125.
„ deposits, Persian Gulf	xxiv	53.
„ Fans of Kashmir	xxxiv	5—57, 62, 76, (4), 96, 99, 100.
„ flats of Sub-Himalayas	xxii	50, seq.
„	xxiv	113, 121, 125, 142.
Alluvium, displacement of — in 1897 Earthquake	xxix	94, 297.
„ fossil shells of — in Bellary District	xxv	184.
„ of Baluchistan	xxxi	190, 209—217.
„ Bellary District	xxv	180—186.
„ of Kashmir	xxii	48—80.
„ of Son Valley	xxxi	32.
„ of plains, Sub-Himalayan area	xxiv	79, 94, 137.
<i>Allorisma</i>	xxviii	111, 112.
Almorah District	xxiii	passim.
Alpine fl sch compared with Himalayan	xxviii	2, 3, 12—16.
Alps and Himalayas	xxiii	6, 12, 13, 69.
„ comparison of mesozoics of — with Himalayas	xxxi	148—150.

SUBJECT.	Volume.	Page.
Alps, Eastern; Similarity of trias of — with Himalayas	xxiii	69.
"Alpha mine," Wainád	xxxiii (2).	7, 21, 26, 27, 30.
Alum, on Persian coast	xxxiv (4).	157.
" in Kashmir	xxii	337.
Alumina, solubility in alumino-silicate magmas	xxx	207, 211, 212.
Aluminium sulphate in Baluchistan	xxxi	278.
Alur Hills	xxv	3, 64.
" sub-division of Bellary gneissic areas	xxv	63—67.
" Taluq	xxv	14.
<i>Alveolina</i>	xxxi	198, 227, 236, 264.
Amazon-stone in pegmatite	xxxiv	31.
Amber of Burma	xxviii	54.
" in Kashmir	xxii	331.
" mica, Nellore	xxxiv	23.
Amblystegite	xxviii	168.
America, oil of -- compared with Burmese oil	xxvii	258.
Amethystine quartz in sand-rock	xxiv	85.
Amir Chah	xxxi	249—250, 252, 283.
" shingle beds	xxxv	35.
Ammonite bed of Kuchri	xxxv	3, 35.
<i>Ammonites aussanuis</i>	xxii	168.
" (<i>Ptychites</i>) <i>battani</i>	xxii	126.
" <i>biplex</i>	xxii	173.
" <i>braikenridgi</i>	xxii	173.
" (<i>Ptychites</i>) <i>gerardi</i>	xxii	140, 158, 162.
" <i>guadeloupæ</i>	xxi	37, 40, 41, 48, 87.
" <i>macrocephalus</i>	xxii	172, 173.
Amphibole rocks	xxviii	169, 183.
" Salem	xxx	128.
Amphibolization of pyroxene	xxviii	183.
" of pyroxenites	xxviii	169.
Amplitude, of wave, Earthquake of 1897	xxix	82, 117.
Amratpur	xxiv	158.
Anamesite, of Kashmir	xxii	112.
Ancient rocks lose their original characters	xxviii	210.
Andaman Islands, Geology of	xxxv	195—212.
Anderson, J. A.	xxix	98.
" Major A. R. S.	xxxv	209.
Andesite of Mulla Johar	xxxii	136.
" lava	xxxi	277.
Anemometers	xxxiv	74.
Angora	xxiii	201.
Anhydrite, Hormuz	xxxiv (4).	16.
Anjan, borings for coal at	xxiv	12.
Anji valley, coal of the	xxxii	204, 206, 248, 256, 263.
Anorthite-gneiss, Salem	xxx	105, 149, 157.
Anorthoclase, Coimbatore	xxx	188.
Anorthosites	xxviii	128, 208.

SUBJECT.	Volume.	Page.
Anthophyllite rock	xxxiv	40, 48.
<i>Anthracotherium silistrense</i>	xxvii	122.
Anticlinal folds, in Kashmir	xxxii	195.
" , Tera Gadh	xxiii	190.
Anticline of Gwegyo	xxviii	68—69.
" Minbu	xxvii	80, 187, 188.
" Pagan	xxviii	66—67.
" Singu and Yenangyat	xxviii	47—49.
" Trias-Jura of Malla Johar	xxxii	162.
" Yenangyat	xxvii	178, 179, 185.
" Yenangyaung	xxviii	58—66.
" " " 	xxvii	132—157,
" " " 	xxvii	185—187.
<i>Aomides</i> beds	xxviii	5.
Apatite, blue of Coimbatore	xxx	202, 213.
" in dyke rocks—Western Rajputana	xxxv	91, 92.
" in Malani rhyolites	xxxv	78.
" in pegmatite	xxix	31, 50, 63.
Aplite	xxv	52.
Aplite veins, Mansehrh	xxvi	64.
Apophyses from Charnockites	xxviii	224, 243.
Appalachian Vorland	xxxiv	32, 43.
<i>Aporrhais</i> sp.	xxvii	24.
Aquamarine, Coimbatore	xxx	203.
Aqua-marines, Salem	xxx	155, 156, 158,
.	xxx	159.
Aqueo-igneous magmas	xxxiv	34.
Arabia, Geology of portion adjoining Persian Gulf	xxxiv	1—177.
<i>Arachniopleurus semireticulatus</i>	(pt. 4).	
Aragonite	xxxi	264.
Arakan, Seismology of	xxxi	286.
" Yoma	xxxv	175, 193.
<i>Arancarius cutchensis</i>	xxxv	206.
Aravalli Mountains	xxi	82.
" Series	xxxi	27.
" " relations between—and Vindhya	xxxv	6, 16, 73.
" " relations between—and Malanis	xxxv	26.
Arbuthnot, J. C.	xxxv	19.
<i>Arca burnesi</i>	xxix	75, 156.
" <i>hybrida</i>	xxvii	4, 8.
" <i>kurracheensis</i>	xxi	121.
" <i>larkhanensis</i>	xxi	117, 121.
" <i>peethensis</i>	xxi	121.
" <i>securis</i>	xxi	122.
<i>Arcestes</i>	xxi	37.
Archæans of Bellary District	xxxii	143.
" " " " origin of	xxv	26—73.
" " Kashmir	xxv	31.
Archæan system in Wainád	xxii	265—329.
Archipelago group	xxxiii (2)	9.
Arcot, South	xxxv	199.
Argillites of Hottal, Bellary District	xxviii	121, 170, 178.
Argillite with manganiferous nodules	xxv	78.
Arhanga Pass	xxv	125.
.	xxviii	103.

SUBJECT.	Volume.	Page.
<i>Arietites</i>	xxxii	144-162.
Arkal hill	xxv	71.
Artesian conditions	xxxii	3.
" definition of term	xxxii	4.
" Recent-Experiments in India (E. W. Vrodenburg)	xxxii	1-88.
" springs of Bahrain	xxxiv (4)	124.
" water in North America	xxxii	17.
" " not suited for humid areas	xxxii	14.
" " rocks suitable to	xxxii	7.
" wells, advantage of	xxxii	12.
Artificial mica	xxxiv	29.
Ash, volcanic	xxxi	325-329.
" " in boulder bed of Salt Range	xxxv	90.
" (") of Hornuz Series	xxxiv	16, 103, 110, (4) 111, 133.
Ashburnor, Major	xxiv	22, 28, 30, 37, 41.
Ash-beds of Baluchistan	xxxi	272, 277.
" " Kashmir	xxii	221, 222.
" " Western Rajputana	xxxv	48, 50, 59, 60, 61, 70.
Ashes of Deccan trap	xxi	52, 93.
Aslett, Mr.	xxix	37.
Asphalt, Bahrain	xxxiv (4)	149, 150, 151.
<i>Aspidites kassmati</i>	xxviii	10.
<i>Asplenium</i>	xxi	209.
Assam range, fault scarps in	xxix	135, 167, 308.
" " geological history of	xxix	137.
" " physical geography of	xxix	135.
" " structure of	xxix	166, 369.
Assays, results of: "Alpha" mine	xxxiii (2)	27.
" " "Phoenix" mine	xxxiii	29. (2).
<i>Astarte dubia</i>	xxvii	2, 9.
" <i>hyderabadensis</i>	xxi	119, 120.
Asterism, in inclusions in quartz	xxav	81.
" of phlogopite	xxxiv	23.
<i>Astrocaenia blanfordi</i>	xxxi	241.
<i>Athyris</i>	xxii	132, 158.
<i>Athyris roysii</i>	xxiii	63.
Attock slates, age of	xxii	254.
" slates	xxvi	13.
Atur ghat	xxx	130.
"Augon-gneiss"	xxii	307.
" of Bellary District	xxv	178.
Augon type of gneissose-granite	xxvi	65.
Augite, Coimbatore	xxv	200, 213.
" in Deccan Trap	xxi	52.
" in diabase	xxxii	83.
" in dyke rocks, Western Rajputana	xxav	91, 92.
" in groundmass of Malani rhyolites	xxav	78.
Augite-diorite (diabase) dykes, Salem	xxx	129.
" norite	xxviii	156.
Augite-plagioclase rock converted into hornblende-schist; Hazarat	xxvi	77-78.

SUBJECT.	Volume.	Page.
Augite-phenoecryst in Malani rhyolites	xxxv	82.
Augite-syenite	xxviii	247.
" , Coimbatore	xxx	199, 213.
" , Salem	xxx	158.
Aung-bar-yo	xxvii	123, 134, 136.
Ausweichungssclivage	xxx	140.
Autoliths	xxviii	217, 235, 243, 248.
" in charnockite series	xxx	123, 124.
" in "dome-gneiss"	xxxiv	47.
Automolite in Coimbatore	xxx	202, 213.
" in pegmatite	xxxiv	31.
<i>Avicula</i>	xxii	158, 172.
<i>Aviculopecten</i>	xxii	158.
<i>Axinus</i>	xxii	158.
Axis, crystalline—of Himalaya	xxvi	273—280.
Aytoun, Lieutenant	xxiv	241.
Ayat-po-yo	xxvii	123, 134.
Azoic series, Central Himalayas	xxiii	50, 53, 94, 95, 209.
Azurite	xxxi	293.
B		
Babeh glacier	xxiii	208, 209.
" pass	xxiii	54, 207.
" series	xxiii	11, 12, 50, 53, 54, 58, 209, 210.
Badrinath peaks	xxiii	22, 26, 43.
Bagawadi	xxv	181.
Bagh Beds of Narbáda Valley	xxi	2, 48.
Baghawa	xxxi	159.
Bagh, sections near —	xxvi	162—164.
Bag Khola	xxiv	164.
Bahardagarhi sot	xxiv	97.
Baird Smith, R.	xxiv	240.
Baker, Capt.	xxviii	28, 29.
" Capt. George	xxvii	51.
Bakhal, concretionary rhyolites at	xxxv	70.
Bakhtiyari red chert conglomerate	xxxiv	53, 65, 80.
Bakhtiyari Series	(4).	52—54, 64, 76, 79, 82.
Baku, oil of—compared with Burmese oil	xxvii	258.
Bálaghát	xxiv	55.
" Gold-mine	xxiii	9, 12, 20, 42, (pt. 1).
<i>Balanus sublaevis</i>	xxvii	46, 69.
Balasur (Shergarh district), Vindhya nsd Malanis at	xxxv	3, 43.
Balchdhura	xxviii	45.
" pass	xxiii	3, 4, 25, 79, 81, 83, 149, 155, 156.

SUBJECT.	Volume.	Page.
Balchdhura pass and peaks	xxxii	130 seq., 151—154.
Balia, N.	xxiv	156.
Baling	xxiii	44, 161, 162.
Ball, V.	xxiv	244, 245.
„ V.	xxxii	90.
„ V.	xxxiii	1, 12.
„ V.	(pt. 3).	
„ V.	xxxiv	112.
„ V.	xxxv	206, 207.
Balotra, sandhills near	xxxv	13.
Báltal, Zánkár system near Baltistan, see Kashmir	xxii	146.
Baltistan basin, Zánkár system in	xxii	186.
„ metamorphics of	xxii	303.
„ Panjál system of	xxii	261.
Balu, granite near	xxxv	61.
Baluchistan, artesian water in	xxxii	24—28.
„ northern, seismology of	xxxv	155, 179.
„ Desert, a Geological sketch of part of the—and part of Eastern Persia	xxxi	179—302.
Baluch-Afghan boundary	xxxi	242—248.
Balwári, Jobat and—beds	xxi	16.
Bambadhura glacier	xxiii	173.
„ peak	xxiii	163, 169.
„ sections	xxiii	165, 166.
Bamlas	xxiii	93.
„ glacier	xxiii	158.
„ heights	xxiii	52.
Bampa, gneiss of —	xxiii	93.
Banas valley	xxxi	43, 100—124, 141.
Banbyin	xxvii	75.
Bandari Hill	xxv	44.
Banday, granite gneiss of	xxv	36.
Bandoo-Sher-Khan	xxvi	97.
Banding, by <i>lit-par-lit</i> injections	xxviii	184.
„ in pyroxenite dykes	xxviii	165.
„ origin of	xxviii	123, 221, 223, 246.
„ origin of, Sivamalai Series	xxx	196.
Bandur gudda dome	xxv	48.
Bankuphu glacier	xxiii	182.
Baorli, Malanis at	xxxv	46.
Bap, boulder beds of	xxxv	1, 31.
Bara Hoti	xxiii	118, 132, 133, 134.
Barakars, of Rowah basin	xxi	152.
„ of Satpura basin	xxiv	20—46.
„ of Rampur coal-field	xxvii	89—124.
Baramahal granite-gneiss	xxx	117.
Baratta, M.	xxix	234, 377.
Bara valley	xxviii	105, 106, 107, 114.
Bard a Kolla Valley	xxv	115.
Bardalai, Madhub Chundra	xxix	102, 335.

SUBJECT.	Volume.	Page.
Bardi	xxxi	126.
" Bargains " in mining	xxxiv	85.
Barhata	xxxi	113, 114.
Barisal guns	xxix	200, 263, 298, 318.
" seismic origin, 1897 Earthquake	xxix	205.
Barkevikite, Coimbatore	xxx	177, 194, 200.
Barkoi coal-field	xxiv	23—33.
" village, outcrop of coal at	xxiv	32.
Barlow, A. E.	xxx	206, 213.
Barmer, gypsum near	xxxv	43.
Barmer area—granite of	xxxv	24.
" " —rocks of	xxxv	74.
" sandstones	xxxv	5, 33, 34, 74, 77.
Barns —	xxxiv	57.
Barographs of 1897 Earthquake	(4).	
Baron, Rev. R.	xxix	58, 61, 180.
Barr, Rev. R.	xxviii	206.
Barr, Captain	xxi	139.
Barren Island	xxxv	210, 211.
" " and Narcondam	xxi	251.
Barrington, B.	xxiv	239.
Barwai sandstone	xxii	3.
Barytes	xxxi	131.
Basal stage of Vindhya	xxxi	12—14, 141— 143.
Basalt, associated with boulder beds of Pakaran	xxxv	25.
" columnar	xxi	61.
" intrusions of — in Vindhya	xxi	18.
" of Baluchistan	xxxi	203, 228, 247, 252, 253, 257, 289.
" of Bijawars	xxxi	86—88.
" Kashmir	xxii	112, 221.
Basaltic hornblende, Coimbatore	xxx	198.
Basio division, of Charnockites	xxviii	133, 153.
" dykes—petrology of	xxxv	91.
" " —Western Rajputana	xxxv	25, 51, 53.
" rocks interstratified with lavas	xxxv	23.
" varieties of the Charnockite series	xxx	123.
Basins, rock, suitable for artesian water	xxxi	6.
Baspa river	xxiii	26.
Bastar	xxxiv	55.
Bastite	xxviii	115.
Bastua, inliers of rhyolites near	xxxv	44.
Batavyal, Umesh Chandra	xxix	321.
Batil Koh, volcano of	xxxi	284.
Batissa <i>cratfordi</i>	xxvii	1, 9, 104, 106, 107.
" <i>petrolei</i>	xxvii	1, 11, 104, 106, 107.
Bauer Max	xxxiv	18.
Baur (Bhaol), N.	xxiv	91.
Bay of Bengal, Seismology of	xxxv	177, 193.

SUBJECT.	Volume.	Page.
Beyrich, E.	xxiii	3, 10.
Bhabar gravels	xxiv	79, 137.
Bhábeh series	xxii	125, 165, 171, 209, 210, 250, 253, 264, 267, 295.
Bhabar	xxxii	29.
Bhadrajun range	xxxv	70.
Bhagirathi river	xxiii	26, 27, 28, 194, 195, 196.
Bhandaria, outcrop of coal at	xxiv	30.
Bhander sandstone	xxxv	26.
Bhaonagar, schists near	xxxv	68.
Bhaori, nodular rhyolites at	xxxv	67.
Bhatnara	xxvi	203.
Bheng, N.	xxiv	152.
Bhimoda fault	xxiv	153, 154.
Bhira pani	xxiv	94.
Bhootias	xxiv	100, 155.
Bhorka	xxix	99, 323.
Bhot-kol, metamorphics of	xxii	298.
" pass, Zánskár System near	xxii	148, 297.
Bhot Mahals, Kumaun, sections in —	xxiii	150—193.
" " Notes on the "Exotic Blocks" of Malla Johar in the — of Kumaon	xxxii	127—182.
Bhogi-Khapa, coal seam at	xxiv	43.
Bibliography of gold mining in Wainád	xxxiii	3, 4, 5.
		(2).
Bickers, A. L.	xxix	66.
Bicyclists, affected by Earthquake of 1897	xxix	33.
<i>Bifurculapes laqueatus</i>	xxi	33.
Bijawars of Narbáda Valley	xxi	2, 10—14.
" of Son Valley	xxxi	4—7, 112, 116, 123, 126, 131, 168.
" Petrology of the	xxxi	58—92.
Bijli, hornblendic granite at	xxxv	61.
Bijrani sot	xxiv	107.
Biláspur	xxxiv	55.
Bilpahari hills	xxxii	90.
Biotite, Coimbatore	xxx	179, 202, 213.
" in gneiss of Kashmir	xxii	266.
" in Jalor granite	xxxv	91.
" in Pegmatite	xxxiv	31.
Biotite-augite norite	xxviii	158.
Biotite-gneiss	xxx	107, 145.
" in Wainád	xxxiii	10, 19, 26, 28.
		(2).
Bismuth, reputed occurrence in Kashmir	xxii	333.
Bissahir	xxiii	52.
Bithir Gadh	xxiii	188, 189.
Bitumen, Dálíki	xxxiv	62.
		(4).
Bituminous limestone, Bahrain	xxxiv(4)	149.

SUBJECT.	Volume.	Page.
Bituminous limestone in Nummulitics near Godarbridge .	xxxiv (4).	85.
„ „ springs, Persian Gulf	xxxiv (4).	77, 129, 145. 148.
Black Mountain, Geology of Hazara and the —	xxvi	
„ „ Mountain, orography of	xxvi	248, 249.
„ „ „ sections across ridge of—	xxvi	254—257.
„ „ „ in	xxvi	248—257.
Blackwell, J. H.	xxiv	7, 8.
Blaini series	xxii	210, 234, 237, 238, 241, 246, 248.
Blanford, Dr., Changla section	xxvi	190.
„ „ H. F.	xxiii	3, 10, 11.
„ „ W. T.	xxi	77.
„ „	xxi	Passim.
„ „	(pt. 1).	
„ „	xxiii	3, 19.
„ „	xxiv	2, 8, 9, 21, 25,
„ „	(4).	26—58, 242, 244.
„ „	xxxi	182, 189, 235, 270, 271, 285, 286.
„ „	xxxiv	3, 11, 34, 37, 58, 74, 142, 143.
„ „	xxxv	4, 31, 42.
„ „ „ Report on the Geological Congress of Paris 1900	xxx	225—230.
Blatt	xxxiv	36.
Blatter	xxx	139.
Blan, S.	xxxiv	28, 112.
Blende	xxxiii	11.
Blown-sand in Hazara	(pt. 1).	
„ „ Western Rajputana	xxvi	254.
„ „ sands	xxxv	4, 37.
„ „ „ interstratified with Miliolite, Káthiáwár	xxv	186, 187.
Blue quartz	xxi	127.
Boase—	xxx	119.
Boggs, Rev. S. A. D.	xxx	185.
Boiler covers, use of mica for	xxx	12.
Bolton, C. W.	xxxiv	74, 75.
Bodaung, occurrence of oil at	xxix	378.
Bond, J.	xxvii	183, 186.
Bonham Carter, N.	xxix	362, 363.
Bonney, Prof., devitrified structure	xxix	320.
„ „ T. G.	xxxv	90.
Bonthia, outlier of Barmer sandstone at	xxx	196.
Booce, N. section of —	xxxv	77.
Bookasagra Hills	xxvi	147.
„ „ „ of 1880 in Wainád gold-fields	xxv	55.
„ „ „ (2).	xxxiii	2.
Borax	(2).	
„ „	xxiv	100.

SUBJECT.	Volume.	Page.
Bores, for coal at Umaria	xxi	159.
Borax, in Kashmir	xxii	338.
Bordwar fracture (1897 Earthquake)	xxix	148.
Bore-hole, Record of — at Agra	xxxii	30—44.
" at Canning in Sunderbunds	xxxii	44—45.
" at Chandernagore	xxxii	47—48.
" at Ellore	xxxii	80—82.
" Record of — at Lucknow	xxxii	30—38.
Bore-holes at Madras, Kortalayar, Karani, Coconada, Karikal	xxxii	49—61.
Bore-hole at Sukkur for artesian water	xxxii	75.
" Record of, — at Quetta	xxxii	27.
Borgen, C.	xxix	243.
Boring-records for coal at Rampur	xxxii	117—124.
Bos	xxviii	46.
Bose, P. N.	xxiv	245.
" "	xxxi	2, 3.
" "	xxix	2, 315.
" "	xxiv	55.
Boulder-bed, appearance of	xxiv	79.
Boulder beds	xxxv	31, 32, 87, 91.
" — basalt associated with	xxxv	25.
Boulder clay, of Vindhyan age	xxxi	132.
Boulders of Indus River	xxvi	81—84.
Boundary between Gondwanas and gneiss	xxxi	135—140.
" between Slate and Crystalline zones, Hazara	xxvi	121, 268.
" between U. Tertiary and Nummulitic zones Hazara	xxvi	266, 267.
" of Dharwars and gneiss	xxv	137, 138, 153.
Boundary-fault between Nummulitic and Slate zones, Hazara	xxvi	267, 268.
Bourdillon, J. A.	xxix	327.
Bournon, Count de	xxx	149, 157.
Bowenite, analysis of	xxxi	313.
Brahmaputra	xxiii	224.
Brahmaputra, changes of level on	xxix	163.
<i>Bramatherium perimense</i>	xxi	115.
Braunite	xxv	100, 195.
Brazier-Creagh, Major	xxxi	183, 271, 284.
Breccia, of Bijawars	xxi	12.
" of Dharwars	xxv	106, 157, 158, 159.
" of Garhwal and Kumaon	xxiv	131, 132.
" hæmatite	xxv	189.
" quartz — in archæans of Bellary district	xxv	171—176.
" talus	xxv	178, 179.
" of the Vindhyan	xxi	15.
" volcanic, of Malla Johar	xxxii	137, 173.
" ridges near Nawadih	xxxiv	52.
Breccias — volcanic — in Western Rajputana	xxxv	23, 47, 49, 50, 52, 58, 62, 63, 65, 66, 69, 70.
" — volcanic — petrology of	xxxv	89, 90.
Brecciation bands	xxx	139, 146.
Brunnerite	xxiv	3, 4, 5, 7.
<i>Brynia carinata</i>	xxi	122.
Bridges, distorted	xxix	95, 104, 274, 286, 295, 338.

SUBJECT.	Volume.	Page.
Briquettes of Jammu coal	xxxii	240—242.
Brögger, W. C.	xxviii	218.
" "	xxx	188, 213.
" "	xxxiv	30.
Bronzite	xxxi	304.
" in metamorphics	xxi	9.
Brook-Fox, F. G.	xxviii	121, 179.
Brough Smyth	xxxiii	6, 18.
"	(2).	
" R.	xxxiv	66, 113.
Broughton, F.	xxiv	241.
Brown coal formation	xxxv	206, 207.
Brownlow, H. H.	xxix	171.
<i>Bubalus palœindicus</i>	xxii	84.
Bubbles, movable, in liquid cavities in quartz of Malani rhyolites	xxxv	81.
<i>Buccinum fittoni</i>	xxi	121.
Buchanan, Dr.	xxiv	207 sqq. 239.
Budhauruh, section from, to Derbund	xxvi	250—251.
Buggoola syncline	xxxii	215.
Bugti freshwater series	xxxiv	33.
"	(4).	
Building stone at Jodhpur	xxxv	28.
" " Andaman Islands	xxxv	213.
" " Bahrain	xxxiv	159.
"	(4).	
" " Hazara	xxvi	286.
" " of Bellary District	xxv	199—206.
" " in Narbada Valley	xxi	70.
" " in Rewah	xxi	221.
Buist, Dr. George	xxi	112.
Buldar	xxiii	210, 211.
<i>Bulimus insularis</i>	xxi	127.
" <i>punctatus</i>	xxi	127.
Bullen, R.	xxxiii	2.
"	(pt. 1).	
Buloliya section	xxvi	123.
Bundelkhand	xxxi	74.
" relation of gneiss of — to that of Bellary District	xxv	29.
" gneiss	xxxiii	12.
"	(2).	
" type of gneiss	xxviii	246.
Bunyan hill sections	xxvi	139.
Burma, mica of	xxxiv	54.
" Miocene of Upper	xxvii	1—45.
" Oil Co.	xxvii	263 and pas-sim.
" the occurrence of Petroleum in	xxvii	47—272.
" Seismology of	xxxv	175, 193.
" volcanoes of — compared with those of Baluchistan	xxxi	287.
Burning-tests of Jammu coal	xxxii	237.
Burrard, S. G.	xxix	58, 361.
Busera section	xxvi	98.
Butak	xxxi	243, 247.

SUBJECT.	Volume.	Page.
Buxtorf, Dr.	xxxv	203.
Byans	xxxii	147.
"	xxiii	51, 159, 164, 178—193.
Bysack, Gour Das	xxix	200.
C		
Cachar earthquake, 1869	xxix	85.
" Hills, North	xxviii	71—74, 91, 92.
Calabrian earthquake, 1783	xxix	212.
Calcareous schists—Western Rajputana	xxxv	17.
" tufa, Andaman Islands	xxxv	209.
" " in Garwál and Kumaon	xxiv	78, 92, 94, 129.
" " Western Rajputana	xxxv	12, 41.
Calciphyre	xxviii	232.
"	xxx	105.
Calcite	xxviii	39.
" in el.-syenite	xxx	180, 197, 198, 199, 214.
" —in Godwar	xxxv	17.
" —in nodular rhyolite, Western Rajputana	xxxv	67.
Calc schists in Hatát Series	xxxiv	8.
	(4).	
Calder, on Laterite	xxiv	240.
Callaway, Dr. C. Wrekin rhyolites	xxxv	88.
<i>Callianassa</i>	xxvii	44.
<i>Calyptraea rugosa</i>	xxvii	2, 22.
Cambay, Gulf of	xxxii	69.
Cambrian of Central Himalayas	xxiii	209.
<i>Camelopardalis sivalensis</i>	xxi	115.
Cameron, J.	xxxiii	3.
<i>Camerophoria</i>	(pt. 1).	
" <i>purdoni</i>	xxii	158.
" "	xxxii	141.
" <i>pinguis</i>	xxviii	111, 112.
" "	xxviii	111, 112.
Camorta	xxxv	207.
Camp Bay (Lautiche), Stewart Sound	xxxv	198.
Campbell, F. D.	xxxii	74.
Canada, corundum-syenites of	xxx	205, 206.
" mica of	xxxiv	96.
Canadian anorthosites	xxviii	208.
" pyroxene-granulites	xxviii	208.
Cancani, A.	xxix	204, 233, 255, 378.
<i>Cancellaria cancellata</i>	xxvii	3, 39.
Canning, artesian well at	xxxii	44—45.
Cape Comorin type of gneiss	xxviii	171, 191.
<i>Capra perimensis</i>	xxi	115.
Carbonaceous clay with coal, Hazara	xxvi	40.
Carbonate of lime, particles of — in sand from Western Rajputana	xxxv	39.

SUBJECT.	Volume.	Page.
Carbonic acid in quartz	xxx	137.
Carboniferous, of Bazár Valley	xxviii	108—113, 114.
" Bithir Gadh	xxiii	164, 188.
" Central Asia and China	xxiii	64.
" " Himalayas	xxiii	58, 59, 60—66, 103—117, 136, 150— 153, 158, 164 —167, 170, 174—190, 202—205, 212—217, 221—233.
" Chango peak	xxiii	111.
" Dawe	xxiii	179.
" Dharma pass	xxiii	181.
" Dharma valley	xxiii	61.
" Dhaul Ganga	xxiii	180.
" divisions of — in Central Himalayas	xxiii	60, 61.
" fossils—Almorah and Garhwal	xxiii	112, 113, 114.
" Girithi valley	xxiii	112, 115.
" Herat	xxiii	64.
" Hindu Kush	xxiii	64.
" Hop Gadh	xxiii	204, 205.
" Hoti peaks	xxiii	111, 113.
" Johar	xxiii	153, 164.
" Kashmir	xxiii	64.
" Kashmir, <i>see</i> Kuling series.		
" Kuti Yangti	xxiii	183, 185.
" Kiangur peak	xxiii	150, 152.
" Kiunglung?	xxiii	114, 117.
" Lebung pass	xxiii	187.
" Lipu Lek	xxiii	61, 190.
" Lissar valley	xxiii	165, 166, 167, 170, 174, 175, 177.
" Marchauk pass	xxiii	113.
" Marchauk peaks	xxiii	111.
" Milam sections	xxiii	111, 112.
" Nilang	xxiii	61, 62.
" Niti	xxiii	62.
" Painkanda	xxiii	61.
" Persia	xxiii	64.
" physical changes near close of upper —	xxiii	63, 64, 65.
" Pin river	xxiii	212, 214, 215, 216, 217.
" Rimkin Paier	xxiii	112, 136.
" Shillong	xxiii	152.
" Siach Koh	xxiii	64.
" Silakauk	xxiii	109, 112, 114.
" Spiti	xxiii	61, 63, 221, 222, 223.
" thickness of — in Central Himalayas	xxiii	112.
" Tsang Chok La	xxiii	202, 205.
" unconformity near close of—	xxiii	114, 116.

SUBJECT.	Volume.	Page.
Carboniferous wide extent of —	xxiii	64.
Carbo-Permian, possibly represented in Hazara	xxvi	25.
see Permo-Carboniferous.		
<i>Carcharias</i>	xxvii	45.
<i>Cardinia</i>	xxii	158.
<i>Cardita beaumonti</i> beds	xxxi	196, 198, 199, 200, 237, 238, 239, 241.
<i>tidamarensis</i>	xxviii	42.
<i>Cardium</i> , in Barmer sandstone	xxxv	34.
<i>Cardium</i> (<i>Protocardium</i>) <i>altum</i>	xxi	37, 38, 40.
<i>brogniarti</i>	xxi	119.
<i>hillanum</i>	xxi	40.
<i>picteti</i>	xxi	119.
<i>triforme</i>	xxi	117, 119, 120, 121.
Cargill, J. D.	xxix	316.
Carmichael, D. F.	xxxiv	113.
Carne	xxx	184, 185.
J.	xxxiv	33.
Carnian	xxviii	5, 17.
Carnic, of Malla Johar	xxxii	142, 146, 147.
Carolina, North, corundum in	xxx	209.
Carpathian flysch compared with Himalayan	xxviii	2, 3, 12—16.
<i>Carpolithes</i>	xxi	184.
Carstairs, R.	xxix	327.
Carter, H. G.	xxxiv	3, 11, 13, 55, (4), 94, 112, 124, 140, 141, 142, 143.
H. J., Geology of India	xxxv	3.
H. J.	xxiv	6, 241.
Cascades, Garhwál and Kumaon	xxiv	94.
“Casing” of lodes in Wainád gold-fields	xxxiii	20, 21, 28. (2).
<i>Cassidaria dubia</i>	xxvii	2, 27.
<i>minebuensis</i>	xxvii	2, 28.
Cassiterite	xxxiv	32, 50.
Caste-divisions of mica	xxxiv	14.
Casuarina Bay	xxxv	198.
Catania	xxix	235, 240, 375.
Cause of earthquake of 1897	xxix	176, 179, 367.
Causes of Central Asian elevation	xxiii	230, 231.
Cautley, Sir P. T.	xxiv	60, 84, 115.
“Cavern” reef, Wainád	xxxiii	21. (2).
Cavities in Malani rhyolites	xxxv	86.
liquid—in quartz of Malani rhyolites	xxxv	81.
Cenomanian of Tirah	xxviii	104.
see Cretaceous.		
Central Asian area, comparison with	xxiii	229, 230.
“Central gneiss” objections to term	xxii	269.
Central Himalayas, classification	xxiii	224.
“ “ Geology of	xxiii	1.

SUBJECT.	Volume.	Page.
Central India, mica of	xxxiv	54.
„ Provinces, mica of	xxxiv	55.
Cephalopoda of Cretaceous of Hazara	xxvi	35—37.
<i>Ceratites</i>	xxii	158.
<i>Ceritopora dispar</i>	xxi	37, 40, 43.
<i>Ceritheim sp.</i>	xxvii	23.
„ <i>van-den-Heckeii</i>	xxxi	261.
„ <i>rude</i>	xxi	119, 122.
Ceylon, pyroxene-granulites in —	xxviii	121, 153.
„ seismology of	xxv	164, 181.
<i>Chaetetes</i>	xxii	150, 158, 209.
Chagru Valley	xxviii	102.
Chah-i-Sundan	xxxi	242.
Chail	xxiii	159, 161, 162.
Chalcedony in Malani rhyolites	xxv	86.
„ Salem	xxx	133.
Chaldu peak	xxviii	6, 7.
„ „ and river	xxxii	127, 183.
Chaliyam, island of	xxiv	202.
“Chalk Hills”	xxviii	182.
“ ” ”	xxx	107, 128, 129, 146, 147.
Chalk-marl & U. Greensand represented in Hazara	xxvi	37.
Chamba basin, rocks of	xxii	179 sqq., 235, 240, 274.
„ Káshmir and — Geology of.	xxii	
Chamberlin, Prof. T. C.	xxxii	4.
Champion, gold-lode	xxxiii	9—22.
„ Reef gold-mine	(pt. 1). xxxiii (pt. 1).	9, 11, 12, 13, 16, 18, 23, 33, 45, 65, 69.
Chandernagore, artesian well at	xxxii	47, 48.
Chandi hills	xxiv	170.
Changanmu Gadh	xxiii	202.
Changchenmo and Karakoram basin	xxii	181 sqq., 185, 200, 256, 260. 323.
Changla gullee to Khaira gullee section	xxvi	190—194.
Chango peaks	xxiii	94, 95, 101, 111, 110.
Channing, F. G.	xxxiv	60, 114.
Chanod-hills near	xxxv	66.
„ section near	xxxv	19.
Chapar range	xxxi	223, 237, 238.
Chapman, F.	xxxiv (4).	55, 56.
Charleston earthquake, 1886	xxix	42, 48, 57, 101, 97.
Charlton, A. G.	xxxiii(2)	7.
Charnockite	xxxvii (pt. 2)	59, 64.
Charnockite in South-East Wainád	xxxiii (2).	8, 10, 11, 13, 15.

SUBJECT.	Volume.	Page.
Charnockite-pegmatite	xxviii	172.
Charnockite series, a group of Archaean Hypersthentic Rocks in Peninsular India	xxviii	119—249.
„ series, near Salem	xxx	106, 107, 116, 146, 154.
„ series, of Kalahandi State	xxxiii (pt. 3).	7—8.
Charpentier	xxx	184, 185.
„	xxxiv	33.
Chasm formed by weathering out of dyke, South of Nagar Chatham Is., Port Blair	xxxv	53.
„ „ „ Cornwallis	xxxv	198.
Chedrang fault (1897 earthquake)	xxxv	198.
„	xxix	80, 138, 145, 197, 369.
„	xxxv	170.
Cheduba, Mud Volcanoes of	xxvii	94.
Chemical analysis of eläolite	xxx	187.
„ „ eläolite-syenite	xxx	180, 181.
„ „ felspar-rock	xxx	102, 211.
„ composition of micas	xxiv	25.
Chemnitzia	xxii	158.
Chemical criteria for determining gneisses	xxviii	238.
Chert beds of 'Oman series	xxiv (4).	10, 90, 99.
„ in Eocene of Bahrain	xxiv (4).	117.
Chhattisgarh, artesian water at	xxii	78.
Chhindwara district, geology of part of, <i>see</i>	xxiv	1—58.
Chhota Udepur, mica of	xxxiv	53.
Chiaistolite-schists	xxxiv	39, 40, 48.
Chidamu beds	xxxii	133.
Chidemu	xxiii	155, 172.
Chiggateru	xxv	196.
Chikka Haggari River	xxv	12 and passim.
Chikim Beds	xxii	125, 128, 183.
„ limestone	xxviii	4.
„	xxiii	80, 83, 180.
China Village	xxviii	109, 110, 113.
Chinab River, <i>see</i> Kashmir.		
„ Valley	xxii	23, 216.
„ „ Metamorphics of	xxii	299.
„ „ Panjal System in	xxii	237, 246.
Chinali, section above	xxvi	203—204.
Chinda Dighwani, coal outcrop of	xxiv	25, 26, 27.
Chindwin River, Oil near	xxvii	183—184.
Chingchingmauri glacier	xxiii	163, 167.
Chingelput district	xxviii	177.
Chirakan, Deola and — marl, of Narbada Valley	xxi	2, 39—41.
Chirchun	xxii	127—183.
Chitichun region, Notes on the Geological Structure of the — by Dr. C. Diener	xxviii	1—27.
Chitran, supra-Kuling outlier near	xxii	192.
Chlorite in felspar	xxii	219.
„ pseudomorphous after olivine	xxxi	88.
„ -schist	xxxiv	41, 61.

SUBJECT.	Volume.	Page.
Chloritic schists, Hazara	xxvi	61.
Chlorite schists, Salem	xxx	145.
" " in Hatát Series	xxxiv (4).	8.
Chogai	xxxi	243, 244.
Chokamb dun	xxiv	143.
Chondrai, hill at	xxxv	68.
<i>Chonetes</i>	xxii	132, 158.
Chonglung pass	xxii	182.
Chopasni, conglomerates at	xxxv	45.
Chor Hoti	xxiii	112, 135.
" " pass	xxiii	96, 97, 98, 106, 107, 132.
Chorpani sot	xxiv	100.
Chotan, granite at	xxxv	77.
Chothai, section below	xxvi	208.
Christie, Captain	xxxi	181.
Christison, Prof.	xxvii	189.
Chromite, Andaman Islands	xxxv	212.
" origir of	xxx	136.
" Salem	xxx	133, 134.
Chrustschoff, von	xxxiv	29.
Chrysoberyl, Coimbatore	xxx	202, 213.
" in pegmatite	xxxiv	31.
Chrysocolla	xxxi	291, 293.
Chuáro, section at	xxii	190, 242, 273.
Chujjiyan section	xxvi	208.
Chukrata series	xxiii	54.
Chuna Khan	xxiv	78, 94.
Chura and the Bazar Valley	xxviii	108—117.
"Chutes"	xxxiii (pt. 1).	15, sqq.
" absence of — in Wainád	xxxiii (2).	22, 28, 30.
<i>Cidaris cœnomunensis</i>	xxi	40, 43.
" <i>depressa</i>	xxi	121.
" <i>granulata</i>	xxi	121.
" <i>halensis</i>	xxi	121.
Cinquo Is.	xxxv	195.
<i>Cladiscites subaratus</i>	xxxii	143.
" <i>tormatus</i>	xxxii	143.
Clark, Dr. J.	xxiv	240.
Clarke, F. W.	xxxiv	25.
Classification by petrographical provinces	xxviii	120.
" of gneisses	xxviii	238, 246.
" of igneous rocks	xxviii	153, 154.
" of micas	xxxiv	16, 25.
" of Sub-Himalayan system	xxiv	76, 77.
<i>Clavella djordjearia</i>	xxvii	3, 33.
Clibboru, Capt.	xxxii	8, 9.
Clifton near Karachi, sand-hills of	xxxiv	133—157.
Clay, Rewah	xxi	221.
" pottery — of Bellary district	xxv	205.
Clays, in M. Siwaliks	xxiv	83.
" in U. Siwaliks	xxiv	80.

SUBJECT.	Volume.	Page.
Clays nodular	xxiv	84.
Cleavage, in Himalayan traps, etc.	xxiv	184.
Clifden section	xxvi	226.
Climate of Sub-Himalaya	xxiv	66, 77.
<i>Olypeaster</i> beds at Shalil	xxxiv	30, 73, 84.
	(4).	
<i>Olypeaster depressus</i>	xxi	119, 121.
Coal, analysis of — from Hazara	xxvi	288—289.
„ „ Jammu	xxxii	225—244.
„ „ in Mikir Hills	xxviii	93—95.
„ „ in Sâtpura Gondwâna basin	xxiv	54.
„ Andaman Islands	xxxv	212.
„ cost of Bengal	xxxii	190.
„ economics of—in Rewah	xxi	211.
„ general lie of—in Hazara	xxvi	289—290.
„ of Hazara, history of—	xxvi	287—288.
„ in Kashmir	xxii	332.
„ Kathlâwâr	xxi	133.
„ of Mikir Hills	vii	84—90.
„ quality of—in Hazara	xxvi	288—289.
„ small nests of—in sand-rock (Himalayas)	xxiv	84.
„ stratigraphical position of—in Hazara	xxvi	40.
„ suggested methods of working the — of the Jammu fields	xxxii	258—261.
„ traces of—at Pagan	xxviii	67.
Coal-bearing bed of Hertoh R.	xxvi	142.
Coal-fields of Jammu	xxxii	189—263.
„ of Rewah basin	xxi	137.
„ Southern—Sâtpura Gondwâna Basin	xxvi	1—58.
Coalfield of Rampur, Report on	xxxii	89—124.
Coal-measure series	xxviii	91.
Coal-mine, Hewson's	xxvi	140.
Coal of Dore R.	xxvi	287—290.
Coal of Hazara probably contemporaneous with Dandot coal of Salt Range	xxvi	41.
Cobalt, of Kalahandi State.	xxxiii	20.
	(pt. 3).	
„ of Kolar gold-fields	xxxiii	10.
	(pt. 1).	
Coconada, artesian well at	xxxii	55—57.
<i>Coelopleurus forbesi</i>	xxi	122.
Coggan, W.	xxxiv	103.
Coimbatore	xxxiv	31, 58.
„ some auriferous localities in North	xxxiii	53—67.
	(pt. 2).	
„ District	xxviii	183.
„ District	xxx	104.
„ District, the Sivamalai series of <i>Elæolite Syenites</i> in the	xxx	169—224.
Cole, C. S. D.	xxxiv	94.
	(4).	
„ H. W. G.	xxix	28, 342.
„ on Laterite	xxiv	240.

SUBJECT.	Volume.	Page.
Coleman, A.P.	xxx	206, 207, 213.
Collier, F. R. S.	xxix	332.
<i>Colossochelys atlas</i>	xxi	115.
Colour of Ch. series, causa of	xxviii	124.
Colours of micas	xxxiv	23.
Colquhoun, H. A. C.	xxix	360.
Columbite in pegmatite	xxxiv	32, 51, 63.
Columnar basalt	xxi	61.
„ jointing of Malani rhyolites	xxxv	23, 47, 48, 49, 50.
Colvin, Mr.	xxxii	194.
“Comby” structures in pegmatites	xxxiv	35.
Comparison of Central Himalayas with Central Asian area	xxiii	229, 230.
Composition, chemical, of charnockite	xxviii	141.
„ „ of intermediate division	xxviii	149, 151.
„ „ of norites	xxviii	156.
„ „ of pyroxenite	xxviii	166.
„ mineral, of charnockite	xxxviii	134.
„ „ of intermediate division	xxviii	151.
„ „ of leptynite	xxviii	142.
„ „ of norites	xxviii	155.
„ „ of pyroxenite	xxviii	164.
Compression, in Assam range in 1897 Earthquake	xxix	366.
„ lateral, Garhwal and Kumaon	xxiv	99, 124, 197.
„ of alluvium in 1897 Earthquake	xxix	97.
„ Ramganga-Polani section	xxiv	135—137.
„ of different zones in Hazara	xxvi	262—264, 268.
Concentric exfoliation	xxviii	184.
Concretionary limestone of Nummulitics, Hazara	xxvi	38, 41, 42.
„ Nodules of Makran Coast	xxxiv	34, 37, 38, 41— (4) 51.
„ rhyolites at Bakhal	xxxv	70.
Concretions, Honjam Island	xxxiv	135.
„ (4)		
„ in Nahau sandstone	xxiv	83.
„ in sand-rock	xxiv	83, 84.
„ in Spiti shales, Hazara	xxvi	33.
Condensational waves of 1897 Earthquake	xxix	232, 251.
Conditions favourable for mica	xxxiv	11, 32, 38, 70.
Cone, conjectural volcanic—near Nagona	xxxv	51.
Conformable sequences, between M. & L., Siwalika	xxiv	115, 120, 139, 160, 162.
„ „ „ U. & M. Siwalika	xxiv	102, 107, 148, 150, 151.
Conglomerate, Andaman Islands	xxxv	197, 198.
„ angular	xxiv	79, 98.
„ at base of variegated sandstone stage in Hazara	xxvi	40.
„ clay	xxiv	84.
„ fine, in sand-rock	xxiv	84.
„ haimanta	xxiii	51, 162, 225.
„ Infra-Trias — of Hazara	xxiv	100.
„ Infra-Trias schistose — of Hazara	xxiv	55.
„ in Nahans	xxiv	86.
„ made up of Nahau rock	xxiv	166.
„ Siwalik	xxiv	79—82.

SUBJECT.	Volume.	Page.
Conglomerate at base of Barmer sandstones	xxxv	33.
" at base of Vindhya near Jodhpur	xxxv	45.
" between schists and Malanis	xxxv	20.
" between schists and Vindhya	xxxv	26.
" between Malanis and Vindhya	xxxv	27.
" interstratified with Malani rhyolites	xxxv	21, 23, 58, 60, 62.
" sub-recent, Western Rajputana	xxxv	11, 14, 36.
" Western Rajputana	xxxv	60, 62, 76.
Connolly, Captain E.	xxxi	181.
<i>Conoclypeus</i>	xxxi	264.
Consanguinity of the Charnockite types	xxviii	124.
Constable, C. G.	xxxiv	3, 112, 143.
	(4).	
Constructions stability of —, during Earthquake	xxix	5, 11, 44, 304, 313.
Contact—action of "dome-gneiss," Bengal	xxxiv	47, 49.
Contact effects in gneiss due to intrusions of charnockites	xxxiii	11, 12, 14.
	(2).	
Contact metamorphism, see Metamorphism.		
" of Malani rhyolite and granite	xxxv	91.
" phenomena (charnockites)	xxviii	225, 230, 236, 243, 249.
Contemporaneous veins	xxiv	33.
" in charnockites	xxviii	145, 172, 219.
Contortion, features of — in Kotah dun	xxiv	98.
<i>Conus malaccanus</i>	xxvii	3, 42.
" <i>marginatus</i>	xxvii	3, 43.
Cook, Dr.	xxxi	181.
" J.	xxv	119.
Coorg	xxviii	121, 180, 228, 247.
Coorg, mica of	xxxiv	55.
Cootacovil, South Wainád	xxxiii	19.
	(2).	
Copper, in Baluchistan	xxxi	291—293.
" of Bellary district	xxv	172, 197, 198, 199.
" Kathiáwár	xxi	134.
" in Nimáwar district	xxi	69.
" Mountain	xxv	3, 58, 63, 132, 147, 162.
" occurrence of native — in Kashmir	xxii	334.
Copper-ore, in Kashmir	xxii	334.
" of Son Valley	xxxi	172.
" pyrites	xxxiii	11.
	(pt. 1).	
Coral, as prehistoric ornament	xxv	212.
Coral " of Tirah	xxviii	104.
" limestone, silurian	xxii	55, 56.
" reef, Andaman Islands	xxv	208.
" Reefs, in Gulf of Cutch	xxi	131.
Coralline Limestone of Narbada Valley	xxi	2, 42—44.
<i>Corbula harpa</i>	xxvii	3, 4, 15.

SUBJECT.	Volume.	Page.
<i>Corbula rugosa</i>	xxviii	42.
„ <i>semitorta</i>	xxviii	41.
Coronae, pegmatoidal, around garnet	xxx	159.
Correlation of Oligocene and Miocene beds in Western Asia	xxxiv	25.
„ of structure East and West of Ganges	(4). xxiv	153, 154, 168, 169.
Corrosion of quartz phenocrysts in Malani rhyolites	xxxv	79.
Cortlandt series of New York	xxviii	207.
Corundum, Coimbatore	xxx	202, 205, 207, 209, 210, 217.
„ Salem	xxx	149, 152, 155, 156, 157, 158.
Corundum-pegmatite in the Urals	xxx	210.
Corundum-syenite, Coimbatore	xxx	201.
Core of mountains	xxiv	191, 196.
Coromandel gold-mine	xxxi	9, 12, 20, 46, (pt. 1). 60.
„ protaxis	xxviii	137, 146, 176.
Cotopaxi, volcano of	xxxi	273, xxxii, 173.
Cotteau, M.	xxxiv	4.
Cotton, H. J.	(4). xxx	3.
Cotton-soil, of Bellary district	xxv	190.
Coulthard, Capt.	xxiv	4.
“Country,” effect of pegmatites	xxiv	39.
„ favourable to mica	xxiv	38, 39.
„ rock of pegmatites	xxiv	40, 48.
“Court” surrounding quartz phenocrysts in Malani rhyolites	xxv	80, 83.
Cox, Capt.	xxvii	53-60, 208, 207, 213, 221, 223, 240, 241, 242, 259, 261.
Craggy Islands	xxv	198, 199.
Crags—see “Klippen.”		
Craters, see Sand-vents (ryptoseismic).	xxix	227.
Crawford, Mr.	xxvii	61, 63, 207, 221, 222, 223, 240, 241, 242, 251.
Cretaceous, Afghanistan	xxiii	81.
„ Balchdhura	xxiii	149, 155.
„ Central Asia	xxiii	81, 82.
„ Central Himalayas	xxiii	47, 75, 79- 82, 84, 128, 130, 132, 133, 149, 155, 226, 228, 229.
„ Chidarma	xxiii	155.
„ distribution of — in Himalayas	xxiii	81.
„ division of — in Central Himalayas	xxiii	80.
„ fossils in the — of Central Himalayas	xxii	80, 82, 132.
„ Hazara	xxvi	35-38.
„ Hindu Kush	xxiii	82.
„ Khorassan	xxiii	81, 82.
„ Kungribingri	xxiii	155.

SUBJECT.	Volume.	Page.
Cretaceous Ma Rhi La	xxiii	133.
" Nagbo (Hundes)	xxiii	130.
" of Chitichun	xxviii	2.
" of Kashmir, <i>see</i> " Chikkim Beds."		
" Lower (Nimar Sandstones) of Narbada Valley	xxi	2, 23—35.
" Mikir Hills	xxviii	76, 78, 80.
" Tirah	xxviii	100—104.
" overlap of — in Central Himalayas	xxiii	228, 229.
" Persia	xxiii	81, 82.
" Persian Gulf	xxxiv	13—15, 103.
	(4).	
" possible extension upwards into grey limestone	xxvi	38.
" possible occurrence at Darzeit	xxxiv	15.
	(4).	
" possible occurrence near Muscat	xxxiv	89.
	(4).	
" Samana range	xxvi	38.
" Sirkia (Hundes)	xxiii	128, 130.
" Sulaiman range	xxiii	81, 82.
" Upper Deccan Trap, Lametas, Corpalline Limestone, Deolamarl and Nodular limestone.	xxi	2, 35—63.
" band, appearance of — in Hazara	xxvi	199.
" fossils of, at Jubbriyan	xxvi	200.
" fossils of — in Hazara	xxvi	36—37.
" limited distribution of — in Hazara	xxvi	35—36.
" sandstone at Barmer	xxxv	33.
" shale bed, Persian Gulf	xxxiv	83, 86.
	(4).	
Criper, W. R.	xxxiv	31.
<i>Crocodylus palustris</i>	xxi	115.
" <i>sp. cf. biporcatus</i>	xxvii	103, 105.
Crushing of strata	xxiv	111, 122, 124, 184.
Crushings results of early — in Wainád	xxxiii	22.
	(2).	
Cryptoperthite	xxx	179, 188.
" Crystal Court " around plagioclase	xxx	191.
Crystalline, grouping of — in Hazara	xxvi	51.
" and Metamorphic rocks, Hazara	xxvi	46—86.
" and Metamorphic zone, Hazara	xxvi	227—259.
" axis of Himalaya	xxvi	273—280.
" limestone	xxx	105.
" rocks in Central Himalayas	xxiii	39—49, 194—199.
" rocks in Painkanda area	xxiii	90.
" rocks, Western Rajputana	xxxv	15.
" schists	xxiv	63, 128, 132, 133.
" system, of Kashmir	xxii	265—329.
" of Kalahandi State	xxxiii	3—5.
	(pt. 3).	
Crystallization " courts "	xxviii	168, 236.
Crystal-symmetry of mica	xxiv	16, 19.
<i>Cucula trigonalis</i>	xxi	119.
Cuddapah, mica of	xxxiv	67.

SUBJECT.	Volume.	Page.
Cuddapah dyke-rocks	xxviii	247.
" dyke-rocks	xxx	130, 131.
" system of Kalahandi State	xxxiii (pt. 3).	11—12.
Cullen, Captain	xxv	21.
Cup and ball structure in columnar lavas, Western Rajputana	xxxv	49.
Current bedding — in sandstones, Western Rajputana	xxxv	28.
" bedding — in tuffs, Western Rajputana	xxxv	69.
" bedding, of Nimar Sandstone	xxi	25.
Curtis, C.	xxix	65.
Curzon, Lord	xxxi	183.
Cutch, foraminifera in limestone of	xxxv	39.
" see under Kachh.		
" Cut " mica, tariff on	xxxiv	89.
Cyanite, see under Kyanite.		
Cyanide process, Kolar	xxxiii (pt. 1).	49. bb.
<i>Cyathophyllum</i>	xxii	146, 158.
Cylinder seismometer	xxix	294, 345, 367, 358.
<i>Cyprea grani</i>	xxvii	3, 25.
" <i>humerosa</i>	xxi	117, 119.
" <i>nasuta</i>	xxi	119.
<i>Cyprina transversa</i>	xxi	121.
<i>Cytheræa lilucina</i>	xxviii	42.
D		
Dabka, N.	xxiv	95.
Dachstein kalk, Alpine	xxviii	1, 8, 9.
" " of Malla Johar	xxii	143, 147, 175.
Dadri	xxxi	127, 128, 131.
Dakar	xxiii	162.
Dakota sandstone	xxii	18, 22.
Dalbandin desert	xxxi	223, 244, 244.
Dalby, C. J.	xxii	102, 103.
Daldakharak	xxiii	101.
Dalhousie district, (Geological notes concerning	xxii	230, 233, 237, 249, 270, 271.
" section near	xxii	196, 197, 199, 200, 207, 208, 242.
" Daman "	xxxi	188, 209.
" "	xxii	24.
Damjan	xxiii	101.
" heights	xxiii	106, 108.
Damodim, volcano of	xxxi	281, 283.
Damova, outcrop of coal at	xxiv	39.
<i>Danaopsis</i>	xxi	209.
Dandali, granite at	xxxv	74.
Dandot coal, locomotive trials of	xxii	239.
" " cost of mining	xxii	254.
Dangerfield, Capt.	xxi	68.
Dangkhar	xxiii	219, 220.

SUBJECT.	Volume.	Page.
Danmur	xxv	200.
<i>Danubites</i>	xxxii	168.
„ <i>ambica</i>	xxviii	10.
„ <i>kansa</i>	xxviii	10.
„ <i>nivalis</i>	xxxii	141.
Danwa, outcrop of coal at	xxiv	42.
“ <i>Daonella</i> beds”	xxxii	143.
„ beds”	xxiii	66, 69.
„ <i>indica</i>	xxxii	142, 146, 153.
<i>Daphoderma cœlata</i>	xxvii	3, 4, 7.
Dargapipal	xxiv	166.
Darlington, J.	xxxiii	6, 7.
	(2).	
Daroji Hills	xxv	6, 52, 137, 138, 139, 156, 157.
Darri, granite near	xxxv	68.
Darwin, C.	xxix	212, 217.
„ Charles	xxxi	167.
“Dasht”	xxxi	189, 254.
Datta, P. N.	xxxv	200.
„ See Geology of the Son Valley, etc.	xxxi	1—178.
„ See Oldham, R. D.		
Davidson, T.	xxii	157, 175.
Davis, W. M.	xxix	137.
Davison, C.	xxix	124, 177, 223.
Davy, J.	xxx	185.
„	xxxiv	33.
Dawe	xxiii	177.
„ sections	xxiii	179, 180.
De Bure, P.	xxix	31.
Deccan Trap, of Kathiawar	xxi	91—105.
„ of Narbada Valley	xxi	2, 6, 7, 51—63.
„ of Rewah	xxi	210.
„ of Satpura region and Chhindwara and Betul districts	xxiv	50—51.
„ prospects of artesian water in the	xxxii	84—87.
„ water in	xxxi	23.
Dechauri hematite	xxiv	86, 89.
Decorative uses of mica	xxxiv	75, 76.
Decrochement horizontal, Ganges	xxiv	157.
„ Kosi	xxiv	102.
“Decrochements horizontaux”	xxx	139.
Deewal section	xxvi	150—151.
Deflation, effects of	xxxv	10.
Dehra Dun	xxiv	64, 65, 148.
Dehval section	xxvi	224.
Dela, N. (Jhada-ka-sot)	xxiv	108.
De la Rue, Warren	xxvii	190, 203.
Delesse	xxxiv	30.
Delessite	xxviii	141.
Delhi system	xxxv	16.
Delidunga Rau	xxiv	117.
Densurgi, graphite of	xxxiii	16.
Denudation	(pt. 3). xxxi	37—40.

SUBJECT.	Volume.	Page.
Denudation, action of — on schistose group	xxiv	127.
„ effects of — since M. Siwalik times	xxiv	125.
„ effects of — West of Ramnagar	xxiv	108.
„ in Malani period	xxxv	21.
„ more energetic on mountainous regions than else- where	xxiv	191.
„ rapid — of Chandi hills	xxiv	150.
Deola and Chirakan narl of Narbada Valley	xxi	2, 39—41.
Deora, granite at	xxxv	56.
Deposition, continuous, coincident with parallel upheaval .	xxiv	183.
„ limit of coincident with reversed fault	xxiv	176.
„ limit of — for Bhabar deposits	xxiv	180, 181.
„ limit of — for M. Siwaliks	xxiv	122, 179.
„ limit of — for Nahans	xxiv	179, 180.
„ limit of — for Nummulites	xxiv	180.
„ limit of — for Siwalik conglomerate	xxiv	177, 178.
„ of Sub-Himalayan rocks, conditions of	xxiv	171.
„ relation of — to unconformity	xxiv	105.
Derbund, sections N. of	xxvi	251—254.
Deserts, artesian water in	xxxii	12.
DeSouza, F. S. . . .	xxix	64.
Desuri, marble near	xxxv	17.
DeTivoli, J. W. . . .	xxix	98.
Devasudra	xxv	149.
Development of Himalaya and of their western continuation .	xxvi	284—286.
Denville, H. St. Claire	xxvii	203.
Devitrification of fragments in breccia	xxxv	89.
Devonian, Chor Hoti	xxiii	112.
„ Dharma	xxiii	181.
„ fossils in — of Central Himalaya	xxiii	110.
„ Hop Gadh	xxiii	203.
„ Lipu Lek	xxiii	190, 193.
„ Lissar valley	xxiii	165.
„ Muth	xxiii	211, 212, 214, 223.
„ Niti	xxiii	109.
„ of Central Himalayas	xxiii	58—61, 109— 112, 165, 181, 190—193, 211, 212, 214, 223.
„ Painkanda peak	xxiii	112.
„ Pin river	xxiii	211, 212, 214.
„ Silakank	xxiii	109, 110.
„ Spiti	xxiii	223.
„ thickness of — in Central Himalayas	xxiii	59, 60, 110.
Dhangari (Thungully) sot	xxiv	103.
Dhansi Chaor	xxiv	122.
Dhansiri Valley	xxviii	86, 91.
Dharma Ganga	xxiii	28, 159, 161, 165, 172.
„ pass	xxiii	24, 25, 180, 183.
„ sections	xxiii	106—193.
Dharwar, first use of term	xxv	24.
„ conglomerates, Salem	xxx	109.

SUBJECT.	Volume.	Page.
Dharwar system, age of —	xxviii	194, 246, 247
„ system of Bellary district	xxv	74-165.
Dharwars, alteration of	xxx	115.
„ of Kolar	xxxiii	4, 75.
„ in south-east Wainád	(pt. 1). xxxiii	14.
Dhaul Ganga	(2). xxiii	28, 51, 93, 94, 95, 96, 98, 101, 116, 117, 118, 132, 162, 163, 178, 179, 187.
Dhauntia sot	xxiv	95.
Dhira, sphærolitic rhyolites near	xxxv	66.
Dhoramanda, artesian water at	xxxii	77.
Dhoramuda, coal-boring at	xxxii	92, 108-113, 117.
Dhrangadra stone	xxi	135.
Dhánladhar Range	xxii	197, 202, 237, 241, 244, 270, sqq.
Dhumtour, section near	xxvi	138-139.
„ „ North-West of	xxvi	116.
Dhuni gadh	xxiv	91.
Diabase	xxxi	82-85.
„ at Kolar	xxxiii	80.
„ of Malla Johar	(pt. 1). xxxii	129.
„ porphyrite	xxviii	2, 4.
„ dykes in South India	xxviii	247.
„ dykes, Nellore	xxxiv	61, 62.
Diallage	xxxi	303, sqq.
„ rocks, of Kashmir	xxii	112.
Diamonds, of Kalahandi State	xxxiii	21.
Diamond drill	(pt. 3). xxxii	106.
Diamond-Working, possible old — in Bellary district	xxv	88.
Dicercocardium	xxii	147, 169, 182.
„ beds of Trias	xxvi	28.
Dicotyledonous leaves — in Barmer sandstones	xxxv	34.
„ leaves — in Lathi group	xxxv	34.
Didwana, salt lake at	xxxv	42.
Diener, Dr. C.	xxxii	127, 128, 129, 132, 133, 141, 155, 171, 175, 178, 180, 181, 182.
Diersche, Max	xxviii	153.
Dihing series	xxviii	91.
Diholi	xxxi	160.
Diller, J. S.	xxviii	161.
„ J. S.	xxxi	167.
Diluvium, of Yenangyaung	xxvii	100-102.
Dinarian series	xxviii	11, 12, 17.
“ Dingley Dell ” Mine, Wainad	xxxiii	3.
	(2).	

SUBJECT.	Volume.	Page.
<i>Dinotherium</i>	xxviii	46.
Diopside-gneiss as "country" rock of Indian pegmatites	xxxiv	40.
Diorite, Andaman Islands	xxxv	204.
" of Baluchistan	xxxi	203, 230, 231, 245, 247, 250, 253, 264, 268, 280, 293.
" of Bellary district	xxv	165, 201.
" of Deccan trap	xxi	93.
" from Ladakh	xxxi	321.
" Persian Gulf	xxxiv	12, 105, 106, (4) . 110, 111, 133.
Dioritic rock	xxlii	199.
Diphu river	xxviii	85.
Dips, normal Himalayan	xxiv	101, 161.
" radiating	xxiv	140.
" similarity of — in different formations	xxiv	128.
Disang series	xxviii	91.
<i>Discina Kashmirensis</i>	xxii	158.
<i>Discoflustrella vandenheckei</i>	xxi	117.
<i>Discohelix minuta</i>	xxvii	2, 18.
Dislocation breccia	xxviii	199.
" of trap-dykes	xxx	141.
Displacements, of alluvium in 1897 Earthquake	xxix	82, 297.
" of hills in 1897 Earthquake	xxix	165, 363.
Distortional waves of 1897 Earthquake	xxix	232, 252.
Disturbance, Himalayan, amount of — in Himalayan rocks far greater than in Sub-Himalayan	xxiv	185.
" Himalayan, not of Tertiary date	xxiv	112, 183, 186.
" Himalayan, of Siwaliks not due to a single post-Siwalik paroxysm	xxiv	112, 113.
" periodical — in Central Himalayas	xxiii	227, 228, 229.
" of Himalaya, some peculiarities of	xxvi	280, 282.
" zones	xxiv	63.
" zones, general — of Himalaya	xxvi	86, 88.
" zones of Polani-Ramganga section	xxiv	116, 135, 173— 176.
Diurnal Variation in frequency of after-shocks of the Great Earthquake of 12th June 1897	xxxv	117—150.
Dobson, G. T. H.	xxix	15, 107, 127.
" Major F. F. H.	xxx	2, 9.
Dodramou, coal at	xxiv	42.
Doelter	xxxiv	29, 38.
Dogadi sot	xxiv	152.
Dogkwa Aur	xxiii	203, 205.
Dolerite, Archæan	xxi	7, 10.
" of Baluchistan	xxvi	203, 250.
" of Deccan trap	xxi	58.
" intrusive in Malanis	xxxv	26.
" olivine — of Tirah and Bazâr Valley	xxviii	115.
" Persian Gulf	xxxiv	12, 96.
" dykes in Wainád	(4).	16.
	xxviii	(2).

SUBJECT.	Volume.	Page.
Dolerite dykes, Western Rajputana	xxxv	51, 53, 58, 62, 63, 69, 71, 72, 73.
Dolomite, Hormuz series	xxxiv (4).	16.
Dolomitic Limestone of Zanskar basin, correlated with Para Limestones	xxii	169.
" Dome-gneiss, " Bengal	xxxiv	42, 47.
" " of Hazaribagh	xxxiii (2).	17.
Dome structure	xxiv	151.
Dongpu	xxiii	15, 25, 26, 79, 81, 127, 129, 130, 131, 156.
Dongur-Parasia, outcrop of coal at	xxiv	28.
Donimalé division of Sandur Dharwarian outcrop	xxv	93, 112—118.
Doodar ravine coal-seam in	xxxii	197, 199, 203.
Doodha, section from — to Burkot	xxvi	234.
Doonga gulle to Changla gulee section	xxvi	187—190.
Dore, R.	xxvi	89—92.
" R. section between Dhuntour and Hertoh R.	xxvi	140.
" R. sections in upper reach of	xxvi	167—170.
<i>Dosinia pseudoargus</i>	xxi	117, 119, 122.
Double refraction in micas	xxxiv	22.
Doughty, C.	xxxiv (4).	20.
Douvillé, H.	xxxiv (4).	4.
" H.	xxxv	203.
Drana, Koh	xxxv	293.
Drás, metamorphics of	xxii	317.
" section west of	xxii	152, 232.
" Zánská System south of	xxii	148, 4, 297.
Drew, F.	xxii	Passim.
Dressing mica for market	xxxiv	89.
Dubbun sections	xxvi	126—127.
Dugar, columnar jointing at	xxxv	47.
Duggan, C. R.	xxix	67.
Dukkun, sections near	xxvi	198.
Dunagiri	xxiii	21, 90, 111.
Duncan, P. M.	xxxiv (4).	4, 37.
Dunite	xxx	133, 147.
Dun-like valley of the Nandhaur R.	xxiv	155, 161, 162.
Duns	xxiv	65.
" extinction of Kotri and Chokamb duns	xxiv	144.
" formation of	xxiv	120.
" requisites of	xxiv	138.
Dunstan, W. R.	xxxiv	70.
" W. R.	xxxiv (4).	150.
" W. R. Report on a sample of graphite from Kala- handi State	xxxiii (pt. 3).	22.

SUBJECT.	Volumo	Page.
Duration of shock of 1897 Earthquake	xxix	5, 6, 16, 21, 26, 29, 30, 31, 33, 34, 38.
Dust deposits of Son Valley	xxxix	34.
Dutt, U. C.	xxxiv	14, 76.
Dutton, C. E.	xxx	142.
" E.	xxix	42, 48, 57.
Dwarka Beds (Káthiáwár)	xxi	123-125.
Dyer, J. A.	xxix	36.
Dykes, absent in Bijawars of Son Valley	xxxix	71.
" basic, in Western Rajputana	xxxv	25, 52, 53, 91.
" eurite, Western Rajputana	xxxv	64, 69, 74, 77.
" of Baluchistan	xxxi	228, 252, 257, 264, 266.
" of Deccan Trap	xxi	53, 54, 100 - 105.
" in Kolár Gold-field	xxxiii	7, 80.
" in Malabar gneiss	(pt. 1). xxiv	215.
" of sandstone	xxxi	167.
" with chilled selvages	xxviii	190, 224, 228, 243.
Dyke-rocks, basic — of Ifazara	xxvi	75, 81.
" near Salom	xxx	131, 141.
" of Kalahandi State	xxxiii	14.
Dykes trap, in Archæans of Bellary District	(pt. 3). xxv	48, 165 - 171.
" " in Dhawars of Bellary District	xxv	83, 91, 104q. 129, 159, 165.
" " in gneiss of Mikir Hills	xxviii	77.
Dynamic metamorphism of Himalaya	xxvi	278, 280.
Dynamite, at Kolar Gold-fields	xxxiii	60.
" with mica base	(pt. 1). xxxiv	75.
E		
Earth movements, Garhwál and Kumaon	xxiv	97, 103.
" " near Salom	xxx	139.
Earthquake, Garo explanation of	xxix	14.
" Hindu prediction of	xxix	24.
" Hindu view of cause of	xxix	24.
" list of after-shocks of the great — of 12th June 1897	xxx	1 - 102.
" report on the great — of the 12th June 1897	xxix	
" of 12th June 1897, Diurnal variation in frequency of after-shocks of the	xxxv	117 - 150.
Earthquakes, Agram, 1880	xxix	57.
" Cachar, 1869	xxix	85, 296.
" Calabria, 1783	xxix	212.
" Charleston, 1886	xxix	42, 48, 57, 97, 101.
" cause of	xxix	163, 369.

SUBJECT.	Volume.	Page.
Earthquakes, Japan, 1891.	xxix	97.
„ Laibach, 1895	xxix	57.
„ Lisbon, 1755	xxix	371.
„ Neapolitan, 1857	xxix	357.
„ Riobamba, 1797	xxix	81.
„ Sumatra, 1892	xxix	370.
„ Vostizza, 1861	xxix	86, 100.
Earth's surface, forces active on the	xxiii	229.
<i>Echinobrissus subquadratus</i>	xxi	40.
<i>Echinolampas</i> zone, Nummulites of Hazara	xxvi	39, 41.
<i>Echinostrobos (Thuiles) expansus</i>	xxi	81.
Edinburgh	xxix	238.
Edwards, Mr. W. B. D.	xxvi	4, 115, 126, 147, 150, 151.
Eeb Bridge, coal-seam	xxxii	114—116.
„ river — see report on the Rampur Coal-field	xxxii	89—124.
Effect of pagmatites on surrounding rocks	xxxiv	38.
Einbuchtungen, inlets of ground mass in quartz phenocrysts	xxxv	79.
Ekersund area	xxviii	135.
„ hypersthene-granite	xxviii	141, 142.
Ekleyra, outcrop of coal at	xxiv	33.
Elæolite, characters of	xxx	178, 179
„ chemical analysis of	xxx	187.
„ syenites, Coimbatore	xxviii	247.
„ syenites, Coimbatore	xxx	177, 184.
„ syenites, Coimbatore	xxxiv	31, 58.
„ syenite, near Salem	xxx	158.
Electric plant (Kolar)	xxiii	38.
Electrical applications of mica	(pt. 1). xxxiv	73, 74.
Elevation, changes of; see levels	xxix	
„ of Central Asia, causes of	xxiii	230, 231.
„ of Himalayas	xxiii	16.
„ of river beds, 1897 earthquake	xxix	13, 104, 319.
„ of Sub-Himalaya from East to West	xxiv	171.
Elison, J.	xxix	102.
Ellore, artesian well boring at	xxii	80-82.
Emerson, T.	xxix	323.
Enclaves homœogenes	xxviii	217, 235.
Engines at Kolar	xxiii	34—37.
Engler, Prof.	(pt. 1). xxvii	192, 203.
English, A. E.	xxix	39, 194.
Enstatite	xxviii	115.
„	xxxi	312.
„ rock of Bellary district	xxv	177.
<i>Entelites</i>	xxii	141.
Envelopes, fire-proof.	xxxiv	73.†
Eocene, of Hazara, see <i>Nummulites</i> of —		
„ of Káshmir.—See Tertiary system of—.		
„ of Mikir Hills	xxviii	76, 81—83.
„ of Tirah and Bazar Valley	xxviii	99, 100, 101.
„ Persian Gulf	xxxiv (4).	17, 18, 19, 20, 21, 100, 113, 19.]

SUBJECT.	Volume.	Page.
Eocene, fossils Persian Gulf	xxxiv (4).	19, 120.
„ strata, Garhwál and Kumaon	xxiv	62, 63, 126, 130-133.
Epicentral tract of Assam Earthquake, 1897	xxix	129.
Epicentre, extent of, in 1897 Earthquake	xxix	168, 172.
Epidiorite, Bengal	xxxiv	40, 48.
„ in Wainád	xxxiii (2).	10, 12, 16, 21.
„ Persian Gulf	xxxiv (4).	12, 96.
Epidote	xxxi	303, <i>sqq.</i>
„	xxxi	73, 77, 79, <i>sqq.</i>
„	xxxiii	11.
„ granite veins of Bellary district	(pt. 1).	
„ in Indian pegmatites	xxv	176.
„ in metamorphics	xxxiv	32.
„ occurrence of — in contact metamorphism	xxi	9.
„ rocks of Rupshu	xxxi	265.
Erinpura, granite	xxii	327.
„ hills near	xxxv	18, 72, 73.
Erosion of lavas	xxxv	73.
Erratics, of Tirah and Bazar Valley	xxxv	26.
Erratics(?) of Wynno	xxviii	114.
Eruptive mud, veins of — in Bémé, Yonangyung	xxvi	45-46, 241-245.
„ rocks, basic — of Central Himalayas	xxvii	126-131.
Escarments, at Sitalani	xxii	45, 46.
„ of Siwalik conglomerate	xxiv	96, 98.
„ south of Kotah dun	xxiv	107, 140.
<i>Escharia halensis</i>	xxv	78, 89, 94, 98.
Eschenhagen	xxi	117.
Etch-figures in Indian micas	xxix	242.
Ethorsey, Captain R. E.	xxxiv	20.
<i>Eumetria grandicosta</i>	xxi	111, 112.
<i>Eupsumia regalis</i>	xxviii	111, 112.
Eurite	xxvii	3, 6.
„ dykes—Western Rajputana	xxxi	250.
<i>Euspatangus patellaris</i>	xxxv	69, 74, 77.
Evans, J.	xxi	121.
„ J. W.	xxix	37.
„ J. W.	xxx	109.
„	xxxiv	55.
„ R.	(4).	
„ Rev. R.	xxix	167, 271.
Exfoliation, concentric	xxx	22.
Exotic Blocks, description of	xxviii	184.
„ “Exotic Blocks,” of Mulla Johar in the Bhot Mahala of Kumaon	xxvii	166-169.
Exports of Indian mica	xxxi	127, 183.
„	xxxiv	95.
F		
Faïlle du midi	xxix	173.
Falconer	xxiii	86.

SUBJECT.	Volume.	Page.
Falconer Dr.	xxi	77, 112.
" Dr.	xxvi	13.
" Dr. Hugh	xxiv	60, 177.
False bedding in sandstones, Western Rajputana	xxxv	28.
" bedding in tuffs, Western Rajputana	xxxv	69.
Fan, alluvial	xxxi	188, 211.
	xxxii	24.
Fans, alluvial, of Káshmir	xxii	50, sqq.
" rain	xxv	182.
" talus—of Bellary district	xxv	182.
Fars Series	xxxiv	26—51, 63, 66,
	(4).	85, 107, 108,
		109, 110—
		111, 126, 128.
<i>Fasciolaria feddeni</i>	xxvii	2, 35.
" <i>nodosa</i>	xxvii	3, 4, 34.
" <i>rigida</i>	xxi	37, 40, 41.
Fault, boundary—of Gondwanas	xxxi	135, 140.
" boundary—of Vindhyan	xxxi	28.
Faults, as a result of Earthquakes	xxxv	170, 171.
" Assam range	xxix	167, 369.
" at present mountain foot	xxiv	136.
" coinciding with limits of deposition	xxiv	176.
" continuing lines of weakness	xxiv	165.
" earthquake	xxix	80, 138.
" fold—, Garhwál and Kumaon	xxiv	106, 124, 133,
		153.
" Ganges	xxiv	153.
" in Sátputra, Gondwána basin	xxiv	51.
" Kosi	xxiv	102.
" in gneiss of South-East Wainád	xxxiii	13.
	(2).	
" Mitawala sot	xxiv	152, 153.
" normal—, Garhwál and Kumaon	xxiv	121, 125, 130,
		134.
" Nahan Siwalik	xxiv	103—106, 122,
		153.
" Ramgunga Pelani section	xxiv	121—124, 125
		—126, 133—
		137, 174—176.
" Sara N.	xxiv	164.
" reversed (thrust planes), main-boundary—, Garhwál and Kumaon	xxiv	77, 89, 90, 99,
		106, 111, 117,
		126, 129, 152,
		156, 158—
		160, 164, 166.
" seldom clean-cut fractures	xxiv	163.
" vertical	xxiv	106.
Fault-breccia in Dharwars. See Breccia.		
Fault-scarp	xxiv	96, 97, 98, 113
Fauna of Sub-Himalaya	xxiv	74—76.
Favourable conditions for mica	xxxiv	11, 32, 38, 43,
		70.

SUBJECT.	Volume.	Page.
Fedden, F.	xxxiv (4).	55.
" W.	xxvii	1.
Feistmantel, O.	xxi	3, 37, 40.
" O.	xxi	81.
" traverse across Satpura basin	xxiv	11.
Felsite, of Deccan Trap	xxi	93, 95, 97, 99.
Felsites, Tusham hill	xxxv	88.
Felsitic rocks of Trias, Hazara	xxvi	25—27.
Felspar for pottery	xxxiv	51.
" in Deccan trap	xxi	52.
" in Erinpura granite	xxxv	18.
" in groundmass of Malani rhyolites	xxxv	78, 82.
" Metamorphics	xxi	7, 8, 9.
" in sand	xxxv	38.
" in sand-rock	xxiv	85.
" in spherulites in Malani rhyolites	xxxv	87.
" phenocrysts in Malani rhyolites	xxxv	81.
Felspar-rock, Coimbatore	xxx	201, 211.
Felstone, of Deccan Trap	xxi	56, 57, 93.
Fenestella	xxii	132, 139, 150.
Ferrier, W. P.	xxx	206.
Ferro-magnesian silicates, groups of	xxviii	152.
Ferruginous Conglomerate, zone of	xxviii & xxvii	45, 62. 105.
" quartzite in South-East Wainúd	xxixiii (2).	9, 14. 40, 41.
Fibrolite-gneiss as "country" rock of pegmatites	xxxiv	2, 28.
Ficula theobaldi	xxvii	241.
Figeo, S.	xxix	263.
Finlay, Fleming & Co.	xxvii	4.
Finnis, Lieut.	xxiv	76.
Fire-bricks of waste-mica	xxxiv	73.
Fire-proof envelopes	xxxiv	73.
Fire-screens	xxiv	177.
Fisher, Rev. O.	xxix	190—199.
" Rev. O.	xxiv	285.
" Rev. O., "Physics of Earth's Crust"	xxvi	80.
Fishes, killed by earthquake (Assam 1897)	xxix	48.
Fissile rhyolite at Nagona	xxxv	49.
Fissure vent, Western Rajputana	xxxv	92.
Fissures, at foot of hills (Assam Earthquake 1897)	xxix	86.
" distinguished from fractures	xxix	293.
" double	xxix	89.
" formation of, Assam Earthquake 1897	xxix	21, 22, 25, 85, 109, 258, 280, 292, 319.
" in alluvium, Assam Earthquake 1897	xxix	6, 10, 11.
" on hill sides, Assam Earthquake 1897	xxix	19.
"Fissure" veins in Wainúd	xxixiii (2).	72--73.
Flaser-structure in gneissose-granite	xxvi	141, 140, 168.
Flemingites	xxxi	179, 180, 181.
Flexures, Dawe	xxiii	178.
" Dharma	xxiii	

SUBJECT.	Volume.	Page.
Flexures, folded	xxiv	103.
" (Haimanta), Hop Gadh	xxiii	203.
" in Nahans of Ronganga river	xxiv	111, 112.
" in Siwalik conglomerate	xxiv	91.
" inverted, of Himalayas	xxiii	39.
" Kiangur	xxiii	153, 154.
" Kuti Yangti	xxiii	183.
" Lissar valley	xxiii	158, 164, 167.
" monoclinal	xxiv	95.
" north of Patli dun	xxiv	117, 124, 126.
" of Himalayan rocks	xxiv	135.
" Thumka Gadh	xxiii	184.
" single great West of Ramnagar	xxiv	112.
" undulating normal	xxiv	147.
Floods, in Assam Earthquake of 1897	xxix	106, 121, 161.
Flora of Sub-Himalaya	xxiv	65, 70.
Flow structure—in fragments in breccias, Western Rajputana	xxxv	80.
" structure—in lavas of Western Rajputana	xxxv	47, 48, 49, 50, 63, 67, 68, 70, 85.
Fluidal structure, <i>see</i> flow-structure.		
Fluor, in gneiss of Kashmir	xxii	267.
Fluorine, Hazaribagh	xxxiv	39.
Fluor-spar in pegmatite	xxxiv	32, 39.
Fluid substratum	xxiv	198, 199.
Flysch	xxviii	2, 3.
" of Baluchistan	xxxi	195, 229, 237, 243, 244, 245, 247, 249, 252, 254, 257, 261, 267, 269, 288.
" of Malla Johar	xxxii	133 sqq., 151— 152, 155—158, 161, 163, 176.
Focus, depth of, Assam Earthquake, 1897	xxix	175, 178, 378.
" observations to determine, Assam Earthquake, 1897	xxix	178, 267, 359.
" position of — in Assam Earthquake, 1897	xxix	164.
" size of — in Assam Earthquake, 1897	xxix	165, 168, 172, 179.
" thrust plane, Assam Earthquake, 1897	xxix	166, 369.
Fold-fault near Haimanta boundary	xxiii	97.
Fold-faults, <i>see</i> Faults	xxiv	63.
Folding of gypsum beds in Fars Series	xxxiv	28, 80, 109.
	(4).	
Foliated types of gneissose-granite	xxvi	65—66.
Foliation	xxviii	137, 246.
" of elaeolite-syenite	xxx	171, 213.
" of granite in veins, north of Chandrai	xxxv	69.
" of Himalayan rocks	xxiv	184, 185.
" of Malabar gneiss	xxiv	211.
" significance of	xxx	173.
Folk lore of Earthquakes	xxix	14, 24.
Foot, R. Bruce	xxiv	242.
" R. Bruce	xxxii	78.

SUBJECT.	Volume.	Page.
Footo, R. Bruce	xxxiii (pt. 1).	4, 76.
„ R. Bruce	xxviii	119, 171, 177, 191, 246.
„ R. Bruce	xxx	103, 106, 110, 116, 117, 135, 143, 146, 154, 159.
„ R. Bruce, geology of the Bellary district, Madras	xxv	
Foraminifera—in limestone of Cutch	xxxv	39.
„ in sand, Western Rajputana	xxxv	39.
„ Kumaon and Garhwál	xxiv	88, 131.
„ of Nummulitic limestone, Hazara	xxvi	41.
Forces, on the earth's surface	xxiii	229.
Foreign inclusions in charnockites	xxviii	217, 234.
Forest Department	xxiv	67.
„ fires	xxiv	70.
„ scenery, Kumaon and Garhwál	xxiv	65.
„ survey maps	xxiv	61.
Forests, relation of — to geology	xxiv	71, 72, 127.
Form, of pegmatite masses	xxxiv	35, 62.
Formations, in Jaisalmir	xxxv	35.
„ in Western Rajputana	xxxv	16.
Formula, acceleration, for Earthquakes	xxix	348, 350.
„ amplitude, for Earthquakes	xxix	349.
„ velocity, for Earthquakes	xxix	347, 351.
Forster, M. E.	xxi	139.
Fort Hill, Bellary	xxv	57.
Fossil Wood (in Gondwanas)	xxi	22.
„ (in Nimar Sandstones)	xxi	32.
Fossils carboniferous — of Central Himalayas	xxiii	112, 113, 114.
„ cretaceous — of Central Himalayas	xxiii	80, 82, 132.
„ devonian — of Central Himalayas	xxiii	110.
„ doubtful — in Vindhyaas	xxxv	30.
„ foraminifera in sand	xxxv	39.
„ Halimanta — of Central Himalayas	xxiii	52, 98, 210.
„ in Barmer sandstones	xxxv	33.
„ jurassic — of Central Himalayas	xxiii	127.
„ of Jaisalmir group	xxxv	35.
„ permian — of Central Himalayas	xxiii	67.
„ rhetic — of Central Himalayas	xxiii	118, 119, 122, 126.
„ silurian — of Central Himalayas	xxiii	56, 57, 100, 102, 103, 105, 107.
„ tertiary — of Central Himalayas	xxiii	85, 86.
„ triassic — of Central Himalayas	xxiii	69, 72.
Fountain of Moses	xxxi	273.
Fox, Dr.	xxv	209, 210, 216.
„ W.	xxvii	204.
Fracture of stone posts, Assam Earthquake, 1897	xxix	172, 271, 317, 318.
„ of trees, Assam Earthquake, 1897	xxix	81, 123, 138, 150.
Fractures, distinguished from fissures	xxix	86.

SUBJECT.	Volume.	Page.
Fragments of lava in breccias of Western Rajputana	xxxv	89, 90.
Free gold in "casing" of lodes, Wainád	xxxiii (2).	20.
Froidlander, Dr.	xxvii	71, 221, 223, 252.
Frere, Sir H. Bartle, on sandhills	xxxv	4.
Fripped limestone	xxvi	246.
Fritted mylonite	xxx	140, 141.
Fruh, Dr.	xxix	237.
Fuel, at Kolar Gold-Fields	xxxiii (pt. 1).	57.
" equivalents, of Indian Coal	xxxii	180.
<i>Fulguraria elongata</i>	xxi	37, 40, 41.
Fuller's earth at Kapuli	xxxv	33.
Fulljames, Capt.	xxi	77, 113.
" G.	xxxiv	53, 113.
Fundamental gneisses	xxviii	146.
G		
Gabbett, E.	xxix	39.
Gabbro, of Kashmir	xxi	112.
" of Ladakh	xxii	303—329.
" of Tirah and Bazar Valley	xxvii	116.
" Persian Gulf	xxiv (4).	12, 96.
Gadiganur Hills	xxv	52.
<i>Gagana</i>	xxxiv	13.
Gait, E. A.	xxix	378.
Gaj stage	xxxiv (4).	23, 24, 32, 36.
" stage, comparison with Miocene of Burma	xxvii	5.
" stage, of Kathiawar	xxi	107—122.
Gajundoh coal-field	xxiv	34, 35.
Galena	xxi	2, 173.
"	xxxiii (pt. 1).	11.
" in Baluchistan	xxi	293.
<i>Galeocerdo</i>	xxvii	45.
Galt-i-Hamun	xxxi	239.
Gamsali	xxiii	91, 97.
Gandry, Prof. A.	xxx	225.
Ganes Ganga	xxiii	95, 96, 101, 102, 116.
<i>Gangamopteris</i>	xxi	152, 159, 175, 184, 189.
Ganges	xxiii	15, 16, 17, 23, 84.
"	xxiv	148.
" drainage	xxiii	26—28, 79, 224.
" system	xxiii	194.
Gangetic alluvium, artesian water in the	xxvii	28—49.
Gangotri	xxiii	51.

SUBJECT.	Volume.	Page.
Gangotri peaks	xxiii	43, 194, 195, 197.
Ganjam, mica of	xxxiv	58.
Garah, Malanis at	xxxv	59.
Garbandh	xxxi	105.
Garbyang	xxiii	162.
Garhwál	xxiii	passim.
	xxiv	passim.
	(pt. 2).	
Garhwál and Kumaon, Physical Geology of	xxiv	59—200.
Garhwal " " zonal structure of	xxvi	272.
Garjia sot	xxiv	107.
"	xxiv	103.
Garnet, accessory in felspar-rock	xxx	201.
" in Central Himalayas	xxii	44.
" in gneiss of Kashmir	xxii	267, 300, 304, 315.
" as prehistoric ornament	xxv	212.
" in pegmatite	xxxiv	32, 52, 56, 65.
" in schist	xxxiv	40, 41, 52.
Garnetiferous biotite gneiss, Wainád	xxxiii	10.
	(2).	
" gneiss of Malabar	xxiv	208 sqq.
" leptynite	xxviii	142, 172.
" norite	xxviii	160, 181.
" norites	xxx	153.
" schists, Hazara	xxvi	60.
Garnets, acicular inclusions in	xxviii	161, 162.
" " " "	xxx	127.
" decomposition of	xxxiii	11, 15.
	(2).	
" in Sub-Himalayan rocks	xxiv	171.
" of Bellary district	xxv	39.
" origin of	xxviii	143, 161, 245.
" origin of	xxx	125, 126.
" with pegmatoidal corona	xxx	159.
Gartok	xxiii	205.
Gas, Natural — at Minbu	xxvii	81—95.
" cavities, in Malani rhyolite	xxxv	11.
" pores, in quartz phenocrysts in Malani rhyolites	xxxv	81.
Gaskin, J. C.	xxxiv	150.
	(4).	
Gaujara Rau	xxiv	117.
Gau Mukh	xxiii	27.
Gaurigani ridge	xxiv	107.
Gauthier, M.	xxxiv	4.
	(4).	
Gavialis sp. cf. gangeticus	xxvii	103, 105.
Gaya, mica of	xxxiv	44.
Geikie, Sir A.	xxiv	62, 112.
" Sir A.	xxviii	223.
" Sir A.	xxx	228.
" Sir A.	xxxii	172, 174.
Geodes (quartz) in Bahrain	xxxiv	113, 116, 118.
	(4).	

SUBJECT.	Volume.	Page.
Geographical distribution of mica in India	xxxiv	43.
Geological Congress of Paris 1900. Report on the	xxx	225—230.
„ history of Bahrain	xxxiv	123.
„ (4).		
„ history of the Persian Gulf	xxxiv	58—60.
„ (4).		
„ occurrence of mica	xxxiv	30.
„ Survey Office	xxv	166.
Geysers, <i>see</i> Sand vents.		
Ghagar river	xxxv	48, 165.
<i>Gharialis Gangeticus</i>	xxi	115.
Ghátámémin Pass	xxxii	160.
Ghátás, Western — of Malabar, <i>see</i> Geology of South Malabar .	xxiv	201.
Ghaziaband range	xxxv	218.
Ghazij shales, relation of — to Mikir Hills exposures	xxviii	90.
Ghaziram ka sot	xxiv	151.
Ghogra Nala, outcrop of coal in	xxiv	29.
Ghorani Gadh	xxiv	92.
Ghoriála, Zeugen near	xxxv	45.
Ghose, Nishi Kumar	xxv	75.
Ghund Ghar	xxviii	109, 114.
Giant-granite	xxxiv	30.
Gieumal Sandstone	xxii	125, 183.
„ Sandstone	xxiii	75, 80, 81, 82, 226.
„ Sandstone, Hazara	xxvi	31—32.
„ Sandstones, of Chitichun	xxviii	1, 2, 4, 5, 7, 16.
„ Sandstones, of Malla Johar	xxxix	127—183.
Gilbert, C. F.	xxix	40.
„ R.	xxix	33.
Ginaor	xxxi	159.
Girand, Prof.	xxiv	5.
Girthi river	xxxii	130.
„ valley	xxiii	97, 99, 112, 115, 150, 151, 153, 156.
Girwi	xxxi	77, 80.
Glacial beds, Hazara	xxvi	45.
„ beds, near Gool Maira	xxvi	133—135.
„ deposits, in Central Himalayas	xxiii	32—35.
„ deposits, none	xxiv	79, 172, 173.
Glaciated boulders at Bap	xxxv	32.
„ rocks at Pokaran	xxxv	31.
Glaciation	xxx	228.
„ evidences of — in Panjal system of Kashmir and Talchirs of India	xxii	247.
„ in Kashmir	xxii	32.
„ in Tirah and Bazar Valley	xxviii	114.
Glaciers, absurd theory of — in Bellary district	xxv	216.
„ evidence of — in Koonhar R.	xxvi	129.
„ in Central Himalayas	xxiii	27, 29—32.
„ melting of	xxiv	73.
„ no trace of — in Hazara below 5,000—6,000 ft.	xxvi	46.
“ Glacis ” of Kunkur, formation of	xxxv	12, 41.
Glass inclusions in quartz in Malani rhyolite	xxxv	81.

SUBJECT.	Volume.	Page.
<i>Glimmer</i>	xxxiv	13.
Glomero-plasmatic structure	xxx	195, 196.
<i>Glossopteris</i>	xxi	152, 159, 175, 184, 189.
Gneiss, Baboh pass	xxiii	209.
" Batwari	xxiii	196.
" Central	xxiii	40.
" 'central' — of Stoliczka	xxii	266.
" found in boring at Madras	xxxii	50.
" Gangotri peaks	xxiii	194.
" granite — of Kolar	xxxiii	4, 74.
" granitic	(pt. 1). xxiii	40, 41, 43, 45.
" granitoid, of Kalahandi State	xxxiii	5—7.
" hornblondie	pt. 5). xxiii	43, 44.
" in South-East Wainád	xxxiii	10, 11, 12, 28.
" Kamot	(2). xxiii	194.
" Mana peaks	xxiii	194.
" Niti	xxiii	194.
" of Bellary district	xxv	26—73.
" of Central Himalayas	xxiii	40—45, 93, 95, 161, 162, 194, 196.
" of Malabar	xxiv	209—215.
" of Mikir Hills	xxviii	76—78.
" of Nerbada Valley	xxi	7—10.
" of Rampur Coal-field	xxxii	93.
" of Son Valley	xxxi	4, 112, 120, 121, 123, 133, 134, 141.
" Roikana heights	xxxi	100.
" secondary changes in	xxiii	93, 95.
" "syenitoid or quartzose" of Wainád	xxxiii	11.
" "trap-shotten"	(2). xxxiii	9.
Gneissos, classification of	(2). xxviii	13.
Gneissoso-granite, Hazara	xxvi	238, 246.
" granite, Nellore	xxxiv	61—73, 273— 280.
" granite, of Western Rajputana	xxxv	62.
" structure, origin of	xxviii	18, 72.
Goa	xxiii	123.
Godamalai	xxx	162.
Godwar, Aravalli rocks in	xxxv	110, 111.
" Erinpura granite in	xxxv	17.
Godwin, J.	xxxii	19, 73.
Godwin-Austen, Lt.-Col. H. H., F.R.S	xxii	192, 194.
Godwin-Austen	xxviii	passim.
Goendla, ash beds of	xxxv	23.
Goethals, Dr. P.	xxviii	70.
	xxviii	130.

SUBJECT.	Volume.	Page.
Gogra, Supra-Kuling, rocks near	xxii	182.
Gola, R.	xxiv	157.
Gold, in Bellary district	xxv	89, 91, 196, 197.
„ in Hazara	xxvi	287.
„ in north Coimbatore	xxxiii (pt. 2).	53—67.
„ in pyrites, Wainád	xxxiii (2).	20, 29.
„ in Sub-Himalayan rivers	xxiv	73, 138.
„ occurrence of alluvial — in Kashmir	xxii	333.
„ of Chota Nagpur Section	xxxiii (pt. 2).	68—71.
„ of Malabar	xxiv	208, 238.
„ origin of — in Kumaon and Garhwal	xxiv	85.
Gold-field, Kolar	xxxiii (pt. 1).	1—81.
“Gold-fields of Mysore” mine	xxxiii (pt. 1).	9—16.
„ of Wainád	xxxiii (pt. 2).	1—48.
Gold-ore, handling of — at surface	xxxiii (pt. 1).	38—42.
Golia, breccias near	xxxv	65.
Gondwana Basin of Satpura, Southern coal-fields of	xxiv	1—58.
„ System, of Son Valley	xxxi	29—31, 117, 124, 133, 135.
„ Upper — Mahadevas of Narbada Valley	xxi	2, 20—23.
Gondwanas, artesian water in	xxxii	76—82.
„ of Kalahandi State	xxxiii (pt. 3).	12.
„ suspected presence of — in Rajputana	xxxv	7.
„ Upper (Umias) of Káthiáwár	xxi	78—84.
<i>Goniatisites</i>	xxii	133, 158.
Gool Maira section	xxvi	133.
Gopat Valley	xxxi	44, 129, 132.
“Gorband”	xxxi	213, 214, 233.
Gori Ganga	xxiii	28, 158.
Gothna gadh	xxiv	94.
Goting	xxiii	52, 94, 106.
Government Forest Reserves	xxiv	66, 67.
Grablovitz, G.	xxix	228, 250, 251.
Grading of Mica	xxxiv	92.
<i>Grammechinus</i>	xxi	122.
Granite, age of — in Central Himalayas	xxiii	46—49.
„ albite—in Central Himalayas	xxiii	93.
„ biotite — of Wainád	xxxiii (2).	9, 14, 17.
„ Badrinath peaks	xxiii	195.
„ Bhagirathin gorge	xxiii	197.
„ Chail	xxiii	161.
„ contemporaneous in Dharwars	xxv	155.
„ foliated at contact with schists	xxxv	72.
„ gneissose; see gneissose-granite.		

SUBJECT.	Volume.	Page.
Granite, hornblendie	xxiii	197.
" inclusions of Malani rhyolite in	xxxv	71.
" in haimantas	xxiii	98.
" Kedarnath peaks	xxiii	195, 197.
" Malani rhyolite doubtfully intrusive in	xxxv	77.
" Mana Gadh	xxiii	197, 198.
" Nangling	xxiii	161.
" Nilang	xxiii	196, 198.
" north of main boundary in Gola R.	xxiv	158, 159.
" of Baluchistan	xxxi	203, 248, 268, 289.
" of Central Himalayas	xxiii	41, 42, 43, 44, 45—49, 55, 93, 98, 161, 195—198, 223.
" of Kashmir	xxii	272 sqq., 342.
" of Western Rajputana — petrology of	xxxv	90.
" Persian Gulf	xxxiv	13.
" red	(4).	61.
" relations of — with rhyolites	xxv	24, 56, 61, 63, 71.
" Shipki pass	xxiii	195, 196.
" Thanam valley	xxiii	223.
" Western Rajputana	xxxv	11, 12, 18, 24, 53, 55, 56, 63, 64, 66, 68, 69, 70, 71, 73, 74, 76, 77.
" of Bellary district	xxv	26—73, 199, 200, 213.
Granites with hyporsthene	xxviii	135, 141.
Granitic intrusions, in Bijjavar series	xxxi	4, 112.
" type of gneissose-granite, Hazara	xxvi	65.
Granitoid gneiss, of Bellary district	xxv	26—73.
" " of Malabar	xxiv	210.
" " of South Arcot	xxviii	179.
" " rocks, of Narbada Valley	xxi	7—10.
Granophytic structure in Siwana granite	xxxv	90.
Grant, A	xxi	157.
" C.	xxxiv	55, 113.
" Capt.	xxxi	180.
Granulite as "country" rock of pegmatites	xxiv	40.
Granulite formation	xxviii	143, 204, 213.
Granulitic structure, origin of	xxviii	154, 239.
Graphite, in charnockite series	xxviii	152, 153.
" in clazolite-syenite	xxx	172, 174, 177, 180, 199, 213, 215.
" in Kashmir	xxii	331.
" occurrences in Ceylon	xxviii	153.
" of Kalahandi State	xxxiii	14, 19.
" "sprouting" of	xxx	175.

SUBJECT.	Volume.	Page.
Graphitic slates, Hazara	xxvi	12.
Graphitite	xxx	175.
Graptolites of Panjal System	xxii	230.
Gravel terraces	xxxi	210, 266.
" " Hazara	xxvi	44, 45.
Gray's theory of rotation	xxix	215, 218, 224, 226.
Great limestone, Jamu area	xxiv	62, 63.
" " of Chenab Valley	xxii	203.
" " of Outer Hills of Kashmir	xxii	202.
" Nicobar Island	xxxv	195.
Green mica	xxxiv	23.
" spinel, in pyroxenites	xxviii	167, 182.
" " in xenoliths	xxviii	127, 236.
" stone	xxxi	75.
" " of Deccan Trap	xxi	95.
" " of Kashmir	xxii	112, 218, 252, 304.
Greenstreet, Col. R. E., magnetite	xxvi	257.
Gregory, J. W.	xxxiv	24.
" W.	(4).	
Grenoble	xxvii	190.
Gresley, W. S.	xxix	237.
Grey, M. A.	xxxi	167.
" limestone, of Hazara	xxix	338.
Griesbach, C. L.	xxvi	39—40.
" "	xxii	172.
" "	xxiv	187.
" "	xxviii	1—26.
" "	xxviii	96, 97, 98, 107, 108, 109.
" "	xxix	378.
" "	xxxi	183, 195, 197.
" "	xxxii	91.
" "	xxxii	127, 128, 129, 133, 134, 150, 155, 169, 175, 180, 181.
" " Geology of the Central Himalayas	xxiii	1.
" " Haimantas	xxvi	15, 30, 270, 271, 283, 284.
" " report on artesian water in Gujârât	xxxii	71.
Griffiths, Rev. G.	xxx	45.
Grimes, G. E.	xxxi	3, 16, 125.
" "	xxix	2, 91, 94, 228.
" " Geology of parts of Myingyan Magwe and Pakokku districts	xxviii	30—71.
Grit, of Tal age	xxiv	130.
" Sirmur series	xxiv	88.
Groundmass of Malani rhyolites	xxxv	78, 79, 81, 82, 84.
Ground-water	xxxii	3.
Grünerite	xxx	111, 112.
Gudikote Hills	xxv	4, 44, 45.
Guha, Abhya Sanker	xxix	336.

SUBJECT.	Volume.	Page.
Gujarat, artesian water in	xxxii	69, 75.
Gulces, section of as a whole	xxvi	195.
Gully, pass, coal at	xxxii	199, 202, 203.
Gulmarg, section near	xxii	212.
Gumbel, C. W.	xxiii	4, 10.
Gundgurb range, sections in	xxvi	245—248.
Gunther, K. T.	xxxiv	4.
	(4).	
Gurdah	xxxi	165.
Gurdon, P. R. T.	xxix	27, 80, 99, 100, 102, 334.
Gurgaon	xxxiv	68.
Gurhee-Hubcebooluh sections	xxvi	128—129.
Gursari Ghat	xxxi	157.
Guzerat, Geology of Kathiawar Peninsula in	xxi	73.
Gwaldankar	xxiii	102.
Gwelding	xxiii	116.
Gweldung	xxiii	53.
Gwegyo anticline	xxviii	68—69.
Gya valley, section of	xxii	108.
<i>Gymnites ugra</i>	xxviii	10, 12.
Gypsiferous period, submergence prior to — in Persian Gulf	xxxiv	23, 29, 78.
	(4).	
Gypsum	xxviii	35, 39, 44, 50.
„ at Clifden	xxvi	226.
„ at Milach	xxvi	186.
„ in Kashmir	xxii	339.
„ in Kathiawar	xxi	134.
„ in Kumaon and Garhwal	xxiv	78, 79.
„ in Siwaliks	xxxi	205, 253.
„ in Western Rajputana	xxxv	43.
„ of Hazara	xxvi	205, 287.
„ Persian Gulf	xxxiv	16, 104, 109, (4). 122, 137, 141, 142, 143, 155, 157—159.
„ beds, of Park Series	xxxiv	27—33, 62, 67, (4). 73, 77, 78, 85, 105.
„ beds, origin of	xxxiv	104, 131. (4).
Hacket, C. A.	xxxi	3, 76.
„	xxv	5, 19, 26.
Hadahanatta, gold of	xxiii	62—64.
	(pt. 2).	
Haflong	xxviii	72, 73, 92.
Haggari River	xxv	11, 64, and pas- sim.
Haimantas, Babeh pass	xxiii	209.
„ Bambadhura	xxiii	165, 176.

SUBJECT.	Volume.	Page.
Haimantas, Bamlas heights	xxiii	108.
" Bissahir and Niti	xxiii	194—199.
" boundaries of —	xxiii	49, 51, 52, 194, 195.
" Central Himalayas	xxiii	41, 42, 44, 45, 49—55, 56, 65, 94, 96 —98, 100, 103, 105, 108, 109, 152, 159, 160, 162, 165, 176, 1, 194— 203, 209—212, 224, 225.
" conglomerate	xxiii	96.
" Dharma	xxiii	159, 160, 162.
" distribution of—	xxiii	49.
" divisions of	xxiii	50, 51, 94.
" Eastern Johar	xxiii	159, 160.
" flexures	xxiii	203.
" fossils in —	xxiii	52, 98, 210.
" Jadh Ganga	xxiii	198.
" Kali river	xxiii	162.
" Kashmir	xxiii	54, 55.
" lowest division of —	xxiii	51, 52.
" Mana Gadh	xxiii	199.
" Middle	xxiii	52.
" name of —	xxiii	50.
" Niti and Bissahir	xxiii	194—199.
" Painkanda peak	xxiii	109.
" Pin river valley	xxiii	212.
" previous notice	xxiii	50.
" Pulamsunda	xxiii	199, 200, 201.
" red shales of —	xxiii	100.
" Shanti stream	xxiii	96, 97.
" Shillong	xxiii	159.
" Southern synclinals of —	xxiii	55.
" Spiti	xxiii	49, 50, 53, 54, 212.
" Takachull	xxiii	185.
" thickness of —	xxiii	55, 94, 160, 120.
" upper	xxiii	52, 53.
Halakoté hills	xxv	62.
Halakundi pass	xxv	144.
Halifax, A. G.	xxix	333.
Hallstadt beds	xxviii	5, 10, 17.
Hallstatt beds, compared with Himalayan rocks	xxvii	148—149.
Halwy Hill	xxv	69.
Hamilton	xxxiv	53.
" Sir R.	(4).	
"	xxiv	6.
Hamites	xxii	103.
Hamlin's reef, Wainád	xxxiii	21.
	(2).	

SUBJECT.	Volume.	Page.
Hampasagra	xxv	181.
Hampi and Daróji Hills	xxv	6, 52, 53, 143.
"Hamuns"	xxxi	187, 190, 211.
Hancock, R.	xxxiii	2.
Hannay, Captain	(pt. 1). xxvii	63, 241, 242, 250.
Haragondona	xxv	140, 141.
Hara Coal-field	xxiv	33—34.
Harapanahalli Hills	xxv	5, 168, 173, 175, 198.
Harapanahalli Taluq	xxv	16.
" — Uchingi Sub-division of Bellary gneissic areas	xxv	32—36.
Hardness of mica	xxxiv	24.
Hardwar	xxiv	148.
Haria Jan	xxviii	82.
Harker, A. H.	xxviii	161.
Harris, E. B.	xxix	331.
" T.	xxix	60.
Hashupa	xxij	189, 190.
Hassan Abdul, section near —	xxvi	217—218.
Hatát series	xxxiv	8—9, 90, 93, 98.
Hatch, F. H.	(4). xxviii	152, 206.
" " Kolar Gold-Field	xxxiii	1—81.
Haug, E.	(pt. 1). xxviii	14.
Haughton, S.	xxix	346.
Hausmannite	xxv	100, 195.
Hautefeuille	xxxiv	29.
Haüy	xxxiv	30.
Hayden, H. H.	xxviii	202.
" "	xxix	2, 32, 96, 172, 277.
" "	xxxiii	21.
" " Gold-fields of Wainád	(pt. 3). xxxiii	1—48.
" " Some auriferous localities in north Coimbatore	(pt. 2). xxxiii	53—67.
" " and Hatch F. H., the Gold-Fields of Wainád	(pt. 2). xxxiii	1—48.
Hazara, Geology of — and the Black Mountain	(pt. 2). xxvi	205.
" relation of rocks to those of Khágun	xxii	44.
Hazaribagh, mica of	xxxiv	10.
Heat, solar, as an agent of denudation	xxxv	148, 155.
Heath, J. M.	xxx	203, 204.
" "	xxx	238, 377, 378.
" T.	xxix	139.
Heaves	xxx	141.
Hedenstroemia	xxxii	146, 174.
Heim, Dr. Albert	xxiv	185.
Helmand river	xxx	86, 89.
Hematite	xxiv	

SUBJECT.	Volume.	Page.
Hematite, Black Mountain	xxvi	257.
„ in Ali Rájpur district	xxi	67.
„ in Bág	xxi	67.
„ in Chandgarh district	xxi	66.
„ in Dharwars of Bellary district	xxv	74—165.
„ in gneiss of Malabar	xxiv	209 sqq.
„ in Hoshangabad	xxi	64.
„ in Kátkut and Barwái	xxj	67.
„ in Káwant	xxi	67.
„ in magnetic ores	xxx	112.
„ in Nimampur district	xxi	66.
„ in Nimar district	xxi	65.
„ in Nimawar district	xxi	65.
„ of Bellary district	xxv	191—194 and passim.
„ of Bijawar series	xxxi	66.
„ of Sirban	xxvi	107.
„ Persian Gulf	xxxiv (4).	16, 106, 129, 131, 138, 141, 142, 143.
„ pisolitic at base of Trias, Hazara	xxvi	26.
<i>Hemiasfer cenomanensis</i>	xxi	40, 41.
„ <i>similis</i>	xxi	37, 40, 41, 43.
<i>Hemiptychina himalayensis</i>	xxxii	141.
Herbert, J. D.	xxiii	4, 5, 18.
Hercynite	xxviii	77.
„ in pyroxenite	xxviii	167, 182.
„ in xenoliths	xxviii	127, 236.
Hértoth R. section at —	xxvi	140—144.
Hestho river, coal at	xxi	196.
Heterogeneity of igneous masses	xxviii	215.
„ of metamorphosed sediments.	xxviii	214.
Hewson, Mr., on coal in Hazara	xxvi	238.
Hewson's coal mine	xxvi	140.
Hexagonal inclusions in quartz phenocrysts in Malani rhyolites	xxxv	80, 81.
Hidden, W. E.	xxx	201.
High-level alluvium of Káshmir	xxii	57 sqq.
Himachal	xxiii	17.
Himalaya, Seismology of Eastern	xxxv	164—175, 182.
„ „ of North-Western	xxxv	156—158, 179.
„ uplift of	xxxi	204, 207.
Himalayan area, limits of—	xxiii	224.
„ range, antiquity of	xxiv	63.
„ tertiaries of Káshmir	xxii	99—121.
Himalayas, Central	xxiii	20, 21.
„ „ northern range of	xxiii	20—23.
„ „ southern range of	xxiii	21—22.
„ Geology of Central	xxiii	1.
„ lower	xxiii	20, 21.
„ ranges of —	xxiii	15—19.
„ structure of —	xxiii	39.
„ Sub-	xxiii	20, 21.
Hindu Kush	xxvi	46, 47, 214.
„ mountain-system compared with Himalayan	xxvi	282—284.
Hingladevi Coal-field	xxiv	35—37.

SUBJECT.	Volume.	Page.
Hiniskot, section near	xxii	177.
<i>Hipparion</i>	xxviii	46.
<i>Hippopotamus iravadicus</i>	xxvii	103, 104, 105.
	xxviii	64.
<i>Hippotherium antelopinum</i>	xxi	115.
" "	xxvii	1, 104, 105, 107, 132, 133, 134, 135, 136,
" <i>theobaldi</i>	xxi	115.
<i>Hippurites</i>	xxii	103.
" "	xxii	103, 175, 183.
Hippurite limestone	xxxi	240, 250.
Hippuritic limestone of Central Himalayas	xxiii	82.
" " Persian Gulf	xxxiv	75, 86.
	(4).	
Hira Lal	xxi	137 sqq.
" base of Trias Deewal	xxvi	34, 36, 124, 144—147, 151, 173, 194, 200, 280.
Hirahat Sub-division of Bellary gneissic areas	xxv	49-51.
Hiradahal, section near	xxv	146.
Hislop, S.	xxiv	6, 7, 8.
Hobday, Capt. J. R., and F. R. Mallet: Volcanoes of Barron Island and Narcondam	xxi	251.
Hobson, H. G.	xxix	38.
Hochstetter, F. von	xxxv	206.
Hodgson, B. H.	xxiii	5, 18.
Hodograph	xxix	73.
Hoff, von	xxxv	154.
Hoffer, Prof.	xxvii	188, 199.
Hollal	xxv	78—82, 181, 187.
Holland, Sir T. H.	xxvi	61, 74.
" "	xxvii	192, 194, 202, 204.
" "	xxxi	2, 3, 74, 76, 141.
" "	xxxi	184, 270, 284, 286.
" "	xxxii	80.
" "	xxxii	136, 137, 154.
" "	xxxiii	7, 10, 15.
" "	(pt. 1):	
" "	(pt. 2)	55.
" "	xxxiii	9, 11, 12, 13, (2). 16, 17, 25.
" "	xxxiii	8.
" "	(pt. 3).	
" "	xxxiv	26.
" "	(4).	
" " A peculiar form of altered peridotite in the Mysore State	xxxiv	1—9.
" " description of dyke rocks	xxxv	91.
" " Geology of the neighbourhood of Salem	xxx	103—168.

SUBJECT.	Volume.	Page.
Holland, Sir T. H. The Charnockite Series	xxviii	119—249.
„ „ The Mica deposits of India	xxxiv	11—121.
„ „ The Sivamalai series of Elaeolite Syenites, Coimbatore	xxx	169—224.
Homogeneity, of Charnockites	xxviii	214.
Hope, E. L.	xxxii	193, 244, 253, 258.
„ „ Note on the Jammu Coal-fields	xxxii	262—263.
Hop Gadh	xxiii	26, 202—205.
Horizontal displacement, Balia, N.	xxiv	156.
„ „ Ganges	xxiv	154.
„ „ Kosi R.	xxiv	102.
„ „ Mitawala sot	xxiv	152, 153.
„ „ Sona, N.	xxiv	141.
Hormuz Series	xxxiv (4).	15—17, 128, 133.
Hornblende, basaltic, Coimbatore	xxx	198.
„ developed at contact of granite and rhyolite	xxxv	91.
„ in Malani rhyolites	xxxv	78, 82, 85, 87.
„ in Metamorphics	xxi	8, 9.
„ in sand, Western Rajputana	xxxv	38.
„ in Siwana granite	xxxv	90.
„ large crystals of — in granite veins, Western Rajputana	xxxv	56, 63, 65.
„ optical characters of — in Charnockites	xxviii	158, 167.
„ gneiss of Malabar	xxiv	209 sqq.
„ granite, intrusive in Malani rhyolites	xxxv	61, 63, 71.
„ „ in Western Rajputana, petrology of	xxxv	90.
„ „ Western Rajputana	xxxv	56, 63, 64, 74, 75, 77.
„ granite rock from Ladakh	xxxv	324.
„ rocks in Charnockite Series	xxviii	169.
„ augite norite	xxviii	157.
„ schist, Bengal.	xxxiv	40, 48.
„ „ formed from augite-plagioclase rock.	xxvi	77—78.
„ schists of Hatát Series	xxxiv (4).	8.
„ schist, Hazara	xxvi	60, 61.
„ schists, Salem	xxx	145.
Hornblende forms of Charnockites	xxviii	183.
„ rocks, of Bellary district	xxv	26—73.
„ „ Wainád	xxxiii (2).	10, 12, 20, 28.
Hornstone, included in Malani rhyolites	xxxv	67.
Hosking, F.	xxxiii (pt. 1).	2.
Hospet hill	xxv	101, 158.
„ Taluq	xxv	17.
Hospett Sub-division of Bellary, gneissic areas	xxv	51—55.
Hoss gudda boss	xxv	48.
Hosur gneiss	xxviii	179.
Hothla section	xxvi	202.
Hoti	xxiii	115.

SUBJECT.	Volume.	Page.
Hoti peaks	xxiii	101, 106, 111, 113.
Hot spring at Barren Island	xxi	274.
„ springs	xxix	41, 328.
„ „ Persian Gulf	xxxiv	101, 124, 125.
„ „ <i>see</i> Springs.	(4).	
Howell, A. A.	xxix	9, 130, 156.
Hügel, Baron Carl von	xxi	76, 112.
Hughes, F. T. C.	xxxiv	71.
„ T. H.	xxxi	1, 3.
„ Theodore W. H. The southern Coal-fields of the Rewah Gondwana basin	xxi	137.
Hulleo section	xxvi	212—213.
Humboldt, von	xxix	81.
Hundes, dislocation in —	xxiii	46, 47, 48.
„ jurassic in —	xxiii	75, 76.
„ Lias of—	xxii	172.
„ plateau of—	xxiii	14—16, 18, 19, 21, 23, 30, 47, 82, 86, 87, 129.
„ post-tertiaries of —	xxiii	156, 164, 193, 227, 228.
„ <i>see</i>	xxxii	127—183.
„ Siwalik strata at 12,000 feet	xxiv	186.
Hunter, W.	xxvii	51.
Hureepoor and neighbourhood	xxvi	80—92, 97—98.
Hurihal	xxv	170, 201.
Hurma	xxxi	162.
Hurina Haddagalli Taluq	xxv	16, 159, 187.
Huvcliyan and Rujocculi, sections south-east of	xxvi	140—152.
Hydasian stage of Waagen	xxviii	11.
Hydatopyrogenetic magmas	xxxiv	34.
Hyde, Capt. H.	xxi	157.
Hyde, Rev. H. B.	xxviii	134.
Hydration, limited degree of	xxviii	197.
Hydrostatical equilibrium of the earth's crust	xxiv	198, 199.
Hydrous metamorphism of peridotites	xxx	135.
Hyperites of Scandinavia	xxviii	209.
Hypersthene and garnet, characteristic of archaean	xxxi	71.
„ characters of —, in Charnockites	xxviii	141.
„ in augite-syenite	xxx	213.
„ granites, foreign	xxviii	135.
„ granite of Hazara	xxvi	74.
„ pyroxenites	xxviii	166.
Hypogene Intrusives of Kashmir	xxii	265—320.
Hysterogenetic schlieren	xxviii	145, 220.
I		
Ice-worn strigs at Polkaran	xxxv	31.
Igneous origin, evidence of — of Charnockites	xxviii	212, 242.

SUBJECT.	Volume.	Page.
Igneous rocks of Central Himalays	xxiii	84.
" Series of 'Oman	xxxiv (4).	11, 12, 13.
Illumination (Kolar Gold-mines)	xxxiii (pt. 1).	28.
Ilmenite in pegmatite	xxxiv	32.
Inclusions, in granite of Western Rajputana	xxxv	54, 55, 69.
" in gneissose-granite	xxvi	63.
" in pegmatite	xxxiv	24.
" of hornstone in Malani rhyolites	xxxv	67.
" of Malani rhyolites in diorite	xxxv	58.
" of rhyolite in granite of Western Rajputana	xxxv	65, 71, 76.
" of schist in granite of Western Rajputana	xxxv	69.
India, Seismology of Peninsula of	xxxv	162—164, 180.
" " of Upper	xxxv	159, 180.
" " of Western	xxxv	160—162, 180.
Indian Consolidated Gold Co.	xxxiii (2).	6, 28.
" Gold Mines Co.	xxxiii (2).	26.
" Ocean, Seismology of	xxxv	178, 193.
Indianite	xxx	149.
Indicolite in pegmatite near Mainmunda	xxxiv	51.
Indin, oil at	xxvii	184, 187.
Indrana, range near	xxxv	63.
Indus	xxiii	25, 26, 39, 48, 224.
Indus R.	xxvi	81—83, 251— 254.
" " nummulitics	xxiv	186.
" River, see Kashmir.		
" Valley, metamorphics of	xxii	311.
Infra Blaini	xxiii	52, 54.
" " series	xxii	211.
Infra Krol	xxiii	54.
" " slates of Simla; correlation with Kashmir rocks	xxii	196, 199.
Infra trapeans of Satpura basin	xxiv	50.
Infra Trias series, Hazara	xxvi	17—25, 100.
Inglis monument	xxix	208.
<i>Inoceramus concentricus</i>	xxi	37.
" <i>coquandianus</i>	xxi	37.
" <i>multiplicatus</i>	xxi	40.
Insolation, effects of	xxxv	10.
Intergrowths of mica	xxxiv	24.
Intermediate varieties of charnockite series, Salem	xxx	117.
Inter-trappeans, of Káthiáwár	xxi	99.
" of Narbáda Valley	xxi	21, 63.
" of Sátputra basin	xxiv	50.
Interview Island	xxxv	201, 203.
Intrusive bands of gneissose-granite, Hazara	xxvi	61—73.
" gneiss of Kashmir	xxii	280, sqq.
" rocks, of Malabar	xxiv	215.
" serpentine in 'Oman Series	xxxiv (4).	97.

SUBJECT.	Volume.	Page.
Intrusive serpentinite and diabase	xxxiv (4).	13.
Intrusives, acid — in Wainád	xxxiii (2).	9, 17.
„ basic — in Wainád	xxxiii (2).	9, 16.
Inversion of strata, at Halduwala	xxiv	125.
„ „ at main boundary	xxiv	112, 117.
Inverted folds	xxiv	117, 122, 126, 140, 156, 164, 167.
Iron „ „	xxviii	97.
„ in Hazara	xxvi	286.
„ localities where smelted in Narbada Valley	xxi	64.
„ Kalahandi State	xxxiii (pt. 3).	19.
„ Káthiáwár	xxi	133.
„ Persian Gulf	xxxiv (4).	16, 131, 137, 141, 156, 157.
„ worked in Malabar	xxiv	208, 237.
„ manufacture near Salem	xxx	152, 155, 156.
„ mine at Adar Gani	xxv	123.
„ ore in Baluchistan	xxxi	294.
„ ores of Bellary district	xxv	191—194.
„ ore in Káshmir	xxii	334.
„ „ Kumaon and Garhwál	xxiv	86.
„ „ of Míkir hills	xxviii	92.
„ „ of Son Valley	xxxi	151, 172.
„ „ in Rewah	xxi	219.
„ „ beds near Salem	xxx	111.
„ „ beds of Southern Madras	xxviii	247.
„ „ pisolitic, Kumaon and Garhwál	xxiv	88.
„ ores in schists	xxxiv	49.
„ „ silicate	xxii	219.
„ „ smelting	xxv	191—194.
„ „ sulphide	xxii	217.
“ Iron Gate ” section of	xxv	140.
Irrawadi river	xxviii	56—57.
„ series at Minbu	xxviii	78.
„ „ division into four zones	xxvii	68.
„ „ of Yenangyat	xxvii	172.
„ „ of Yenangyaung	xxvii	102—106.
„ „ see under term pliocene in	xxviii	30—71.
Irrigation, from canals	xxxii	22.
„ „ shallow wells	xxxii	19.
Irvine, R. H.	xxxiv	70, 114.
Irwin, J. R.	xxix	66.
Ischin	xxix	228.
Islands of the Persian Gulf	xxxiv (4).	7.
Isogeotherms rising of	xxiv	188, 189.
Isoclasts	xxix	42, 49.
Isostasy	xxx	142.
<i>Isurichthys orientalis</i>	xxxiv (4).	22.

SUBJECT.	Volume.	Page.
Italy, shock felt in	xxix	375.
Itugi	xxv	155.
J		
Jabalpur, <i>see</i> Geology of the Son Valley, etc.	xxxi	1—178.
Jackson, E.	xxxiv	149.
Jacob, A. A.	xxiv	6.
Jadhang	xxiii	198.
Jadh Ganga	xxiii	28, 51, 198, 202, 203.
Jaipur, mica of	xxxiv	70.
Jaisalmir—geology of	xxxv	7, 34.
" group	xxxv	5, 35.
" limestones, Jurassic fossils in	xxxv	35.
Jakal gudda ridge	xxv	86, 161, 196.
Jalah	xxiii	196, 197.
Jalor, hill at	xxxv	71.
Jallor granito	xxxv	24, 91.
Jamu, <i>see</i> Káshmir.		
" area	xxiv	62, 63.
" Coal-fields, report on the	xxxii	189—263.
Jamuna river, <i>see</i> Mikir hills	xxviii	71—95.
Janomar hill sections	xxvi	209—210.
Japan earthquake, 1891	xxix	97.
Jarugamalais	xxx	121.
Jasol, hill at	xxxv	51.
Jasper, Andaman Islands	xxxv	205.
" in Hormuz series	xxxiv	17, 130, 133.
" of Lr. Vindhya	xxxi	107.
" rock, of Bellary district	xxv	202.
Jaspers of Bijawar series	xxxi	66—68.
Jawála Múkhí, coal at	xxi	187.
Jerdon, Dr.	xxiv	6.
Jerramalla Drug	xxv	42.
Jesal, conglomerate in lava at	xxxv	76.
" granite at	xxxv	76.
Jessie's Lakes	xxiii	203.
Jhan, section near	xxvi	157.
Jhar (Thal) gadh	xxiv	132.
Jhelam River, <i>see</i> Káshmir.		
" Valley, metamorphics of	xxii	291.
" section in	xxii	211.
Jhika, section at	xxxv	64.
Jhilmili, coal-field of	xxi	205—207.
Jitnakatti hill	xxv	174.
<i>Joannites cymbiformis</i>	xxxii	142.
Jobat and Balwari beds	xxi	16.
Jodhpur, buildings of	xxxv	28.
" relations between Malanis and Vindhya	xxxv	27, 45.
" Vindhya at	xxxv	28.
" sandstones	xxxv	5.

SUBJECT.	Volume.	Page.
Joga-Sultanpur area of Dharwarian outcrops, Bollary district	xxv	128—132.
Johar sections	xxiii	131, 150.
Johilla, coal-field of	xxi	170—176.
Jointing of granite	xxv	58.
Joint-planes	xxx	143.
Joints in Nahan	xxiv	87, 112.
Jokneking glacier	xxiii	166, 168.
Jolinka	xxiii	186, 189.
Jones, E. A. The Southern coal-fields of the Satpura Gond- wana basin	xxiv	1.
„ Mr., on coal in Haraza	xxvi	288.
Jovites	xxviii	5.
„	xxxii	143.
„ <i>bosnensis</i>	xxxii	129, 143.
Jubbriyan, section S. of	xxvi	199—200.
Jub to Hurroh R. section	xxvi	207.
Judd, J. W.	xxviii	120, 130, 163, 240.
„ „	xxx	194, 195, 201.
Jumna	xxiii	28.
Jungel or Red Shale series	xxxi	7—11, 111, 118, 120, 122, 128, 131, 169.
Jungle ravine (Kashmir), coal at	xxxii	198, 209.
Jupla	xxxi	102.
Jurassic of Chitichun	xxviii	1.
„ of Kashmir, <i>see</i> Gicumal sandstone and Spiti Shales.		
„ Mahadeva sandstones of Narbada Valley	xxi	2, 20—23.
„ deposits of Central Himalayas	xxiii	75—79, 220, 228.
„ series of Hazara	xxvi	29—35.
Juswal sections	xxvi	153—157.
<i>Juvavites medleyanus</i>	xxxii	143.
K		
Kachh, Note on the Allah-bund in the N. W. of the Rann of	xxviii	27—30.
„ <i>see</i> under Cutch.		
Kadalhundi river	xxiv	205, 206.
Kadapah, <i>see</i> under Cuddapah.		
Kaddimetta hills	xxv	73.
Kadiampatti ghat	xxx	130.
Kai	xxviii	99.
Kailas mountains	xxviii	24.
„ range	xxiii	15, 39, 48, 84, 129.
Kailkhar (Kailakhoor) hill.	xxiv	95.
Kaimur range	xxxi	36, 44, 45, 47, 52.
Kaimur sandstone, at Sojat	xxxv	26.
„ stago	xxxi	23 <i>sqq.</i> , 36, 156, 157, 159, 165.

SUBJECT.	Volume.	Page.
Karakoram pass	xxii	184.
" " stones "	xxii	184.
Karani, bore-hole at	xxxii	51—55.
Karar gadh	xxiv	92.
Karata Mill, coal at	xxxii	203.
Karaungia ridge	xxiv	107.
" <i>Karewa</i> ," explanation of term	xxii	73 sqq.
" Karez "	xxxi	213, 234, 254.
" "	xxxii	15, 26.
Karikāl, trial artesian well at	xxxii	57, 61.
Karipatti	xxx	124.
" " dyko	xxx	130, 131, 141.
Karkat, N.	xxiv	95.
Karutapalaiyam	xxx	149.
" "	xxx	171.
Kasaria (Ringola-ka) sot	xxiv	108.
Kashmir	xxiii	54, 55, 67.
" " Alluvium and Pleistocene of	xxii	48—80.
" " basin, metamorphics of	xxii	289.
" " Panjal system in	xxii	230.
" " caverns of	xxii	31.
" " comparison of area with that of Chitichun	xxviii	23—24.
" " Geological formations of	xxii	46.
" " papers dealing with	xxii	10—21.
" " and Chamba, Geology of (R. Lydekker)	xxii	
" " Glaciation in	xxii	32.
" " Igneous action in	xxii	41.
" " lakes of	xxii	27.
" " railway, relation of project to coal question	xxxii	190.
" " zonal structure in	xxvi	271—272.
Katauti sections, south of	xxiv	164, 165.
Kāthiāwār Peninsula in Guzerat, Geology of	xxi	73.
Kato station, Fossils from	xxii	172.
Kavuda halli, gold of	xxxiii	64—65.
Kāwant, Geology of Lower Narbāda Valley between Nimawar and	(pt. 2).	
Keatinge, Col.	xxi	1.
Kedarnath	xxxv	166, 169.
" " retreat of glacier	xxiii	197.
" " peaks	xxiv	79.
Kelaart, E. F.	xxiii	22, 26, 43.
Kelloways, of Himalayas	xxiv	241.
Kelsall, J.	xxviii	2.
Kemlo, G.	xxv	23.
Kennedy, W. M.	xxix	97.
Kennedy's gold-lode	xxix	341.
" "	xxxiii	12.
Kershaw, L. J.	(pt. 1).	
Kōwai River, coal at	xxix	343.
Khāgān, Geology of Kashmir and Chamba Territories, and the British district of	xxi	193.
" " metamorphics of	xxii	303.
" " Valley, Zaskar system in	xxii	204.
Khaiber Pass	xxviii	96, 108, 109.

SUBJECT.	Volume.	Page.
Khaira guleo to Doria guleo section	xxvi	195.
Khairla, hills at	xxxv	55.
„ schists and Malanis at	xxxv	20.
Khamerji	xxxi	50.
Khanki Valley	xxviii	103.
Khapa, boring for coal at	xxiv	11.
Khar	xxiii	217, 219, 220, 221.
Kharan desert	xxxi	223 sqq.
Kharara	xxxi	112.
„	xxxi	128.
Kharbasiya	xxiii	51, 52, 94, 95, 96, 111.
Khari, carbonate of lime in sand at	xxxv	40.
„ Vindhyan sandstones at	xxxv	30.
Khattai	xxxi	163.
Khatu (Barmer desert), Malanis at	xxxv	75.
„ (near Sojat), section at	xxxv	26.
Kheinjua stage	xxxi	12, 18—19, 125, 126, 144—153.
Khichri (Kichulce), N.	xxiv	96, 97.
Khirthar, fauna of — in Baluchistan	xxxi	261.
„ stage	xxxi	196, 198, 199, 225, 257, 259.
Khodaung	xxviii	58, 61.
„ tract, of Yenangyaung oil-field	xxvii	97, 137—157, 160—170.
Kholia section	xxvi	144.
Khondalites of Kalahandi State	xxxi (pt. 3).	8—11.
Khoorum section	xxvi	216.
Kho R.	xxiv	145.
Khorassan, cretaceous of —	xxiii	81, 82.
Khoti-ki-Khubbur section	xxvi	100.
Khotukka, erratic(?) at —	xxvi	119.
Khutti ravine, section in	xxii	189.
Kiangur pass	150, 153, 155, 164, 172.
Kilani sot	xxiv	117.
Kilian	xxviii	14.
King, W.	xxxi	90, 91, 115.
„ „	xxvi	3.
„ „	xxviii	179, 180, 191.
„ „	xxx	103, 110, 113, 116, 117, 135, 143, 146, 159.
„ „	xxxi	5, 6, 9, 12, 14, (2). 16, 18, 19.
„ „ on Laterite	xxiv	59, 104.
Kiogadh high plateau	xxii	242, 245.
Kiogadh river	xxxi	155—162.
„ plateau, area south of	xxviii	4.
„ Valley	xxii	162—166.
„	xxxi	127—183.

SUBJECT.	Volume.	Page.
Kishanganga Valley	xxii	143, 225, 232, 292, 306, 317.
Kishengarh, mica of	xxxiv	70.
Kishen Singh, Lala	xxxiii (2).	9, 20. 14, 44.
" " " " " "	xxxiv	289.
Kishtwar, metamorphics of	xxii	212.
Kitchen middens, position of, in Andaman Islands	xxxv	114, 117.
Kiunglung	xxiii	123.
" " section	xxiii	234.
Kjokken-mödding	xxiv	3, 6, 12—16.
" " " " " "	xxviii	127, 169, 183. 105—108, 112, 113, 118.
" " of Europe compared with "exotic blocks" of Malla Johar	xxxii	73.
Kodapali, coal-boring at	xxxii	283.
Kocssen fossils	xxiii	284.
Koh-i-Bassman, volcano of	xxxx	196, 200, 251.
" Dalil, volcano of	xxxi	179, 185, 196, 197, 198, 200, 258, 263, 286, 291, 292.
" Humai	xxxi	180, 233, 242, 249, 252, 274—280.
" Malik Siah	xxxi	180, 269, 271— 273.
" Sultan	xxxi	219, 222.
" Tafdán	xxxi	149.
Kójak shálos	xxxi	15.
Koken, Prof.	xxxii	(pt. 3). 98.
Koladi-Chant, graphite of	xxxiii	9—22.
Kolajabar	xxiii	(pt. 1).
Kolar, auriferous lodes of	xxxiii	1—81.
" Gold-field, The — being a description of quartz-min- ing and gold-recovery as practised in India	xxxiii (pt. 1).	68—72.
" Gold fields, gold-production of	xxxiii (pt. 1).	45—55.
" " Metallurgical practice at	xxxiii (pt. 1).	56—67.
" " mine economies of	xxxiii (pt. 1).	23—31.
" " mining practice in the	xxxiii (pt. 1).	74—81.
" " note on rock-specimens collected on the	xxxiii (pt. 1).	32—44.
" " surface-equipment of the	xxxiii (pt. 1).	200.
Kolderup, C. F.	xxviii	196.
Kongana hosur	xxv	129.
Koonhar River	xxvi	165—170.
Korár, coal-field of	xxi	

SUBJECT.	Volume.	Page.
Koreagarh, coal-field of	xxi	204.
Korlagundi	xxv	201.
Korna, Malanis at	xxxv	47.
Kortalayar plain, bore-hole at	xxxii	50.
Kosgi hill	xxv	70.
Kosi R.	xxiv	99—103, 106.
Köen group of the Alps	xxii	125, 171, 172.
Kotah dun	xxiv	78, 89—99.
Kotals of Persia	xxxiv	61.
	(4).	
Kotékal hill	xxv	71.
Koti Rau	xxiv	108.
Kotluh, section near	xxvi	140.
Kotri dun	xxiv	142.
„ stream	xxiv	142.
Krafft, A. von	xxxiv	5, 9, 13, 15,
	(4).	20, 54, 88.
„ A. von. Notes on the “ Exotic Blocks ” of Malla Johar	xxxii	127—182.
Krol limestone	xxiii	54.
„ „	xxiv	62.
„ series, correlation with Káshmir rocks	xxii	109, 200, 201,
		248.
Kuchri, ammonite bed of	xxxv	3, 5, 35.
„ equivalent to Abur group	xxxv	7.
Kudatani	xxv	162.
“ Kuddi,” local name for gypsum near Barmer	xxxv	43.
Kudligi hills	xxv	5, 41.
„ Raya drug Subdivision of Bellary gneissic areas	xxv	36—40.
„ Taluq	xxv	15, 187.
Kuenlun range	xxiii	14, 18, 19, 20,
		21.
Kuip	xxxv	58, 59.
Kula, N. section	xxvi	170.
Kuldana series, Hazara	xxvi	42—43.
Kuling	xxiii	120, 219, 221.
„ series	xxii	125, 132, 133
		sqq., 166 sqq.
„ „	xxxi	313.
„ „	xxiii	11, 12, 67, 70.
„ shales	xxiii	67, 207, 212,
		213, 216, 218,
		219, 223.
„ „ Dangkhar	xxiii	219.
„ „ Kashmir	xxiii	67.
„ „ Spiti	xxiii	212, 223.
Kúld, mica of —	xxxiv	69.
Kumaon, notes on the “ exotic blocks ” of Malla Johar in the		
Bhot Mahals of	xxxii	127—182.
Kumaon, Physical Geology of Sub-himalayas of Gharwal and.	xxiv	59, 200.
„	xxiii	passim.
	xxiv	passim.
	(pt. 2).	
Kumáraswami division of Sandur Dharwarian outcrop	xxv	93, 118—128.
„ temple	xxv	93, 123.
Kumaun Bhot Mahals, sections in	xxiii	150—193.

SUBJECT.	Volume.	Page.
Kumaun, E.	xxiv	155—167.
Kunchar, Dharwa outcrop of	xxv	76—84, 160.
Kundal	xxv	158.
„ mica granite at	xxxv	66.
Kungribingri	xxiii	158.
Kunkur, "glacis" formed of	xxxii	131, 179.
„ origin of	xxxv	12.
<i>Kuphus rectus</i>	xxi	41.
Kurasia, coal-field of	xxi	123.
Kurgod hills	xxv	202—204.
Kuri Kappa	xxv	60.
„ hill	xxv	208.
Kurkutidhar	xxiii	51.
Kurkuti heights	xxiii	97, 135, 150,
"Kuruman" reef, in Wainád	xxxiii	151, 162.
	(2).	101.
Kurz	xxxv	21.
Kusai	xxiii	196, 209, 211.
Kushmahar gap	xxxi	98.
Kuthwal section	xxvi	40.
Kuti Yangti	xxiii	144.
		28, 163, 164,
		180, 183, 186,
		187, 188.
Kutumbah	xxxi	99.
Kyanite, in pegmatite	xxxiv	32.
„ of Central Himalayas	xxiii	44, 196.
„ -schist	xxii	315.
Kyaukpadaung	xxviii	70.
Kyaukye.	xxvii	100.
	xxviii	70.
Kyunbodaung, section from — to Pinchaung	xxvii	135.
L		
"La", explanation of term	xxxii	3.
Labour in Kolar Gold-fields	xxxiii	61.
	(pt. 1).	
Labour-supply in mica-mining area	xxxiv	94.
Laccolite	xxix	168.
Lacroix, A.	xxviii	120, 126, 160,
		205, 240.
„ „	xxx	103, 104, 124,
		127, 144, 148,
		157.
Ladakh, <i>see</i> vol.	xxii	passim and 256.
„ metamorphics of	xxii	319.
„ Petrological notes on some Peridotites, Serpentine, Gabbros, and associated rocks from	xxxi	303—329.
Ladda Coal-field, briquettes from	xxxii	241.
„ „ burnings-test of	xxxii	237.
„ „ coal-analyses of	xxxii	229—232.
„ „ coking experiments on	xxxii	243, 244.
„ „ description of	xxxii	194—210.

SUBJECT.	Volume.	Page.
Ladda Coal-field, locomotive-trials of	xxxii	239.
" " output and market-value of coal from	xxxii	252—258.
" " workable areas of	xxxii	245—250.
Ladhia R.	xxiv	166.
Ladinic, of Malla Johar	xxxii	142, 146.
Ladis	xxxii	266—269.
Ladwa (Larwa) gadh	xxiv	92.
Lafont, Father	xxix	30.
Lagorio	xxx	205.
Laibach earthquake, 1895	xxix	57.
Laichi Khun section	xxvi	129.
Lain, coal at	xxxii	197, 198, 199.
Lake, P.	xxv	24, 100, 106 176, 194.
" " Geology of South Malabar	xxiv	201.
Lake Basins of Persia	xxxiv	58.
" " deposits of Indus basin	(4).	65.
" " " fossil shells from	xxii	66.
Lakes, formed by faults	xxix	80, 130, 148.
" " by landslips	xxix	121.
" " by warping	xxix	152.
" " of Central Himalayas	xxiii	35—38.
" " of plateaux of the Charnockite series	xxviii	191.
Laki group	xxxv	200.
" hills	xxxj	240.
Laldhang, N.	xxiv	108.
" Lambeaux de recouvrements "	xxviii	14—16, 19, 21, 22, 23.
Lameta beds of Narbada Valley	xxi	2, 44—51.
" " of Rewah	xxi	210.
Lamna	xxvii	44.
Lampak	xxiii	100.
Lamp-chimneys, use of mica for	xxxiv	73.
Lam Shirnans	xxiii	99.
Landslips	xxix	6, 10, 14, 111, 119, 271, 331, 334, 335.
" at Murree	xxvi	226.
" caused by aftershocks	xxix	114, 115.
" due to height of hills	xxix	113.
" effect on river channels	xxix	120.
" floods caused by	xxix	121.
" lakes formed by	xxix	121.
Langpya Lek	xxiii	25, 180, 183.
Lanterns, use of mica for	xxxiv	72.
Lapilli in tuffs, Western Rajputana	xxxv	89.
Lapis-lazuli, as prehistoric ornament	xxxv	212.
Lapis specularis	xxxiv	12, 75.
Lapri ridge	xxiv	62.
Laptal	xxviii	4, 18.
" "	xxxii	128, 177.
" Spiti shales	xxiii	155.
Lateral shifting, real, compared with apparent	xxiv	154.
Laterite, distribution of — in Malabar	xxiv	219.

SUBJECT.	Volume.	Page.
Laterite early views on origin of	xxiv	239.
" Kalahandi State	xxxiii (pt. 3).	13.
" Káthiáwár	xxi	105—107.
" Malabar	xxiv	217—233.
" of Bellary district	xxv	85, 89.
" " " " " " " " " " " "	xxv	178—179.
" origin of — in Malabar	xxiv	229.
" pellety — of Malabar	xxiv	218.
" Persian Gulf	xxxiv (4).	20, 89, 97.
" vesicular — of Malabar	xxiv	217.
" plateau — of Malabar	xxiv	221.
" terrace — of Malabar	xxiv	224.
" valley — of Malabar	xxiv	225.
Lathi group	xxxv	34, 35.
La Touche, T. D.	xxiv	186.
" " " " " " " " " " " "	xxviii	88, 89, 90, 95.
" " " " " " " " " " " "	xxix	2, 96, 178, 257, 377.
" " " " " " " " " " " "	xxx	10.
" " " " " " " " " " " "	xxxi	303, 316, 317.
" " " " " " " " " " " "	xxxii	75.
" " " " " " " " " " " "	xxxii	192, 197, 210, 214.
" " " " " " " " " " " "	xxxv	120.
" " " " " " " " " " " "	xxxv	1—116.
Laurvikito	xxx	199, 213.
Lava-flows, of Baluchistan.	xxxi	272, 276, 283.
Lavas, viscid character of	xxxv	23.
Lawa, see Lowo	xxxv	..
Lea, J. H.	xxix	327.
Lead and silver in Hoshangabad	xxi	69.
" Káthiáwár	xxi	134.
Leaf-gneisses of Salem-Ahtur Valley	xxviii	182.
Leaves, remains of — in Barmer sandstones.	xxxv	34.
Lebung glacier	xxiii	186, 187.
" pass	xxiii	180, 183.
" sections	[xxiii	187.
Leghorn	xxix	375.
Leh, section near	xxii	104, 257, 321.
Lehmann, J.	xxviii	204.
Leighton, D. E. W.	xxxiii	22.
Lenticular character, of charnockite exposures	(2).	213.
" exposures	xxx	173.
" habit, of charnockite masses	xxx	116.
" inclusions, cause of shape of	xxviii	188.
" tabular foliation	xxvi	56—57.
Lepidolite in pegmatite	xxiv	74.
Leptel	xxiii	80, 81.
Leptynite	xxviii	133, 142.
" "as country" rock of pegmatites	xxiv	40.
" relation to charnockite	xxviii	172, 174.
Leschenault de la Tour	xxviii	120, 160.

SUBJECT.	Volume.	Page.
Leschenault de la Tour	xxx	103, 148.
Leslie, H. A.	xxxiii (pt. 1).	2.
Lencopyrite in pegmatite	xxxiv	31, 51.
Leucoxene	xxxi	73 sqq.
" and chlorite, characteristic of Bijáwars	xxxi	71.
Level, changes of — as a result of earthquakes	xxxv	172.
" of no strain	xxix	177.
" change of — after Assam Earthquake, 1897	xxix	14, 95, 157, 162, 271, 363, 367.
Lherzolite	xxxi	311, 312.
Lias	xxiii	72—74, 122 123, 126, 134, 137, 138, 169, 171, 220, 226, 228.
" of Malla Johar	xxxii	143, 175.
" and rhætic, distribution of—in Central Himalayas	xxiii	72, 73.
" and rhætic, divisions of—in Central Himalayas	xxiii	73.
" and rhætic, Niti pass	xxiii	122.
" and rhætic, Shal-Shal	xxiii	137, 138.
" and rhætic, Spiti	xxiii	220.
" and rhætic, Upper Lissar Valley	xxiii	169, 171.
Liasic, of Káshmir, <i>see</i> Tagling limestone.		
Lidar Valley, section in	xxii	151, 182, 200, 227, 228.
Lignite in sand-rock stage	xxiv	84.
Lilang series	xxii	125, 107, 168, 169, 170, 171, 174, 175, 176.
Lilinthi	xxiii	190, 192, 193.
Limburgite	xxxi	265.
Lime	xxv	205.
" in sand of Western Rajputana	xxxv	39.
" Káthiawár	xxi	134.
" worked in Bijáwar series	xxi	69.
Limestone	xxxiv	41, 48, 52.
" boulders of—in Talchirs	xxxv	31.
" Infra-Trias—of Hazara	xxvi	23—25.
" in Rewah	xxi	220.
" massive dolomitic, Kumaon and Garhwál	xxiv	130.
" nodular nummulitic, Kumaon and Garhwál	xxiv	88, 130.
" Nummulitic —, of Hazara	xxvi	41—42.
" of Bijáwars	xxi	11—12.
" of Bijáwar series	xxxi	69—70.
" oolitic, Kumaon and Garhwál	xxiv	130.
" tufaceous, Kumaon and Garhwál	xxiv	78, 92, 94.
" Vindhyan	xxxv	26.
" bands in Slate series, Hazara	xxvi	11.
" crystalline—in Hazara	xxvi	54.
" puckered and frilled, Hazara	xxvi	54.
Limestones, Neocomian, Andaman Islands	xxxv	205.
" of Dharwar system in Bellary district	xxv	88, 126, 130, 204, 205.

SUBJECT.	Volume.	Page.
Limestones, Káshmir	xxii	340, 342.
„ Mikir hills	xxviii	92.
„ metamorphics	xxi	8.
„ Sátputra Gondwána basin	xxiv	57.
Limitation of favourable conditions for occurrence of—mica	xxxiv	11, 32, 43.
Lingti Valley of Rupshu	xxii	185.
Lingzhithang plains	xxii	183.
Lipu Lek (pass)	xxiii	25.
Liquid cavities in quartz of Malani rhyolites	xxxv	81.
Lisbon earthquake, 1755	xxix	371, 372.
Lissar Ganga	xxiii	28, 51, 159, 162, 163, 165, 165—168.
„ valley	xxiii	44, 173.
„ valley sections	xxiii	165—178.
<i>Lithodendron</i> limestone in Central Himalayas	xxiii	12, 66, 73.
<i>Lit-par-lit</i> intrusions	xxviii	184, 223.
Little, C.	xxix	59.
Littoral concrete, Persian Gulf	xxxiv	56, 61, 127, (4). 135, 140, 142, 143.
Loams in M. Siwalik	xxiv	85.
„ in Siwalik conglomerate	xxiv	80.
Lochambel beds	xxviii	2.
„	xxxii	133.
Locomotive trials of Jammu and Bengal coal	xxxii	239.
Lodes, auriferous—of Kolar	xxxiii	9—22.
Lodhra Coal-field, description of	(pt. 1). xxxii	222—225.
„ coal-analyses of	xxxii	235—236.
„ workable areas of	xxxii	251.
Locss	xxxii	25.
Loewinson-Lessing	xxx	181, 182, 195.
Loftus, W. K.	xxxiv	2, 19, 22, 52, (4). 82.
<i>Loftusia</i>	xxxiv	5, 82.
„	(4). xxxi	228, 229.
Loghar Koh	xxiii	180.
Lohi glacier	xxv	42.
Lokakaira, quartzite of	xxii	183.
Lokzhung mountains	xxviii	78, 81, 90, 93.
Longlvi hill	xxvi	204.
Loruh to Trimun section	xxviii	218.
Lossen	xxx	185.
Louis, H.	xxx	243.
Lova Hamun	xxvii	100, 101.
Lower silt, a division of the alluvium of Upper Bumra	xxviii	65.
Lower silt, of Yenangyaung	xxxv	5, 31, 44.
Lowo, boulder bed of	xxii	158.
<i>Loxonema</i>	xxxiv	75.
Lubricants containing mica	xxxii	104.
Luchkura coal boring at	xxxii	30, 38.
Lucknow, artesian water and bore-hole of	xxxv	61.
Ludrara, granite at	xxviii	14, 25.
Lugeon, M.		

SUBJECT.	Volume.	Page.
Lundi Kotal	xxviii	113.
Lunguryal, band of limestone	xxiv	12.
Lunguryal, section from —to Pina	xxvi	209.
Luni river	xxxv	13, 14.
Lunu, section at	xxxv	77.
Luree, N.	xxvi	148.
Lussana, S.	xxix	236.
Lustre-mottling of pegmatoidal inclusions	xxviii	187.
Luttman Johnson, H.	xxix	3, 378.
Luzi	xxx	174.
Lyall, D. R.	xxix	25, 91, 99.
Lydekker, R.	xxiii	39, 54, 55, 86, 87, 206, 214, 216.
„ R	xxiv	60, 63.
„ R	xxviii	23.
„ R	xxxi	303, 305, 307, 308, 312, 314, 321, 324, 327, 328.
„ R., boundary fault E. of Jhelum	xxvi	15, 16, 21, 62, 130, 132, 271, 272, 277—278.
„ R., Geology of Kashmir and Chamba	xxii	1.
Lyd's Hole, rhyolite from	xxxv	88.
<i>Lyria granulosa</i>	xxi	37.
<i>Lyttonia</i>	xxxii	141.
M		
Ma Rhi La	xxiii	79, 81, 118, 133.
MacClelland, J.	xxxiv	44, 112.
MacGregor, Genl.	xxxi	183, 271, 273.
MacIntosh, H. J.	xxix	325.
McGee, W. J.	xxiv	244, 246.
McLeod, Captain	xxvii	63, 221, 241, 242.
McMahon, Lieutenant-Colonel C. A.	xxii	passim.
„ Major-General, C. A.	xxiv	60, 79, 170, 172.
„ Lieutenant-General	xxvi	57, 62—65, 274, 280.
„ General, C. A.	xxx	196.
„ General	xxxi	273, 291.
„ Captain	xxxi	184, 270, 271, 273, 274.
„ Colonel	xxxv	7, 88.
Mackinlay, W.	xxxiv	65.
<i>Macrochilus</i>	xxii	158.
Madagascar, pyroxene-granulites in	xxviii	152, 206.
Madan Bhil	xxiv	78.
Madli, perlitic structure in rhyolite at	xxxv	49.

SUBJECT.	Volume.	Page.
Madhupur Jungle	xxix	109, 202.
Madpura, gypsum near	xxxv	43.
Madras, artesian experiments at	xxxii	49—50.
„ artesian experiments at	xxxii	50, 78.
„ gneiss, found in boring at	xxxii	50.
„ Presidency	xxxiv	58.
„ time	xxix	56.
Madura district	xxviii	190.
Magical uses of mica	xxxiv	14.
“ Magic Drum,” of Koh-i-Sultán	xxxv	280.
Magnesian limestone	xxii	210.
„ minerals, abundance of (charnockites)	xxviii	102.
„ series near Salem	xxx	133, 140.
Magnetite	xxx	133, 140, 147.
„ in Bellary district	xxv	136.
„ in peridotite	xxxiv	2, 3.
„ in Persian Gulf	xxxiv	12, 99.
	(4).	
Magnesium sulphate	xxii	338.
Magnetic iron, of Bellary district	xxv	41, 43, 62.
„ „ sand, Káthiáwar	xxi	133.
Magnetic iron-ores, Salem	xxx	115.
Magnetite in gneiss of Káshmir	xxii	277.
„ in gneiss Malabar	xxiv	209 seqq.
„ in Malani rhyolites	xxxv	78, 82, 85.
„ in pegmatite	xxxiv	31.
„ in sand-rock	xxiv	85.
„ rare in granite	xxxv	91.
Magnetographs	xxix	180, 241.
„ cause of disturbance	xxix	181, 185, 189,
		245.
„ value of records	xxix	245.
Magram heights	xxiii	101.
Magwo district, <i>see</i> Yenangyaung.		
„ Geology of parts of the Myingyan, —, and Pakokku districts.	xxviii	30—71.
Mahadeva sandstone of Narbáda Valley	xxi	2, 20—23.
Mahanadi river	xxxi	109.
Mahavalipuram	xxviii	177.
Mahmda and Bazdar sections	xxvi	107—110.
Maidán	xxviii	103, 114.
Maillard, M.	xxviii	13.
Mainwaring, Major, Cretaceous fossils collected by, in Samana range	xxvi	38.
Maithur	xxv	161.
Majgama	xxxi	158.
Makrabbi	xxv	180.
Makran Series	xxxiv	3, 26, 34.
	(4).	
Makrana, marble quarries at	xxxv	17.
Malabar, Economic Geology of	xxiv	236.
„ Geology of South	xxiv	201.
„ recent Geological History of	xxiv	235.
„ iron-ores	xxx	114.
Malachite	xxxi	203.

SUBJECT.	Volume.	Page.
Malani rhyolites—petrology of	xxxv	78.
„ „ —compared with Wrekin rocks	xxxv	88.
Malani series	xxxv	5, 6, 12, 15, 19—24, 26, 44—48, 50, 52, 54, 55, 60, 66, 70, 71, 75, 84—91, 159, 161.
Malapan gudda, Dharwar outcrop of	xxv	2.
„ „ hills	xxv	203, 204.
Malapuram	xxiv	52, 92, 98, 99, 108, 152.
Malari	xxiii	176, 193.
Malay Peninsula, Seismology of	xxxv	68.
Malgarh, vertical flow-structure in rhyolite at	xxxv	237, 241.
Malik Gatt	xxxi	247.
„ Naro	xxxi	
Malla Johar, notes on the “exotic blocks” of—in the Bhot Mahals of Kumaon.	xxxii	127—182.
Mallam Konda	xxv	134.
Mallapur	xxv	192.
Malla Shilanch	xxiii	99.
Mallet, F. R.	xxi	3, 19, 69, 136.
„ „	xxiv	245.
„ „	xxvii	95.
„ „	xxviii	88, 91.
„ „	xxx	155.
„ „	xxxi	1, 2, 3, 12, 14, 20, 23, 93, 126, 141, 150, 153, 164, 166.
„ „	xxxi	317.
„ „	xxxi	287.
„ „	xxxv	154.
„ „	xxxiv	44, 49, 54, 69, 112, 114.
„ „	xxxv	212.
„ „ Barren Island and Narcondam	xxi	251.
„ „	xxix	81, 85, 89, 212, 218, 224, 226, 357.
Mana	xxiii	22, 43, 105.
„ Gadh	xxiii	105, 198, 199, 202.
„ pass	xxiii	25.
„ peaks	xxiii	194.
Manasarawar lakes	xxiii	46, 129, 193.
Manchal	xxv	73.
Mandalanggiri fault	xxxv	171.
Mandalti, R.	xxiv	143, 144.
Manganese, of Kalahandi State	xxiii	20.
„ ore near Tonashagiri	xxv	125.
„ „ of Bellary district	xxv	194—196.
Manganiferous nodules	xxv	100, 125, 195.
Mangrove Swamps, Andaman Islands	xxxv	195, 209, 210.

SUBJECT.	Volume.	Page.
Mani	xxiii	222.
Máni Stones	xxii	343.
Manipur	xxxv	206.
Manirang pass	xxiii	207, 220, 222.
Mankshang glacier	xxiii	185, 187.
" pass	xxiii	180.
" sections	xxiii	180.
" valley	xxiii	185.
Manpur, muscovite in granite at	xxxv	91.
Manual of Geology of India, 2nd Edition, reference to geology of Western Rajputana	xxxv	8.
Manzil	xxxi	248.
Maps	xxiv	61.
Marai	xxxi	110.
Marble in Hazara	xxvi	54.
" Káthiáwár	xxi	136.
" of Makrana	xxxv	17.
" of Sarangwa	xxxv	17.
Marcasite	xxviii	39.
Mardauk pass	xxiii	25, 96, 108, 113, 116, 132, 133, 156.
" peaks	xxiii	101, 106, 111.
Mareo ridge sections	xxvi	202.—203.
" " to Nugree section	xxvi	201—202.
Margalla pass section	xxvi	215—216.
<i>Murgivifera typica</i>	xxxii	141.
Marina	xxix	204.
Markha	xxxi	309, 311, 312.
Markham, C. B.	xxiii	5, 6, 19.
Martanda Parvatam, temple of	xxv	53.
<i>Martinia</i>	xxxii	141.
Martito in Hزازa	xxvi	30, 286.
Marugathumalai	xxx	113.
<i>Mastodon cliftii</i>	xxvii	103.
" <i>latidens</i>	xxi	115.
" <i>latidens</i>	xxvii	104.
" <i>latidens</i>	xxviii	64.
" <i>pandionis</i>	xxi	115.
" <i>permensis</i>	xxi	115.
Mastura Valley	xxviii	103.
Masuria hill, conglomerate and shales at	xxxv	45.
Matayan, Zānskář System near	xxii	147.
Mathurutu	xxx	113.
Matrix of tufts in Western Rajputana	xxxv	89.
Matthews, C.	xxxii	77.
Maxwell, H. St. P.	xxix	103.
Maynard Dr. F. P.	xxxi	184, 284.
McGee, McMahon, etc., see after MacIntosh.		
Medicinal uses of mica	xxxiv	14, 15, 76.
Medlicott, H. B.	xxi	passim.
" " 	(pt. 1).	
" " 	xxiii	6, 12, 19, 39.
" " 	xxiv	13.

SUBJECT.	Volume.	Page.
Medlicott, H. B.	xxiv	59—63, 76, 77, 82, 83, 88, 90, 103, 123, 130, 132, 147, 150, 153, 168— 172, 177, 179, 180, 182, 185, 186.
” ”	xxvi	43, 206, 285.
” ”	xxviii	73, 80, 90, 91.
” ”	xxxi	1, 3, 19, 23, 30, 59, 99, 100, 102, 166.
” ”	xxxii	4 sqq.
” ”	xxxii	192, 195.
” J. G.	xxxj	3.
” ” report on Narbádá Valley	xxiv	7, 8, 9.
” ” on Mohpani Coal-field	xxiv	12.
” ” on Sâtpura basin	xxiv	9.
” ” on Shahpur Coal-field	xxiv	10, 12, 45.
<i>Meekoceras</i>	xxxii	141.
Meerpoor to Kakool section	xxvi	121—124.
<i>Megalodon</i>	xxii	133, 147, 154, 158, 164, 169, 182.
Megalodon beds of Sirban sections	xxvi	107.
” ” of Trias	xxvi	28.
<i>Meghalâla</i>	xxxiv	14.
Mehowgala Coal-field, coal-analyses of	xxxi	234.
” ” description of	xxxii	216—218.
” ” workable areas of	xxxii	250.
Mekh-i-Rustam	xxxi	236.
Melaphyre	xxxi	82, 86—88.
Meleda	xxix	203.
Meli, hills near	xxxv	56.
Melville, J. Cosmo	xxxiv	39.
Memorial mounds of Bahrain	(4). xxxiv	116.
Mendi	(4). xxiii	202.
” Mercara group ” of Coorg	xxxiii	16.
Mercara series	(2). xxviii	231.
Mercer, F.	xxix	20.
Mergerie, Emm. de	xxiv	146, 174.
Mervyor Smith, A.	xxxiv	44, 45, 87, 113.
Merwâra	xxxiv	70.
Mesozoic rocks Kumaon and Garhwâl	xxiv	63, 126, 131.
” strata	xxxv	34.
Mesozoics, Byans	xxiii	164.
” Eastern Johar	xxiii	164.
” Niti sections	xxiii	115.
” of Kâshmir	xxii	122—208.
” of Tirah and Bazâr Valley.	xxviii	98 sqq.

SUBJECT.	Volume.	Page.
Metamorphic and crystalline zone of Hazara	xxvi	227—259.
„ action of gneissose-granite	xxvi	276—278.
„ strata of Central Himalayas	xxiii	39.
„ system of Kashmir	xxii	265—329.
„ of Bellary district	xxv	26—73.
„ of Narbada Valley	xxi	2, 7—10.
„ of Satpura basin	xxiv	13—14.
Metamorphism, absence of, in Sub-Himalayan	xxiv	172, 185.
„ absence of, in Tertiaries, Hazara	xxvi	135—136.
„ contact	xxv	65, 137.
„ „	xxxi	5.
„ dynamic, of Himalaya	xxvi	278—280.
„ in Bijawars	xxxi	73, 75, 78.
„ Kumaon and Garhwál	xxiv	129, 132.
„ not affecting Nabans	xxiv	159.
„ of ancient rocks	xxviii	210.
„ of the Dharwars	xxx	115.
„ of Slate series, Hazara	xxvi	54.
„ pyro.—and dynamo—of Himalayan rocks	xxiv	159, 184, 185.
Mo Yongdisa river	xxviii	84.
Mhow, artesian experiment at	xxxii	85.
Mian-Jani sections	xxvi	175.
Mica, in Sub-Himalayan deposits	xxiv	85.
„ in Wainád	xxxiii	17.
„ „ (2).		
„ meaning of its names	xxxiv	12, 13.
„ of Kalahandi State	xxxiii	20.
„ „ (pt. 3).		
„ the—deposits of India	xxxiv	11—121.
„ Western Rajputana	xxxv	38, 78, 88, 89, 91.
Mica-bearing pegmatites	xxviii	247.
Mica granite—intrusive in Malani rhyolites	xxxv	68, 71.
„ granite—in Western Rajputana	xxxv	53, 66, 68—71.
„ granite—in Western Rajputana petrology of	xxxv	91.
„ schist	xxxiv	38—42.
„ schists of Helat Series	xxxiv	8.
„ „ (4).		
Micanite	xxxiv	73.
Microcline, in charnockite	xxviii	140.
„ in leptynite	xxviii	143.
„ Sivamalai Series	xxx	192.
„ perthite, Sivamalai Series	xxx	192.
Microcrystalline groundmass in fragments in breccias, Western Rajputana	xxxv	89.
„ „ of Malani rhyolites	xxxv	84.
Microgranite	xxxi	101.
Microclites, of felspar in groundmass of Malani rhyolites	xxxv	82.
„ of hornblende in Malani rhyolites	xxxv	85.
Micropegmatite	xxx	131.
„ „	xxxi	246, 255
„ in rocks of Western Rajputana	xxxv	81, 82, 90.
Microperthite	xxviii	140, 144, 151.
„ chemical analysis of	xxx	187.
„ inclusions in	xxx	189.

SUBJECT.	Volume	Page.
Microperthite Sivamalai Series	xxx	179, 200, 213.
<i>Micropsis venustula</i>	xxxi	261.
Microscopical examination of Sub-Himalayan rocks	xxiv	170—171.
Middlemiss, C. S.	xxviii	6.
" "	xxviii	121, 165, 237, 245.
" "	xxx	136, 147, 157.
" "	xxx	169, 203.
" "	xxxii	127, 142, 155, 178.
" "	xxxiii (pt. 2).	53, 54, 59, 64.
" "	xxxiv	66, 113.
" "	xxxv	168.
" " Boulder bed of Salt Range	xxxv	32, 87, 90.
" " Geology of Hazara and the Black Mountain	xxvi	
" " Physical Geology of the Sub-Himalaya of Garhwál and Kumaon	xxiv	59.
Mikir Hills, Geology of in—Assam	xxviii	71—95.
Milach, sections below	xxvi	185—187.
Milam	xxiii	51, 79, 83, 92, 98, 110, 150, 153, 158, 159, 160, 161, 163, 172.
Milam passes	xxiii	111, 112, 132.
Miles, S. B.	xxxiv	12, 94.
Miliolite	(4).	
" "	xxxiv	54—56, 89, 121, 127, 135, 137, 139.
" " , Káthiáwár	xxi	126, 128, 134.
Miller, W. G.	xxx	206, 213.
Milling, at Kolar Gold-fields	xxxiii	45.
Millstones of Barákar series in Sátapura region	(pt. 1).	
Milne, J.	xxiv	58.
" "	xxi	74, 133, 238, 250, 377.
Minbu, fossils from	xxvii	1, sqq., 79.
" petroleum of	xxvii	78—95.
Mincheri hills	xxv	145.
Mineral oil, Hazara	xxvi	287.
Mineralogical characters of micas	xxxiv	16.
Minerals of Aravalli region	xxxv	6.
Minette of Kashmir	xxii	312.
Miniari, section near	xxxv	18, 67.
Mining methods in mica mines in Bengal	xxxiv	46.
" " " " in Madras	xxxiv	82.
" practice Indian Mica mines	xxxiv	78.
" rules relating to mica	xxiv	96, 98.
Minlindaung	xxvii	47, 50, 90, 136, 186, 247.
" "	xxviii	59.
Miocene, of Burma, <i>see</i> Pegu series.	xxviii	76.
" of Mikir hills	xxviii	

SUBJECT.	Volume.	Page.
Miocene of Upper Burma, on some Marine fossils from the	xxvii	1, 45.
„ (Burdigalian), Andaman Islands palæontology of	xxxv	201, 202, 203, 204.
„ deposits, Nicobars	xxxv	208.
„ series, <i>see</i> Muree beds	xxvi	
Mirjawa	xxxi	255—257, 259.
Mirrors of mica	xxxiv	74.
Mirui	xxxi	239.
Mirzapur	xxxi	164.
„ <i>see</i> Geology of the Son Valley, etc.	xxxi	1—178.
Mispickel	xxxiii	11.
	(pt. 1).	
Mistpoiffers	xxix	204.
Mitawala (Mitihi) sot	xxiv	152, 153.
Mit Koh, volcano of	xxxi	285.
Mitra, Brajendra Lal	xxxiv	14.
<i>Modiola</i> beds in Central Himalayas	xxiii	66.
„ (<i>Lithodomus</i>) <i>archiacii</i>	xxi	37.
Mohar section	xxvi	139, 150.
Mohpani Coal-field	xxiv	1, 12.
Moissan, H.	xxx	175.
Mojsisovics, Dr. E. von	xxviii	5, 12.
Moksoma-kon	xxviii	34.
Molasse, resemblance of—to M. Siwalik sand-rock	xxiv	83.
Molecular ratios in clacolite and clacotite-syenite	xxx	181, 182, 187.
„ „ in felspar-rock	xxx	203.
„ volumes, altered by dynamo-metamorphism	xxviii	148.
“Monarch” reef, Wainád	xxxiii	21.
	(2).	
Monghyr	xxxiv	44.
Mongla, Malanis at	xxxv	55.
Monoclinic, pleochroic pyroxene	xxviii	126.
<i>Monophyllites</i>	xxviii	7, 9.
„	xxxii	179, 181.
„ <i>confucii</i>	xxviii	10.
„ <i>haru</i>	xxviii	10.
„ <i>kingi</i>	xxviii	10.
„ <i>pitamahu</i>	xxviii	10.
„ <i>prodyumna</i>	xxviii	10.
<i>Monolis subinaria</i>	xxii	168.
<i>Moonlivallia</i> zone, Nummulites of Hazara	xxvi	38, 42.
Moonstone	xxxi	264.
„ in pegmatites	xxxiv	31.
Moorehpoori ridge section	xxvi	184—185.
Moos, N. A. F.	xxix	38, 180, 378.
Moraines, glacial, Hazara	xxvi	133—135.
„ „ near Gool Maira	xxvi	45.
Morgan, J. de	xxxiv	4, 14, 76, 82.
	(4).	
„ J. G.	xxix	190, 192.
„ R. R.	xxix	102, 163.
Morozewicz, J.	xxx	203, 207, 208, 209, 211, 217.
Morres, W.	xxxiv	65.
Morris, Mr., on coal in Hazara	xxvi	287—288.

SUBJECT.	Volume.	Page.
Morris, R.	xxxiii (pt. 2).	53.
Mort, A.	xxxii	192.
Moss-Agate, Káthiáwár	xxi	134.
Motichur Rau	xxiv	153.
Motur-Barákar boundary	xxiv	48.
Motur Series	xxiv	24, 25, 35, 37, 46—50, 57.
Mountain-foot, fault along	xxiv	180, 181.
" relation of—to reversed faults	xxiv	176.
Mountain-forming theories	xxiv	157, 199.
Mountain range, life history of—	xxiv	192—194.
" systems of Hindu Kush and Mimalaya compared	xxvi	282—284.
Moureaux, T.	xxix	185, 377.
Moyle, G.	xxix	98.
Mozumdar, Kedarnath	xxix	76.
Mud volcanocs, of Baluchistán	xxxi	285.
" " of Kyankpyu during Assam earthquake	xxix	41.
" " of Minbu	xxvii	81—95.
Mukak	xxxi	254, 255.
Mukerji, Hiranmoy	xxix	21.
Mukhopadhyá, Pyari Lal	xxix	31, 59.
Mulbekh ravine, section in	xxii	178.
Muling pass	xxiii	203.
Müller Hugo	xxvii	190, 203.
" Multani Mitti "	xxxv	33.
Mundhal, N.	xxiv	151.
Mundroch Chhothee section	xxvi	123.
Munnikal hill	xxx	111.
<i>Murex arrukanensis</i>	xxvii	2, 36.
" <i>sp.</i>	xxvii	36.
" <i>ichihatcheffi</i>	xxvii	3, 36.
Mureo	xxvi	222—223.
" sections near	xxvi	225—226.
" beds	xxvi	43—44.
" "	xxxii	194, 210, 211.
" stage	xxii	88, 199.
Muscholkalk	xxiii	71, 72.
" "	xxviii	7, 10, 11, 14.
" of Malla Johar	xxiii	142, 147.
Muscovite	xxiii	43.
" in elaeolite-syenite	xxx	186.
" in felspar-rock	xxx	202, 213.
" in gneiss of Kashmir	xxii	267.
" in Jalor granite	xxxv	91.
" origin of name	xxxiv	72.
Muth	xxiii	120, 211, 213, 216, 217, 218, 220, 221.
" quartzite	xxiii	212, 223.
" series	xxii	125, 165, 171, 209, 210, 222, 246, 251, 253, 264.
" "	xxiii	11, 12, 58, 60.

SUBJECT.	Volume.	Page.
Myingyan, Geology of parts of the —, Magwe and Pakokku districts	xxviii	30—71.
<i>Myliobates</i>	xxvii	44.
Mylonite, fritted	xxx	146.
"	xxxiv	53.
Mysore, mica in —	xxxiv	67.
" gold-mine	xxxiii	9, 11, 12, 13,
"	(pt. 1).	16, 17, 23, 33,
"	xxxiv	45, 65, 69.
" state, a peculiar form of peridotite from the —	xxxiv	1—9.
<i>Mytilus nicobaricus</i>	xxviii	42.
N		
Nabgo	xxiii	129, 130.
Nabi, Haji Abdul	xxx	181, 271.
Naddevi	xxv	149.
" <i>Nág</i> ," explanation of term	xxii	3.
Naga	xxiii	198, 199, 201,
"		202.
" Hills	xxviii	71, 74, 91.
Nagaladinna	xxv	72.
Nagaladinni	xxv	181.
Nagar range	xxxv	52.
Nagaramalai	xxviii	160, 161, 162.
"	xxx	108, 125, 128.
" type	xxviii	181.
Nagona	xxxv	48, 86.
Nahan rocks	xxiv	63.
" " containing fossil leaves	xxiv	158.
" " large development of—in E. Kumaun	xxiv	155.
" " passing into sand-rock	xxiv	115, 120, 139,
"		160, 162.
" stage	xxiv	86, 87.
Naini Tal, section south of	xxiv	155.
Namagiripett	xxx	113, 114.
Namhor coal beds	xxviii	88—90, 94, 95.
" falls	xxviii	87.
Nam-do	xxxiv	14.
Names of mica	xxxiv	12—14.
Namgoah	xxiii	196.
Nampa peak	xxiii	21.
" river	xxiii	163.
Nancowry	xxxv	207.
Nanda Devi	xxiii	21, 26, 90, 92,
"		100, 111, 161,
"		198.
Nandhaur, R.	xxiv	160—162.
Nandivaram	xxv	73.
Nangling	xxiii	161.
Naptha	xxvii	189.
Napier, C.	xxix	35.
Narashimha-dover-gudla	xxv	33, 35.

SUBJECT.	Volume.	Page.
Narbada	xxxi	45.
" Valley, Geology of Lower	xxi	1.
Narcondam	xxxv	210, 211.
" Barren Island and	xxi	251.
" derivation of —	xxi	284.
Nari halla river	xxv	12, 92, 93, 95, sq., 185.
" stage, comparison with Miocene of Burma	xxvii	5.
Narkundi	xxxi	51.
Narukot	xxxiv	53.
Naruh, sections near	xxvi	150—152.
<i>Nassa cantleyi</i>	xxvii	3, 32.
<i>Natica callosa</i>	xxi	121.
" <i>obscura</i>	xxvii	3, 23.
" <i>obscura</i>	xxvii	3, 22.
<i>Naticopsis</i>	xxii	158.
Natural pressure figures of mica	xxxiv	20.
" percussion figures of mica	xxxiv	20.
Naumann	xxviii	204.
Nausar, Barmer sandstone near	xxxv	74.
<i>Nautilus</i>	xxxii	143.
" Nawaar	xxxii	191.
Nawashahir	xxvi	123.
Negative rotation	xxix	208.
Nagrais group	xxxv	200.
Nehal, N.	xxiv	78.
Nehalpur, gypsum south of	xxiv	78.
Nellapur	xxv	174.
Nellore, mica in —	xxxiv	58.
Nemkal, section near	xxv	147.
Neocomian of Turkistan	xxiii	81.
Neolithic implements	xxv	143, 146, 163, 184, 206— 212.
Nepheline in tinguaita from Western Rajputana	xxxv	92.
<i>Nereites cambrensis</i>	xxi	33.
<i>Nerinaea</i>	xxii	158, 172, 173.
Neumayr, M.	xxviii	12, 13, 21.
Newbold, Captain	xxiv	207, sq., 240.
" "	xxv	21, 28, 52, 74, 110, 137, 138, 156, 187, 197, 205.
Newbold, J. T.	xxx	157.
Newbould, B. B.	xxix	343.
Newport	xxix	238.
Newton, R. Bullen	xxxiv	4, 22, 34, 37, (4). 88.
Nicholl, B. V.	xxix	340.
Nicholson, Lieutenant	xxiv	208.
Nickel, of Kolar Gold-fields	xxxiii	10.
	(pt. 1).	
Nicobars, Geology of Andaman Islands with references to the —	xxxv	195—212.

SUBJECT.	Volume.	Page.
Nilang	xxiii	51, 69, 105, 195, 196, 197, 202, 205.
„ peaks	xxiii	200.
„ sections	xxiii	196—199.
Nilgiris	xxviii	120, 122, 162, 184.
„	xxx	104, 105.
„ , mica in —	xxxiv	65.
Nimár sandstone, Narbáda Valley	xxi	2, 23—35.
Nimawar, Geology of Lower Narbáda Valley between — and Káwant.	xxi	1.
Nimik Pass	xxxv	227.
Nine Reefs gold-mine	xxxiii (pt. 1).	9, 11, 46, 69.
Niti	xxiii	44, 52, 53, 60, 90, 91, 96, 98, 110, 152, 160, 194, 225.
„ area—see Paínkanda sections.		
„ pass	xxiii	25, 79, 80, 85, 110, 116, 119, 120, 123, 129.
„ „	xxviii	18.
„ „	xxxii	132.
„ peaks	xxiii	118.
Nodular layers in sand-rock	xxiv	83.
„ limestone	xxiv	88.
„ limestone, Nummulitic —, Hazara	xxvi	42.
„ limestone of Narbáda Valley	xxi	2, 36—39.
„ Malani rhyolite	xxxv	67, 70.
Nodules, foraminiferal, Andaman Islands	xxxv	209, 210.
„ phosphatic, Andaman Islands	xxxv	210.
Noetling, Dr. F.	xxviii	32, 35, 40, 46, 49, 59, 60, 62.
„ „	xxxv	200, 203.
„ „ , on some Marine fossils from the Miocene of Upper Burma	xxvii	1—45.
Noetling, F., Dr., The occurrence of Petroleum in Burma	xxvii	47—272.
<i>Noggerathopsis hislopi</i>	xxi	152, 159, 175, 184, 189.
Non-conducting properties of mica	xxxiv	74, 75.
Norite olivine	xxxv	6, 141.
Norites, chemical composition of	xxviii	156.
„ granulitic structure of	xxviii	154.
„ mineral composition of	xxviii	155.
„ of Pallavaram	xxviii	174.
„ of Scandinavia	xxviii	128, 209.
„ of St. Thomas' Mount	xxviii	172.
„ rich in garnet	xxviii	160.
„ specific gravity of	xxviii	154, 155.
„ type-mass of	xxviii	136, 172.
„ use of the term	xxviii	130, 153.
North Arcot, mica in	xxxiv	67.
„ Carolina, corundum in	xxx	209, 210.

SUBJECT.	Volume.	Page.
Nosean in tinguaita from Western Rajputana	xxxv	92.
<i>Nucula alcocki</i>	xxvii	2, 8.
Nugree to Dhar section	xxvi	205.
Nui glacier	xxiii	180, 181.
Nukchung stream	xxiii	129, 130.
<i>Nummulites</i>	xxviii	78, 81—83.
"	xxxi	198, 200, 220.
"		227, 232, 236,
"		257, 264, 267,
" <i>beaumonti</i>	xxii	94.
" <i>exponens</i>	xxii	107.
" <i>granulosa</i>	xxii	94.
" "	xxxi	225, 661.
" <i>raymondi</i>	xxii	107, 115, 117.
" <i>spira</i>	xxxi	261.
Nummulites, Kumaon and Garhwál	xxiv	88, 130.
Nummulitic conglomerate, Persian Gulf	xxxiv	82.
"	(4).	
" limestone	xxxv	5, 35.
" limestone, of Persia, character of	xxxiv	68.
"	(4).	
" limestone, of Tirah	xxviii	101.
" series of Hazara	xxvi	38—42, 177—
Nummulitics, Balchdhura	xxiii	221.
" Central Himalayas	xxiii	156.
"		45, 46, 83, 86,
"		130, 149, 156,
"		227.
" Hundes	xxiii	83, 84, 86, 149,
"		156.
Nundov, outcrop of coal at	xxiv	39.
Nundydroog gold-mine	xxxiii	9, 11, 12, 13,
"	(pt. 1).	14, 19, 23, 39,
"		42, 46, 65, 69.
Nushki and neighbourhood	xxxi	179, 187, 218—
"		242.
Nuwanshuhr to Dhumtour section	xxvi	136—139.
Nuzzerpur, outcrop of coal at	xxiv	37.
Nyaung-hla	xxvii	103.
O		
Oddone, E.	xxix	236.
O'Donnell, H.	xxix	28.
Oil, mineral—of Hazara	xxvi	287.
Oil-belt of Burma	xxvii	184—188.
Oil-sands of Yenangyat	xxvii	175—178.
" "	xxviii	37—38.
" of Yenangyaung	xxvii	111—123, 137,
"		157.
Oil wells, <i>see</i> wells, oil.		
" Older alluvium "	xxxv	206, 207.

SUBJECT.	Volume.	Page.
Oldham, R. D.	xxiii	7, 13, 54, 206, 207, 216, 223.
" "	xxiv	60, 64, 147, 151—154, 169.
" "	xxvi	13—14, 19, 21, 22.
" "	xxix	317, 377.
" "	xxxi	189.
" "	xxxi	303, 306, 308, 310, 315, 321, 325, 326.
" "	xxxii	24, 27, 32, 62, 63.
" "	xxxii	193, 195, 201, 244, 262.
" "	xxxv	161, 166, 168, 169, 172.
" "	xxxiv (4).	5, 54, 88.
" "	xxxv	6, 10, 29, 31, 34.
" "	xxxv	196, 198, 199, 204, 207, 208.
" " , list of aftershocks of the great earthquake of 12th June 1897	xxx	1—102.
" " , Note on the Allah-Bund	xxviii	27—30.
" " , Note on the Sandhills of Clifton near Karachi	xxxiv	133—157.
" " , P. N. Datta and E. Vredenburg; Geology of the Son Valley	xxxi	1—178.
" Dr. T.	xxiv	7, 9.
" "	xxxv	154, 166.
" "	xxvii	67—70, 81, 170, 222, 223, 240, 241, 243, 251.
Oligocene, of Khamir	xxix	85.
" of Mikir Hills	xxxiv (4).	102.
" of Persia	xxviii	76.
" "	xxxiv (4).	22.
Oligoclase in gneiss of Kashmir	xxii	266.
<i>Olivia djocdjocartæ</i>	xxvii	3, 38.
Olivine	xxviii	115.
" Coimbatore	xxx	200, 213.
" in pyroxenite	xxviii	167, 182.
" dolerites, Western Rajputana	xxxv	51, 53, 91.
Oman Series	xxxiv (4).	9—11, 111, 139.
Omori, Prof.	xxxv	122.
Ontario, corundum in	xxx	206, 212.
" clæolite-syenite in	xxx	206.
Oochar section	xxvi	149—150.
Ookhroeluh	xxvi	112.
Oolitic limestone, Kumaon and Garhwâl	xxiv	130.

SUBJECT.	Volume.	Page.
Ooregum gold-mine	xxxiii (pt. 1).	9, 12, 15, 18, 23, 42, 46, 65, 69.
Opal	xxxiii (pt. 1).	11.
<i>Operculina</i>	xxxi	236, 264.
Ophicalcite	xxxiv	41.
Ophir	xxxiii (2).	2.
Ophitic structure	xxviii	78.
" in Malabar gneissic intrusions	xxiv	215.
Oppel, Dr. A.	xxiii	7, 10.
<i>Orbitolites</i>	xxxi	263.
Organic remains, doubtful, in Vindhya	xxxv	30.
" in Barmer sandstones	xxxv	33.
Oriental gold-lode	xxxiii (pt. 1).	9, 11.
Origin of Archæan gneisses	xxviii	210.
" of the Charnockite Series	xxviii	203.
" of gypsum and in Western Rajputana	xxxv	43.
" of kunkur	xxxv	41.
" of salt in Western Rajputana	xxxv	41.
" time of —, Assam Earthquake, 1897	xxix	75.
Ornamental uses of mica	xxxiv	75, 76.
<i>Orthis</i>	xxii	158, 209.
"	xxiii	56.
<i>Orthoceras</i>	xxii	132, 140, 158.
"	xxviii	10.
Orthogneisses	xxviii	238, 244.
<i>Orthopsis similis</i>	xxi	40.
Orton, Prof.	xxvii	142, 188.
Oscillations in the order of crystallization	xxviii	239.
Osia, "Vindhya" at	xxx	193.
Osmaston, B. B.	xxxv	30, 44.
Osterloh, Mr.	xxxv	212.
<i>Ostræa (Alectryonia) arcotensis</i>	xxxii	192.
" <i>leymeri</i>	xxi	40.
" <i>multicostata</i>	xxi	33, 37.
<i>Ostrea</i> sp. aff. <i>multicostata</i>	xxxiv	117, 119, 120, 121, 122, 123.
" <i>verleti</i>	(4).	23, 31, 32, 74.
" <i>verleti</i> beds	xxxiv (4).	24, 36, 38.
O'Sullivan, Major	xxxiv (4).	33—37, 63, 107.
Oswald, Felix	xxviii	99.
"	xxxiv	4, 23, 24, 31.
<i>Otoceras</i> beds, of Central Himalayas	(4).	
" beds, see Trias, lower.	xxiii	58, 66, 68, 70, 71, 121.
Ouchterlony, Captain J.	xxviii	122, 123.
Osely, Captain	xxiv	4, 5.
Outer Hills, Káshmir, Zanskar system in basin of	xxii	193.

SUBJECT.	Volume.	Page.
Outliers, of Siwalik conglomerate	xxiv	96, 99, 106, 149.
Overfold in flysch of Malla Johar	xxxii	163.
Overhand stoping, mica mines	xxxiv	84.
Overlap, of Siwalik conglomerate above M. Siwaliks	xxiv	105, 122, 164.
" of Siwalik conglomerate across main boundary	xxiv	165.
" within cretaceous of Central Himalayas	xxiii	228.
Overthrow, direction of, Assam Earthquake, 1897	xxix	355.
Overthrusts	xxviii	14.
<i>Ovula bellardii</i>	xxxi	261.
P		
Pachmarhi roads, borings for coal on	xxiv	11.
Pachpadra, salt deposits of	xxxv	14, 41.
<i>Pachyseris murchisoni</i>	xxi	120.
Padaukhin	xxvii	75, 76, 77.
Pagan anticline and hills	xxviii	66—67.
Paget Is.	xxxv	201, 203.
Pagoda sandstone	xxvii	173.
<i>Pagurus</i>	xxvii	44.
Pailgam, section near	xxii	228.
Painkanda, carboniferous of—	xxiii	99.
" silurians of—	xxiii	100 ff.
" peak	xxiii	98, 108, 112.
Painkanda sections	xxiii	87—149.
Pakokku, Geology of parts of the Myingyan, Magwe, and — districts	xxviii	30—71.
Pala-chaori, outcrop of coal at	xxiv	37.
Palaolithic stage	xxv	206.
Palaozoic group, Bamlas	xxiii	158.
" " , continuity of sequence of—	xxiii	103, 225, 226.
" " , Kali river	xxiii	191, 192, 193.
" " , South of Muth	xxiii	211.
" strata, Kumaon and Garhwal	xxiv	63.
<i>Paliassa jabalpurensis</i>	xxi	82.
Pallavaram	xxviii	120, 122, 142, 157, 159, 164, 166, 172.
Palni hills	xxviii	190.
Pamachang	xxiii	222.
Panara, outcrop of coal at	xxiv	38.
Pangkong Lake, description of	xxii	258.
Panidiomorphic structure	xxviii	125, 154, 240.
Panjal Range, metamorphics of	xxii	289.
" system	xxii	170, 171, 209—264.
" " general description of	xxiii	55.
" " "	xxii	263.
Panka Gadh fault	xxiii	191, 192.
<i>Panopoea arcuata</i>	xxi	37.
Para limestone	xxii	125, 169, 170, 174.

SUBJECT.	Volume.	Page.
<i>Paracynthus cœruleus</i>	xxvii	3, 6.
„ <i>cœruleus</i>	xxviii	42.
Paragneisses	xxviii	238.
Parhardiah, Chota Nagpur, gold in	xxiii (pt. 2).	68—71.
Parhod pass	xxxi	229.
Parihar group	xxxv	35.
Paris, Geological Congress of —, 1900	xxx	225—230.
Parsora, Rhætic plants at —	xxi	209.
Passes, in Central Himalayas	xxiii	23, 24, 25.
“ Pat ”	xxxi	190, 210, 214, 235.
Patakhera, coal-seam at	xxiv	43.
Patalpani	xxiii	116.
Pati, hill at	xxxv	68.
Patlidun	xxiv	113, 118.
Patodi, Malanis near	xxxv	50.
Paul, C. M.	xxviii	12, 21.
Paulsen, A.	xxix	243.
Pavia	xxix	236.
Peat in Káshmir	xxii	332.
Pebble beds, in Barmer sandstones	xxxv	33, 74.
„ „ , interstratified with rhyolites	xxxv	58, 60, 62, 69, 76.
„ „ , in Vindhyan sandstones	xxxv	28.
„ „ , of Amir	xxxv	35.
Pebbles, of M. Siwalik	xxiv	84.
„ of Siwalik conglomerate	xxiv	80, 81.
„ distortion of	xxiv	163.
<i>Pecopteris</i>	xxi	81.
<i>Pecten bouei</i>	xxi	119, 120, 121.
„ <i>corneus</i>	xxi	111, 117.
„ <i>favrei</i>	xxi	119, 120, 122.
„ <i>sp. cf. favrei</i>	xxvii	7.
„ <i>katoniensis</i>	xxii	172.
„ <i>quinquecostata</i>	xxi	40.
„ <i>soomrowensis</i>	xxi	122.
„ <i>sub-corneus</i>	xxi	122.
<i>Pecten vasseli</i> beds	xxxiv	37—51, 125, (4).
<i>Pectunculus pecten</i>	xxi	117, 119, 120, 121.
Peddaperla hill	xxv	45.
Peer Kot section	xxvi	97.
Pegmatite, affected by surrounding rocks	xxxiv	38.
„ composition of	xxxiv	30, 31.
„ definition of	xxxiv	30.
„ forms of	xxxiv	35.
„ mica-bearing — in Wainád	xxiii (2).	9, 17.
„ of Bellary district	xxv	37, 40, 41, 52, 155, 156, 170.
„ origin of	xxxiv	33.
„ possible connection with “dome-gneiss”	xxxiv	47, 48.
„ in granite veins, Western Rajputana	xxxv	56.

SUBJECT.	Volume.	Page.
Pegmatitic charnockite	xxviii	172.
„ forms of clæolite-syenite	xxx	184.
Pegmatoidal coronæ around garnets	xxx	159.
„ pyroxene-plagioclase rocks	xxviii	186.
Pegu series, <i>see</i> described under term miocene in	xxviii	30—71.
„ „ of Minbu	xxvii	79.
„ „ of Yenangyat	xxvii	172—178.
„ „ unconformity between — and Irrawadi series	xxviii	43, 60.
Pelani (Pelaïne) R.	xxiv	124—134.
Pench fault	xxiv	24.
“Pencil” quartzite	xxv	80.
Penner-Haggori outcrop of Dharwars	xxv	148—154.
“Perched blocks” in Káshmir	xxii	35.
Percussion-figures of mica	xxxiv	17, 18, 21.
Pereira, P. D. C.	xxix	40.
Peridotite, altered to serpentine	xxix	136.
„ Andaman Islands	xxxv	204.
„ on a peculiar form of—in the Mysore State	xxxiv	1, 9.
„ contacts	xxviii	182.
Peridotites, Petrological Notes on some —, Serpentine Gabbros and associated rocks from Ladakh	xxxi	303—329.
„ Salem	xxx	107, 133, 147.
„ with corundum	xxx	209, 210.
Perim Island	xxi	112—115.
Perlitic structure in Malani rhyolites	xxxv	49, 86.
Permedevanhalli	xxv	164.
PPermian, Central Himalayas	xxiii	65—67, 123, 172, 174, 175, 212, 218, 220, 223, 226, 228.
„ Chitichun	xxviii	9, 17, 21.
„ Lissar valley	xxiii	172, 174, 175.
„ Pin river	xxiii	212, 218.
„ Spiti	xxiii	220, 223.
„ thickness of—in Central Himalayas	xxiii	67.
„ or Carboniferous, possibility of, in Hazara	xxvi	29.
Permo-carboniferous of Bazár Valley	xxviii	109, 110, 114.
„ of Malla Johar	xxxii	127, 183.
„ fossils, Persian Gulf	xxxiv (4).	11, 92.
Permo-Trias Dawe	xxiii	181.
„ Johar	xxiii	150, 152, 153.
„ Kuti Yangti	xxiii	183.
„ Lebung pass	xxiii	187.
„ Niti area	xxiii	115, 116, 117, 119, 120.
„ Spiti	xxiii	217, 218.
Persia, Geological sketch of part of the Baluchistan desert, and part of Eastern Persia	xxxi	179, 302.
„ Geology of portion adjoining Persian Gulf	xxxiv (pt. 4).	1—177.
Persian Gulf, Geology of the —	xxxiv (pt. 4).	1—177.
Perso-Afghan area, comparison of—with Central Himalayas	xxiii	46, 47, 228.
Pethathali ravine	xxiii	109, 118, 119.

SUBJECT.	Volume.	Page.
Petrographical province, differentiation within	xxx	216.
" province, of Sivamalai	xxx	176.
" provinces, classification by	xxviii	128, 129, 130, 249.
Petroleum, of Yenangyat	xxviii	49—54.
" Persian Gulf	xxxiv	144—149.
(4).		
" prospects of — at Singu	xxviii	49, 54.
" relation of water to	xxvii	117.
" specific gravity of Burmese	xxvii	193—202.
" total production of — in Burma	xxvii	256—259.
" value and cost price of Burmese	xxvii	259—263.
" colour of Burmese	xxvii	193.
" export of — from Rangoon	xxvii	267, 272.
" flash-point and boiling point of Burmese	xxvii	202.
" local consumption of — in Burma	xxvii	264, 267.
" melting point of Burmese	xxvii	202.
" periodical rise and fall of production of — at Yenanguang	xxvii	113—117.
" in Burma, chemical composition and physical properties of —	xxvii	189, 205.
" the occurrence of	xxvii	47—272.
" of Burma, revenue from — under Burmese Kings	xxvii	73, 74.
Petroliferous, beds of Yenangyang, sedimentation of	xxvii	157—161.
Petrolene	xxvii	189.
<i>Phasianella oweni</i>	xxi	121.
" <i>tumida</i>	xxii	172.
Phayang, section from — to Skin	xxii	107.
Phayne, Major	xxvii	243.
Phillips, J. Arthur, inclusions in granite	xxxv	54.
<i>Phillipsia semnifera</i>	xxii	137, 159, 160.
Pinch, Malanis at	xxxv	55.
Phoenix mine in south-east Wainád	xxxiii	24, 28, 30.
(2).		
Phoolah gulee section	xxvi	98.
Phulan granite at	xxxv	61.
Phulkot to Sirbunnah section	xxvi	171—174.
<i>Phylloceras</i>	xxxii	144, 162.
" <i>ebneri</i>	xxxii	143.
<i>Physa prinsepii</i>	xxi	45—63.
Physical features of Western Rajputana	xxxv	9.
Pierite, hornblende	xxv	177.
" Salem	xxx	133.
Pierolite	xxxiv	1, 3.
" Salem	xxx	133, 147.
Piercy, T. E.	xxxiii	2.
(pt. 1).		
Pigments, mineral	xxv	205.
Pigott, Mr.	xxxiii	3.
(pt. 1).		
Pilgrim, G. E. Geology of the Persian Gulf and the adjoining portions of Persia and Arabia	xxxiv	1—177.
(pt. 4).		
Pilotaxitic structure	xxxii	136.

SUBJECT.	Volume.	Page.
Pin river	xxiii	51, 211, 212, 216, 219, 220, 221, 222.
Pin-chaung	xxvii	135, 186.
"	xxviii	56, 57.
Pinching out of bands	xxviii	188.
Pinjor dun	xxiv	123.
<i>Pinna laticostata</i>	xxi	40.
<i>Pinus nordenskioldi</i>	xxi	82.
Piram Island. <i>See</i> Porim Island	xxii	passim & 216.
Pir-Panjal Range. <i>See</i> Geology of Kashmir and Chamba.		
Pir Puchi pass	xxxi	231.
Pisolites of Chitichun	xxviii	2.
Pisolitic hæmatite at base of Trias, Hazara	xxvi	26.
" iron-ore	xxiv	88.
" iron-ore of Nummulitic series, Hazara	xxvi	40.
Pistacite	xxv	65.
Pitcher, Col. D. G.	xxx	155.
Pitchstone, of Deccan Trap	xxi	93, 96, 98.
" of Malla Johar	xxxii	136.
Place's Garden, Madras, bore-hole for artesian water at	xxxii	78.
<i>Placites</i>	xxxii	143.
Plagioclase, in charnockite	xxviii	140.
" in groundmass of Malani rhyolites	xxxv	83.
" in Jalor granite	xxxv	91.
" "reaction zones" near	xxx	190, 191.
Plant-beds of Afghanistan	xxxiii	64.
Plant remains, in Barmer sandstones	xxxv	5, 33.
" " in Lathi group	xxxv	34.
Plateau of Kotah dun	xxiv	89, 96.
" of Yenangaung	xxvii	98, 99.
" gravel, of Upper Burma	xxvii	101, 102.
" gravel, of Yenangyaung	xxviii	64.
" Yonangyat — Signn area	xxviii	46.
" sandstones west of Jodhpur	xxxv	45.
Plax	xxix	167.
Pleistocene of Kashmir	xxii	48, 80.
Pleochroism of micas	xxxiv	22.
Pleonaste in pyroxenite	xxviii	167.
" in xenoliths	xxviii	127, 236.
<i>Pleurotoma interrupta</i>	xxvii	3, 41.
" <i>irravadica</i>	xxvii	2, 41.
" <i>voyesi</i>	xxvii	3, 40.
" <i>Yenanensis</i>	xxvii	2, 42.
<i>Pleurotomaria monitiformis</i>	xxii	172.
<i>Plicatula multicostrata</i>	xxi	40.
Pliocene, absence of, in Hazara	xxvi	44.
" of Burma. <i>See</i> Irrawadi series.		
" Mikir hills	xxvii	75, 83, 84, 88.
<i>Podozomites lanceolatus</i>	xxi	81.
Pokaran	xxxv	5, 25, 28, 31.
Polishing and grooving of rocks by wind action in the Persian Gulf	xxxiv	117.
	(4).	

SUBJECT.	Volume.	Page.
Ponnani river, geology of south Malabar between the Beypore and Ponnanni rivers	xxiv	201.
Pooreena, outcrop of coal at	xxiv	39.
Porbandar stone	xxi	135.
Porcellanite, petrology of	xxxi	96—98.
„ stage	xxxi	12, 14—17, 143—144.
Porphyritic character of gneissose-granite, Hazara	xxvi	63.
„ structure in charnockites	xxviii	245.
Porphyry of Bellary district	xxv	200, 201.
“Porsedyke” gold of	xxxiii (pt. 2).	60—62.
Port Blair	xxxv	195, 207.
Porteous, A.	xxix	343.
Positive rotation	xxix	208.
Port-Tertiaries, Hundes	xxiii	156, 164, 193, 228.
Potsdam	xxix	237.
Potstone	xxv	43, 90, 128, 171, 203.
„	xxxiv	41, 61.
Pottinger, Mr.	xxxi	181, 270, 271.
Potwar erratics	xxvi	45.
Powell, B. H.	xxxiv	68, 114.
„ Major J. W.	xxxii	17.
Pratt, J. H.	xxx	209, 210.
Prehistoric graves	xxv	184.
„ pottery	xxv	212.
„ remains of Bellary district	xxv	206—212.
Preliminary tremors, Assam earthquake	xxix	241, 247, 251.
Pressure figures of mica	xxxiv	13.
Pre-Tertiary sedimentary rocks, Andaman Islands	xxxv	205, 206.
Prices of mica	xxxiv	91, 92, 93, 102.
Primare Augenstructur	xxviii	218.
Primartrumer	xxviii	218.
Primary breccia	xxviii	218.
„ eruptive breccia	xxviii	189, 218.
“Prince of Wales” reef, Wainád	xxxiii (pt. 2).	26.
Prior, G. T.	xxxi	314.
<i>Procladiscites jasoni</i>	xxxii	142.
„ <i>Yasoda</i>	xxviii	10, 12.
Production of Indian mica	xxxiv	95.
<i>Productus</i>	xxii	132, 139, 158, 159, 160.
„ <i>abichi</i>	xxviii	111, 112.
„ „	xxxii	141.
„ <i>chitichunensis</i>	xxxii	141.
„ <i>gratiosus</i>	xxxii	141.
„ <i>semi-reticulatus</i>	xxviii	9.
„ <i>serialis</i>	xxviii	111, 112.
„ beds, Bithir Gadh	xxiii	188.

SUBJECT.	Volume.	Page.
<i>Productus</i> beds, Central Himalayas	xxiii	60, 64, 63, 65, 66, 67—71, 115, 116, 117, 119, 120, 123, 136, 147, 158, 166—177, 179, 181— 183, 185, 188, 205, 212, 215, 217, 218, 221, 222, 223,
„ „ , Dawo	xxiii	179, 181.
„ „ , Dhauli Ganga	xxiii	182.
„ „ , Hop Gadh	xxiii	205.
„ „ , Kiunglung	xxiii	117, 119, 120, 123.
„ „ , Kuti Yangti	xxiii	183, 185.
„ „ , Lissar valley	xxiii	166, 168, 169, 171, 172, 174, 175.
„ „ , passage into trias	xxiii	67, 68.
„ „ , Pin river	xxiii	212, 215, 217, 218.
„ „ , Rimkin Paier	xxiii	136.
„ „ , Shal-Shal	xxiii	147.
„ „ , Silakank section	xxiii	116, 117.
„ „ , Spit	xxiii	221, 222, 223.
„ „ limestone	xxviii	17.
„ „ „ relation to Tirah and Bazar rocks	xxviii	112—113.
„ „ „ species common to — and Kashmir Kulings	xxii	161.
Promo beds	xxviii	35, 67, 68.
„ „ petroleum in — and Thayetmyo	xxviii	75—77.
„ „ stage	xxvii	107—123, 174— 178, 188.
Propagation, unfelt shock, Assam Earthquake	xxix	247, 251, 253,
Prospecting rules for mica	xxxiv	96.
<i>Prospiringites</i>	xxxii	141.
Protoclastic structure	xxviii	218.
<i>Protocleopora</i>	xxii	159.
Pseudo-conglomerate at Jodhpur	xxxv	27, 46.
„ „ at Kolar	xxxiii	79.
<i>Pseudosageceras</i>	(pt. 1.) xxxii	141.
<i>Psilophyllum cutchense</i>	xxi	82.
<i>Ptychites batteni</i>	xxii	126.
„ „ <i>gerardi</i>	xxii	146.
„ „ <i>gerardi</i> , zone of, Central Himalayas	xxiii	66, 70.
„ „ <i>rugifer</i>	xxviii	11.
Puckered limestone	xxvi	246.
Puga Valley, peridotites, etc., from	xxxi	307, 310, 315, 319, 320, 325.
Pulamsunda	xxiii	199, 200, 201.
Pulverised mica	xxxiv	74.
<i>Pulvinulina</i> in sand	xxxv	40.

SUBJECT.	Volume.	Page.
Quartz breccia. <i>See</i> Breccia.		
„ calcite rock	xxx	90.
„ epidote rock	xxx	90.
„ felspar gneiss of Malabar	xxiv.	208, sqq.
Quartz-felspar rocks	xxviii	133, 144, 172, 175, 178.
Quartz-felspathic gneiss	xxviii	171, 177.
Quartz gneiss, of Malabar	xxiv	208-215.
„ mosaic	xxxv	83, 89.
„ pebbles of plateau gravel of Burma	xxvii	101.
„ phenocrysts in Malani rhyolites	xxxv	79, 80, 81.
Quartz-porphry in mica mines	xxxiv	62.
Quartz-rocks	xxxiii	55, 60, 62.
„ auriferous	(pt. 2).	
„ of Dharwars of Bellary district	xxv	196.
„ Kolar Gold-field	xxv	89, 91.
„	xxxiii	9-22.
„ in Wainád	(pt. 1).	
„	xxxiii	9, 18.
Quartz-rock, granular	(pt. 2).	
„ near Salom	xxxiv	39, 40.
„	xxx	137.
Quartz schists, Persian Gulf	xxxiv	8.
„ „ of Bijawars	(pt. 4).	
„ „ veins in Satpura Gondwana basin	xxx	59.
Quartzite Bijawar	xxiv	52.
„ basal of Bijawars	xxi	11.
„ ferruginous in Wainad	xxx	58.
„ green	xxxiii	9, 14.
„ in mica-mines	(pt. 2).	
„ Western Rajputana	xxxiii	59.
„ with pencil structure	(pt. 2).	
Quartzites of Kolar Gold-fields	xxxiv	40, 41, 48, 49, 61.
„ Panjal System. <i>See</i> Panjal System.	xxxv	16, 72.
„ Persian Gulf	xxv	80.
„ Zanskar System. <i>See</i> Zanskar System.	xxxiii	76.
Quette, artesian water of	(pt. 1).	
„	xxxiv	8, 9, 98, 99.
„	(pt. 4).	
„	xxxii	13, 24, 26—28.
R		
Radhana, granite at	xxxv	77.
Radice, C. A.	xxix	323.
<i>Radula, obliquestrata</i>	xxi	40.
Raiala gadh	xxiv	162.
Rajdooria	xxx	149.
Rails, bent after Assam Earthquake	xxix	97, 280, 286, 292, 297, 338.

SUBJECT.	Volume.	Page.
Raikana glacier	xxiii	90.
Rain-grooving of rocks	xxv	68.
Rain prints in shales near Sursagar	xxxv	46.
Raised beaches, Andaman Islands	xxxv	208.
" Beach, Káthiáwár	xxi	127.
Raiwala	xxiv	154.
Rajaghriha, hot spring	xxix	41, 328.
Rajpura	xxxv	20, 54.
Rajputana, Geology of Western	xxxv	1—116.
" mica in	xxxiv	70.
Raki, Malanis near	xxxv	61.
Ram Drug	xxv	66, 143.
Rama	xxiii	186.
" glacier	xxiii	163.
" peaks	xxiii	185, 187.
Raman Drug division of Sandur Dharwarian outcrop, Bellary	xxv	93, 96—102.
" " manganese ore of	xxv	194.
Ramganga-Pelani section	xxiv	119—134.
Ramganga river	xxiv	110, 111, 114, 119.
Ramgarh iron-ore	xxiv	86.
Ramgol division of Sandur Dharwarian outcrop	xxv	93, 102—112.
Rammelsberg, H.	xxxiv	25.
Ramnagar	xxiv	100.
Rampur, coal-boring at	xxxii	91 sqq.
" coal-field artesian water in the —	xxxii	77.
" " " report on the	xxxii	80—124.
Ramri island, mud volcanoes of	xxvii	94.
" occurrence of <i>Ammonites guadeloupæ</i> in	xxi	43.
Ran of Cutch	xxi	129.
<i>Ranella tubercularis</i>	xxvii	3, 31.
" <i>viperina</i>	xxi	122.
Rangoon, artesian wells at	xxxii	62, 69.
Rangoon oil	xxvii	267.
Ranibagh	xxiv	156.
Ranigang, water-supply of	xxxii	76.
Ranikot stage	xxxi	198, 224, 227, 236, 244, 264, 293.
<i>Rapana</i> sp.	xxvii	39.
Rarab	xxiii	183.
Ras Koh	xxxi	223, 229, 245, 246, 267.
Rassida, granite at	xxxv	53.
Retapani sot	xxiv	107.
Ravi, valley of	xxii	195, 199, 207, 239, 245, 271, 283, 288.
Rawalpindi, water-supply of	xxxii	10.
Rawanwara, outcrop of coal at	xxiv	28.
Raya Drug hills	xxv	6, 46.
" " Taluq	xxv	14.
Read, R. Mellard	xxiv	188—196.
Reader, G. F.	xxxii	77.
" " Report on the Rampur coal-field	xxxii	89—124.

SUBJECT.	Volume.	Page.
Rebeur Paschwitz, E. V.	xxix	251.
Recent and sub-recent deposits, Persian Gulf	xxxiv (pt. 4).	56, 70, 80, 122, 126.
„ deposits, Kumaon and Garhwal	xxiv	78, 79.
„ deposits, of Malabar	xxiv	233.
„ deposits, passing down into Siwalik conglomerate	xxiv	183.
„ deposits, Western Rajputana	xxxv	37.
„ elevation, in Persian Gulf	xxxiv (pt. 4).	56, 60, 61, 123.
„ formations, Hazara	xxvi	44—46.
Recumbent folds	xxviii	14.
Red crinoid limestone, Central Himalayas	xxiii	59, 61, 62.
„ „ „ Spiti	xxiii	61.
„ „ „ Upper Dharma Valley	xxiii	61.
“Red rock”	xxi	9, 17.
Red shales of Haimantas	xxiii	100.
„ shale series. See Jungel series Redwood, Sir Boverton	xxvii	199.
Reefs, auriferous — in Wainád	xxxiii (pt. 2).	9, 18, 19, 20.
Roiwas hill	xxxi	159.
Renevier, F.	xxviii	13, 14.
Reservoirs, perfect and imperfect artesian	xxiii	4.
Retzia	xxii	159.
Rewah, mica in	xxxiv	54.
„ Gondwana basin. See Hughes T. W.		
„ State, Geology of the Son Valley in the — and of parts of the adjoining districts of Jabalpur and Mirzapur	xxxi	1—178.
Reyer	xxx	184.
„	xxxiv	34.
„ E.	xxviii	145, 216, 220, 222.
Reynolds, G, B,	xxxiv (pt. 4).	32.
Rhætic, Central Himalayas	xxiii	11, 12, 66, 68, 72—74, 105, 107, 112, 115, 118—126, 134— 136, 138—142, 151, 153, 169— 171, 202, 203, 205, 218, 220, 221, 222, 226.
„ Dogkwa Aur	xxiii	203, 205.
„ fossils in — of Central Himalayas	xxiii	118, 119, 122, 126.
„ Girthi Valley	xxiii	153.
„ Hop Gadh	xxiii	202, 203, 205.
„ Mamrang pass	xxiii	222.
„ Muth	xxiii	218.
„ Niti pass	xxiii	121, 122.
„ Shanki river	xxiii	124, 125.
„ Shal-Shal	xxiii	138—142.
„ Sherik river	xxiii	126.
„ Silakank	xxiii	118, 119.
„ Spiti	xxiii	220, 221, 222.

SUBJECT.	Volume.	Page.
Rhætic of Tirah	xxviii	104.
„ Upper Lissar Valley	xxiii	169, 170, 171.
„ and lias, Alpine equivalents	xxiii	74.
„ and lias, divisions of	xxiii	73.
„ and lias, distribution of	xxiii	72, 73.
„ and lias, fossils of — in Central Himalayas	xxiii	74.
„ and lias, thickness of — in Central Himalayas	xxiii	74.
Rhikekes	xxiv	152.
<i>Rhinoceros sivalensis</i>	xxi	115.
Rhodolite	xxx	201, 213.
Rhombic pyroxene in granites	xxviii	135.
<i>Rhynchonella</i>	xxii	147, 159, 171, 172, 175, 187.
„ <i>movahensis</i>	xxviii	111, 112.
„ <i>plicatiloides</i>	xxi	40, 43.
Rhyolites, Malani	xxxv	20, 48, 49, 63, 66, 67, 70.
„ Malani, petrology of	xxxv	78—88.
„ Malani, relations with other rocks	xxxv	56, 58, 59, 61, 62, 63, 65, 68, 71, 76.
„ Persian Gulf	xxxiv	16, 104, 110, (4), 111, 133, 155.
Ricco, A.	xxix	235.
Rice, L.	xxxiv	114.
Richards, T.	xxxi	2.
Riley, O., on Laterite	(pt. 1).	
Rimkin	xxiv	241.
„ fault	xxiii	112, 115.
„ Païar	xxiii	107.
Ringora parao	xxiii	135, 136, 151.
Rink, H.	xxiv	100, 101.
Riobamba earthquake	xxxv	206.
Ritchie's Archipelago	xxix	81.
River action, Khichri	xxxv	204.
„ „ Kosi	xxiv	96, 97.
„ „ Ramganga	xxiv	101, 103.
„ „ selective	xxiv	119, 120.
„ banks, subsidence of — after Assam Earthquake	xxiv	131.
„ beds, upheaved by Assam Earthquake	xxix	106, 161.
„ boulders of Indus river	xxix	13, 104, 319.
„ „	xxvi	81—84, 253— 254.
„ plateaux, of Kashmir	xxii	62.
Rivers	xxiv	72, 73.
„ action of — in Bellary district	xxv	183.
„ rise of — after earthquake	xxix	107, 162.
„ of Western Rajputana	xxxv	13.
Road Block gold-mine	xxxi	9, 11, 46, 69.
Robat	(pt. 1).	
Rock-crystal of Kashmir	xxxi	261—268, 292.
Rock sculpturing by wind in Western Rajputana	xxii	340.
Rocks, condition of — at great depths.	xxxv	10.
Rogers, C. G.	xxiv	188.
	xxxv	199.

SUBJECT.	Volume.	Page.
Rohtas Stage	xxxi	12, 19—23, 25, 153—157, 159.
Romanos, Dr.	xxvii	71—73, 214, 221, 222, 241.
Rome	xxix	233.
Rosenbusch, H.	xxviii	238.
" "	xxx	175, 188.
" "	xxxi	79.
" "	xxxiv	80.
" " pyromeride of Wuenheim	xxxv	86.
<i>Rotalia</i> in sand, Western Rajputana	xxxv	40.
Rotation of pillars, etc., by earthquake	xxix	207, 260, 264, 273, 283.
Roy, P. C.	xxviii	142.
Roza hill, granite of	xxxv	71.
Ruby-mica	xxxiv	23.
<i>Rudistes</i>	xxii	183.
Rujoccul, sections south-east of	xxvi	140—152.
Rupshu, <i>see</i> Kashmir.		
" metamorphics of	xxii	326.
" serpentino from	xxxi	319.
Rutile in garnets	xxviii	161.
" in zenoliths	xxviii	127, 236.
Rutland Island	xxxv	195.
Rutwala stream section	xxvi	127.
S		
<i>Sabal major</i>	xxii	89.
Sabathu bottom-bed possibly represented in Hazara	xxvi	40.
" rocks, marine origin of	xxiv	62, 171.
Sabathu, <i>see</i> Subathu.		
Sabo	xxviii	53.
Sabwet Chaung. <i>See</i> Minbu.		
Saddle Hill	xxxv	204.
" Peak	xxxv	204.
Safed Koh	xxiii	47.
" " area south of	xxviii	96—107.
" " zonal structure in	xxvi	270—271.
<i>Sagceras</i>	xxxii	162.
Sahara, artesian water of	xxxii	12, 13.
Sahlito	xxxi	83.
Saindak	xxxi	197, 198, 201, 234, 252, 255, 257—261.
" Koh	xxxi	260.
Sakarna, rhyolite included in granite at	xxxv	71.
Sal tree	xxiv	66, 67.
Salawas, granite at	xxxv	53.
Salem, Geology of the neighbourhood of —, Madras Presidency, with special reference to Leschenault de la Tour's observations (Sir T. H. Holland)	xxx	103—168.
" gneiss near, altered by charnockite	xxxiii (pt. 2).	11.

SUBJECT.	Volume.	Page.
Salem mica in	xxxiv	66.
„ district	xxviii	160, 179.
„ district, "trap-shotten" bands in	xxviii	201.
„ division of the gneisses	xxx	117.
„ gneiss	xxv	30.
„ type of gneiss	xxviii	246.
Salt, efflorescent — of Upper Burma, analysis of	xxviii	47.
„ in Kashmir	xxii	337.
„ tertiary strata of Gujarat	xxxii	70.
„ origin of, in Western Rajputana	xxxv	5, 41.
„ Persian Gulf	xxxiv	16, 68, 129,
„ Range, boulder bed of	(pt. 4).	130, 159—160.
„ Range, granite of	xxxv	32, 87.
„ Range, volcanic ash in	xxxv	91.
Salter, J. W.	xxxv	90.
Saltpetre, in Kashmir	xxiii	7, 10, 11, 69.
Samana Range	xxii	339.
<i>Samaropsis</i>	xxviii	96, 97, 99, 101,
Sambhar lake, salt of		104.
Samdari, Malanis at	xxi	152, 175, 184.
Samdin Valley	xxxv	42.
„ fault	xxxv	55.
„	xxi	42.
„	xxix	147.
„	xxxv	171.
Sampling, results of — in Wainád gold-fields	xxxiii	21, 22, 27, 29.
Sanani gadh	(pt. 2).	
Sanawaspur	xxiv	94.
Sanderac, section at	xxv	154.
Sand, blown, Western Rajputana	xxxv	72.
„ composition of — at Karachi	xxxv	37, 38, 39, 40,
„ outflow of — in Assam Earthquake	xxxiv	41.
„	xxix	148—151.
„		15, 16, 20, 25,
„		26, 99, 101,
„		103, 322, 327,
„		331, 335, 337,
„		339.
Sand-dunes	xxxi	215.
Sandhills, distribution and growth of — at Clifton	xxxiv	141—148.
„ of Clifton near Karachi. Note on the	xxxiv	133—157.
„ Persian Gulf	xxxiv	96, 100, 127.
„ Western Rajputana	(pt. 4).	
Sand-rock containing large pebbles	xxxv	4, 5, 13, 37.
„ passages down into Nahans. See Comformable sequences.	xxiv	166.
„ stage, Siwaliks	xxiv	82—86.
Sandstone, as building stone in Kashmir	xxii	340.
Sandstones, Andaman Islands	xxxv	199, 200, 201.
„ Barmer	xxxv	33, 74.
„ effects of denudation on	xxxv	12.
„ Nahan	xxiv	86, 87.
„ Vindhyan	xxxv	26.
Sandur hills	xxv	2, 195.

SUBJECT.	Volume.	Page.
Sandur hills, Dharwar outcrop of the	xxv	91—147, 162.
" Strata	xxv	13.
Sand-vents after Assam Earthquake	xxix	13, 15, 258, 285, 292, 319.
Sangar Marg Coal-field, description of	xxxii	210—216.
" Marg Coal-field, coal analysis of	xxxii	232—233.
" Marg Coal-field, workable areas of	xxxii	249—250.
" Marg ridge	xxiv	62.
Sangcha Malla	xxiii	155.
" Talla	xxiii	155.
" "	xxviii	4, 5.
Sanguri (Shanguni) sot	xxiv	105.
Sankoy, Lieut.	xxiv	6.
Sanki river	xxiii	26, 116, 123— 125.
Sanneh (Sanai), R.	xxiv	142.
Sanpa, Barmer sandstone at	xxxv	75.
Saora range	xxxv	64.
Separo Malanis at	xxxv	71.
Sapphire from Zanskár Range	xxii	335.
" <i>Sar</i> ," explanation of term	xxii	3.
Sara, N.	xxiv	166.
Sarangwa, marble at	xxxv	17.
Sarda, R.	xxiv	155.
Sargent, E. H.	xxxiv	63, 64, 83, 89.
Sariwali, section near	xxvi	149.
Sarnu, Barmer sandstone at	xxxv	75.
Sarsuti	xxiii	194.
Sáser Pass	xxii	185.
Sátapura Coal-field, artesian experiments in	xxxii	76.
" Gondwana basin, southern coal-fields of	xxiv	1—58.
Saunders, T.	xxiii	7, 19.
Sawaldeh sot	xxiv	107.
Saxon "granulite formation"	xxviii	204, 213.
Saxonite	xxxi	311.
<i>Scalaria birmanica</i>	xxvii	2, 19.
" <i>irregularis</i>	xxvii	2, 19.
" <i>subtenuilamella</i>	xxvii	3, 20.
Scandinavian norites	xxviii	209.
Scapolite in calciphyres	xxviii	127.
Scapolitic gnoiss	xxx	105.
" granulites	xxviii	232.
Scenery of Sub-Himalaya	xxiv	65, 66.
Schædler	xxvii	191.
Schardt, M.	xxviii	13, 25.
Schillerisation of felspar in Malani rhyolites	xxxv	82.
Schillerization	xxviii	162, 163.
Schistose conglomerate	xxvi	55.
" quartzites (quartz-schists)	xxvi	56.
" representative of Infra-Trias, Hazara	xxvi	54—57.
" representative of slate series, Hazara	xxvi	51—54.
Schists, arenaceous —, Hazara	xxvi	52.
" chlorite	xxxi	89.
" chloritic —, Hazara	xxvi	61.
" Dharwars Bellary district	xxv	127.

SUBJECT.	Volume.	Page.
Schists garnitiferous —, Hazara	xxvi	60.
„ graphitic —, Hazara	xxvi	53.
„ Hazara	xxvi	52, 53, 57—61.
„ Himalayas	xxiv	63, 128, 132, 133.
„ hornblende —, Hazara	xxvi	60—61.
„ Kashmir	xxii	316.
„ Kolar	xxxiii	4, 15, 75, 77.
„ Narbada Valley	xxi	7—10.
„ talcose, Hazara	(pt. 1).	
„ Western Rajputana	xxvi	61.
	xxxv	16, 17, 18, 55, 68, 69, 73.
<i>Schizaster grani</i>	xxi	121.
Schlagintweit Brothers	xxv	23.
Schlier period	xxxiv	33, 67.
	(pt. 4).	
Schlieren	xxviii	145, 170, 176, 189, 215, 248.
„ definition of	xxviii	216.
„ deformation of	xxviii	221.
„ distinguished from xenoliths	xxviii	216.
„ in charnockite series	xxx	121.
Schlierengänge	xxviii	176, 220.
„	xxx	184.
Schlierig structures	xxviii	222, 243.
Schmidt, J. F. G.	xxix	85, 100.
Schmidth, A.	xxix	73, 173, 176, 250.
Schollengebirge	xxix	167, 368.
Schorl in gneissose-granite	xxvi	63, 70.
„ Sub-Himalayan rocks	xxiv	171.
Scrap and Dip	xxxi	37—40.
Scrap-mica	xxxiv	74, 93.
Scree material	xxiv	79.
Scribing mica	xxxiv	90.
Sea, former extension of — into Luni valley	xxxv	14, 42.
Secondary alteration of dunites	xxx	133.
„ devitrification in Malani rhyolites	xxxv	83.
„ growth of quartz phenocrysts in Malani rhyolites	xxxv	80, 84.
Secret-Blatter	xxviii	220.
„	xxx	184.
Secret-Gänge	xxx	184.
„	xxviii	220.
Sections, Byans	xxiii	178, 193.
„ construction of	xxiii	88, 89.
„ use of	xxiii	89.
Sederholm	xxviii	218.
Sedgwick	xxx	185.
Sedimentation in mountain areas	xxiv	188—192.
„ the effect, not the cause of, the mountains	xxiv	191.
„ of Petroliferous beds of Yenangyaung	xxvii	157—161.
Seebach's hyperbola	xxix	73, 173.
Seem kole, out crop of coal at	xxiv	27.
Seer, section south of	xxvi	206.

SUBJECT.	Volume.	Page.
Segregation veins	xxx	185.
Segregations	xxviii	215.
Seismic area, Assam Earthquake, 1897	xxix	42, 50, 52.
" area, in Italy	xxix	375.
" phenomena in British India and their connections with its geology	xxxv	153—194.
Seismometers, cylinder	xxix	294, 345, 347, 348.
Sekiya, S.	xxix	133.
Sela	xxiii	161.
Selo, mica granite near	xxxv	66.
Sentinel Island, north	xxxv	209.
" south	xxxv	208.
Sepi	xxiii	163.
Serh hills sections	xxvi	211.
Serpentine,	xxi	9.
" Andaman Islands	xxxv	204, 205.
" Baluchistan	xxxv	205.
" Nicobars	xxxv	208.
" noble	xxxiv	52.
" of Kashmir	xxii	112, 339.
" Persian Gulf	xxxiv(4)	12, 98, 99.
" Salem	xxx	133, 136, 147,
Serpentines of Ladakh	xxxi	303—329.
Serpentinised rocks	xxvi	84.
<i>Serpula plexus</i>	xxi	41.
"Seven Pagodas"	xxviii	146, 177.
Sha-ala-ditta section	xxvi	215.
Shah Kabul Hill section	xxvi	212.
Shah-ki-Noorpoor section	xxvi	215.
Shakur Bando	xxvi	104—105.
Shales, Nahan	xxiv	86.
" Sirmur	xxiv	88, 130.
" and marls, Nummulitic —, Hazara	xxvi	41.
" at base of Vindhya, Western Rajputana	xxxv	27, 45.
Shal-Shal	xxiii	119, 122, 133— 149, 150, 153.
" cliff	xxiii	137.
" pass	xxiii	79.
" river	xxiii	133, 134.
" sections	xxiii	134, 135, 136, 137—149, 150, 153.
Shanti stream	xxjii	96, 97, 98.
Shahpur coal, tests on	xxiv	10, 12.
" " description of	xxiv	45.
Shawali, section near	xxvi	114—116.
Shayok Valley	xxii	192, 311.
Shekh Hosein	xxxi	226, 227, 232.
Sherik river	xxiii	123, 128.
Sherivill, Capt.	xxxi	173.
Sherwill, W. S.	xxxiv	44, 78, 103.
Shevaroy diabase-dyke	xxx	129, 141.
" hills	xxviii	121, 133, 151, 160, 170, 179.

SUBJECT.	Volume.	Page.
Shevaroy hills	xxx	103, 105, 116, 118, 121, 124, 128.
Shiddagal	xxv	193.
Shide	xxix	238, 256.
Shigar, analysis of bomenite from	xxxi	314.
" rocks of	xxii	187, 190, 191, 193, 311, sqq.
Shillong	xxviii	73, 90, 93.
" seismograph	xxxv	122, 128, 132, 145—150.
" silurian	xxiii	159.
" Tassa	xxiii	163.
" plateau, <i>see</i> Assam range.		
Shingle, alluvial	xxv	180, 181.
" beds of Amir	xxxv	35.
Shipki	xxiii	43, 44.
" pass	xxiii	195.
Shore-line, relation of — to reversed fault	xxiv	176.
Shuttleworth, A. E.	xxix	26.
<i>Sibirites pandya</i>	xxviii	10.
" <i>prahlada</i>	xxiii	11.
Sichar peak	xxvi	147.
Sickle-dressed mica	xxxiv	89.
Siddapan Konda	xxv	174, 199.
Siena	xxix	236.
<i>Sigaretus bicostatus</i>	xxvii	2, 23.
Sigmaflexure	xxiv	123, 125, 135, 136, 141, 164, 165.
Signal hill sandstone	xxvii	173.
" " "	xxviii	40, 43.
Silakank	xxiii	101, 102, 109, 110, 114, 116, 118, 122, 133, 134, 149, 156.
" silurians of	xxiii	101.
" pass	xxiii	118, 133, 134.
Silbatta	xxviii	79, 81.
Silicification	xxxi	279.
<i>Siliquaria sp.</i>	xxvii	22.
Sillimanite in Khondalites	xxiii	8—11.
" in xenoliths	(pt. 3). xxviii	127.
Sills	xxxi	6.
"	xxxi	196, 251, 257.
Silole, N.	xxvi	148—149.
Silurian of Kashmir. <i>See</i> Muth and Bhabeh series.		
Silurians, Buldur	xxiii	209, 210, 211.
" Byans	xxiii	164.
" Central Himalayas	xxiii	49, 51, 55—58, 95, 99, 102— 109, 152, 159, 163—165, 176, 180, 181, 202, 209, 210— 213, 218, 223.

SUBJECT.	Volume.	Page.
Silurians division of	xxiii	104.
„ Dunagiri peak	xxiii	109.
„ extent of	xxiii	106.
„ fossils in — of Central Himalayas	xxiii	56, 57, 100, 102, 103, 105, 107.
„ Johar	xxiii	152, 164.
„ Kali river	xxiii	163.
„ Kolajabar	xxiii	107.
„ Kuti Yangti	xxiii	163.
„ Lissar valley	xxiii	159, 165, 170.
„ Lohi glacier	xxiii	180.
„ lower — of Central Himalayas	xxiii	56.
„ Marchauk	xxiii	107.
„ Mendi	xxiii	202.
„ Milam	xxiii	56.
„ Niti area	xxiii	56, 95, 105, 108.
„ Niti glacier	xxiii	181.
„ Painkanda	xxiii	100 ff.
„ Painkanda peak	xxiii	109.
„ Patalpani	xxiii	102.
„ Pethathali	xxiii	102, 103 ff.
„ Pin river	xxiii	212, 213, 218,
„ Rimkin	xxiii	107.
„ Shillong	xxiii	159.
„ Silakank	xxiii	103.
„ Spiti	xxiii	57, 58, 223.
„ Stoliczka's division of	xxiii	58.
„ thickness of — in Central Himalayas	xxiii	56, 57, 102, 103.
Silver, lead and — in Hoshangabad	xxi	69.
Simbuwala, section at	xxiv	90.
Simla, correlation of Panjals of Kashmir with rocks of	xxii	249.
„ rocks	xxiii	225.
„ slates	xxiii	52, 54.
Simpson, R. R., report on the Jammu coal-fields	xxxii	189—203.
Sind Valley, Zanskar System in	xxii	144, 228.
Sindaball hill	xxv	66.
Sindigiri hills	xxv	150.
Siner, section of hill at	xxxv	62.
Singh, Sir Amar	xxxii	194.
„ Kishen	xxxi	3.
Singu, anticline of	xxvii	185, 186, 187.
„ hills and anticline of	xxviii	30—54.
Sinking of shafts (Kolar gold-mines)	xxiii (pt. 1).	28.
Sjöecz, L.	xxxiv	28, 112.
Sirban hill	xxvi	93, 98—119.
Sirbunnah, section near	xxvi	166—167.
Sirgora coal-field	xxiv	20—23.
Sirigiri hills	xxv	61.
Sirkia river	xxiii	79, 127, 128, 129, 130, 149.
„ river, nummulites of	xxiii	83.

SUBJECT.	Volume.	Page.
Sirmur series	xiv	88.
" Valley coal-field, description of	xxii	87 sqq.
" Valley coal, analyses of	xxxii	219—220.
" Valley workable areas of	xxxii	234.
Sirohi	xxxii	250.
" gran ite in	xxxiv	71.
Sirsa La, serpentine from	xxxv	18.
Sirun R., section	xxxi	316, 317.
" Sisters " hills	xxvi	236, 240—245.
Sita bani, fault at	xxv	70.
Sitakund, hot spring	xxiv	96.
Sithampundi	xxix	41.
Sivamalai, position	xxx	105.
" series, definition of	xxx	171.
" series of Elæolite — Syenites and Corundum — Syenites in the Coimbatore District (Sir T. H. Holland)	xxx	216.
Siwalik conglomerate	xxx	169—224.
" series, Kashmir	xxiv	79—82.
" " lower	xxii	83 sqq.
" " middle	xxiv	86—87.
" " middle, dying out of — at Kho river	xxiv	82—86.
" " passages between stages of —. See Conform- able sequences.	xxiv	146.
" " Upper	xxiv	79—82.
" " upper and middle, sudden appearance of	xxiv	147.
" " whole of	xxiv	87, 88.
Siwaliks of Baluchistan	xxxi	186, 203—209.
" of Mikir hills	xxviii	220, 221, 257.
" (lower), of Hazara. See Murree beds.		83—88.
" (upper) absence of, in Hazara	xxvi	44.
Siwana, hills near	xxxv	57, 60.
" granite	xxxv	24, 90.
Skapodak pass	xxii	170.
Skardu, rocks on road from—to Deasai	xxji	193.
Skirbichan, section near	xxii	101.
Skin	xxxi	312.
" rocks near	xxii	166, 168.
" section from Phayang to	xxii	107.
Skirbichan, section near	xxii	101.
" Skull " reef, Wainád	xxxiii	21, 26.
Slate of Bijáwars	(pt. 2).	
" " resemblance to Porcellanite stage slates of lower Vindhya ns	xxxi	62—66.
" " resemblance to red shales.	xxxi	65.
" roofing, of Kashmir	xxii	64.
Slaty schists at Khairla	xxv	343.
" " at Miniari	xxxv	55.
Slate series, Hazara	xxxv	19.
Slates, Attock	xxvi	10—17.
" Kumaon and Garhwal	xxvi	13.
" purple, Kumaon and Garhwal	xxiv	63.
" schistose, Kumaon and Garhwal	xxiv	131.
	xxiv	132.

SUBJECT.	Volume.	Page.
Sly, F. G.	xxxiii (pt. 3).	2.
Smoeth, W. F.	xxxiii (pt. 1).	3, 4
Smith, F. H.	xxviii	99.
" "	xxviii	121.
" "	xxix	4.
" "	xxxi	3, 136.
" "	xxxii	90, 91.
" "	xxxiii	53, 54.
" "	(pt. 2).	
" "	xxxiii	10, 14.
" "	(pt. 3).	
" " The geology of the Mikir hills in Assam	xxviii	71—95.
Smith Island, Port Cornwallis	xxxv	197.
Smyth, Brough	xxxiii	6, 18.
	(pt. 2).	
Soapstone	xxv	191.
Sobruh, section near	xxvi	220—232.
Sodalite in tinguaito, Western Rajputana	xxxv	92.
Sodium carbonate	xxii	338.
" sulphate	xxii	338.
Sohagpur, coal-field of	xxi	176—202.
Soils of Bellary district	xxv	189—190.
Sojat, section at	xxxv	26.
<i>Solarium affine</i>	xxvii	3, 17.
" <i>cyclostomum</i>	xxvii	3, 18.
<i>Solenopsis</i>	xxii	158.
Solfataras of Barren Island	xxi	268.
"Solfataric" stage	xxxi	273, 278.
Sollas, W. J.	xxviii	217, 235.
Son river	xxi	142.
" Valley, geology of the	xxxi	1—178.
Sona N.	xxiv	122, 139.
Sonam	xxiii	201.
Sondri, Barmer sandstone at	xxxv	77.
Sopwith, A.	xxiv	9, 23, 30.
Soundings in the Persian Gulf	xxxiv	6.
	(pt. 4).	
Sounds, earthquake	xxix	4, 6, 30, 191.
" explosive. See Barisal guns	xxix	28, 194, 298.
" heard underground, of Assam earthquake	xxix	191.
South Arcot	xxviii	121, 170, 178.
" district	xxx	104.
Specific gravity of Charnockites	xxviii	133, 137, 148,
		154, 165.
" gravity of dyke-rocks, Western Rajputana	xxxv	92.
" gravity of Malani rhyolites	xxxv	79.
" gravity of pyroxenites	xxviii	134, 165, 166.
Specular iron ore in Bellary district	xxv	121.
Sphærolitic structure in Malani rhyolites	xxxv	40, 66, 86.
Sphene, absence of — in Charnockites	xxviii	126, 159.
" in aberrant form of Charnockites	xxviii	159.
" in altered and border forms of Charnockites	xxviii	126, 127.
" restricted occurrence of, Sivamalai series	xxx	198.

SUBJECT.	Volume.	Page.
Srinagar, Lapidaries of	xxii	344.
„ Section at	xxii	217, 233.
St. Dalmas, H. de	xxix	37.
St. Thomas' Mount	xxviii	120, 122, 133, 136, 141, 156, 158, 172.
Stache, G.	xxviii	13, 14, 21.
Staurolite in pegmatite	xxxiv	32.
Steaming-plant (Kolar Gold-fields)	xxxiii	33.
Steatite, Persian Gulf	(pt. 1). xxxiv	157.
Steatitic clay, Hazara	(4). xxvi	124.
Steel, native-made, near Salem	xxx	156.
<i>Stephanoceras coronatum</i>	xxxii	133.
Stephens, Rev. C. S.	xxx	27.
Stevenson, S.	xxix	324.
Stewart, T. G.	xxi	138.
Stoliczka, Dr. F.	xxli	passim.
„ Dr. F.	xxiii	7, 8, 11, 12, 39, 48, 50, 53, 54, 56—58, 60, 70, 75, 76, 78, 80, 83, 120, 121, 123, 127, 130, 194, 196, 206, 207, 209, 212, 213, 216, 218, 219, 221—223, 226.
„ Dr. F.	xxiv	60, 187.
„ Dr. F.	xxvi	32, 190.
„ Dr. F.	xxviii	2, 7, 23.
„ Dr. F.	xxxi	303, 305, 307, 308, 311, 319, 320.
Stone-implements, prehistoric	xxv	143, 146, 163, 184, 206—212.
„ pillars, fractured by earthquake	xxix	172, 271, 317, 318.
Stonier, G. A.	xxxiii	8, 25.
Stoping (Kolar gold-mines)	(2). xxxiii	23, 30.
„ overhand —	(pt. 1). xxxiv	84.
Stove-screens	xxxiv	73.
Stow, Mr.	xxix	60.
Strachey, General R.	xxiv	158.
„ R.	xxiii	8, 9, 11, 18, 50, 53, 56, 69, 75, 84, 86, 94, 95, 209.
„ Sir R.	xxviii	24, 28.
„ Sir R.	xxxii	174.

SUBJECT.	Volume.	Page.
Strain, preceding earthquake (Assam 1897)	xxix	167, 369.
„ -slip cleavage	xxx	140.
Strassburg	xxix	237.
Stratigraphical features—crystalline rocks, Western Rajputana	xxxv	15.
„ „ —sedimentary rocks, Western Rajputana	xxxv	26.
Stratton, W.	xxix	66.
<i>Streptorhynchus</i>	xxii	132, 159.
Striated pavement near Pokaran	xxxv	31.
Strike, Curving of N. of Patli dun	xxiv	118.
„ normal Himalayan	xxiv	101.
„ of Himalayan rocks not always parallel to that of Sub-Himalayan, nor to other Himalayan rocks	xxiv	183—184.
„ sharp wrench of, near Kotri N.	xxiv	141.
„ sudden change of, at Jhelum R.	xxvi	282.
„ sudden change of, in Salt Range	xxvi	282—283.
„ twisting of — S. of Chokamb dun	xxiv	143.
„ twisting of — S. of Chandi hills	xxiv	149, 150, 153.
„ twisting of —, in Mitawala sot	xxiv	153.
<i>Strombus fortisi</i>	xxi	121.
„ <i>gigas</i>	xxi	122.
„ <i>nodosus</i>	xxvii	3, 24.
<i>Strophomena</i>	xxii	159, 209.
Strover, Col.	xxvii	70, 219, 222, 223, 224, 240, 241, 243, 252.
Structure, fibrous in devitrified glass	xxxv	90.
„ granophytic, in Siwana granite	xxxv	90.
„ imbriqué (écaillée)	xxiv	174—176.
<i>Sturia mongolica</i>	xxviii	10, 12.
<i>Stylocænia vicaryi</i>	xxi	115.
Sub-aerial weathering Charnockite Series	xxviii	178, 185, 197.
„ formations, of Bellary district	xxv	186—190.
Subáthú stage	xxii	90.
„ „	xxxii	194, 209, 210, 222, 224.
Subathu, see Sabathu.		
<i>Subbullatus</i> beds	xxviii	5.
Sub-Himalaya of Garhwal and Kumaun, Geology of	xxiv	59—200.
Sub-Himalayan tertiaries of Káshmir	xxii	81—98.
Sub-marine bituminous springs, Persian Gulf	xxxiv	145.
„ cliff in Gulf of 'Oman	(4).	
„ „	xxxiv	6.
„ decomposition of rocks	(4).	
„ eruptions of Panjal age in Káshmir	xxviii	178, 198.
„ „	xxii	223, 224.
Sub-recent conglomerates, Western Rajputana	xxxv	11, 14, 36.
„ and alluvial deposits, Káthiáwár	xxi	125.
Subsidence, between fissures, Assam Earthquake	xxix	91.
„ of areas a condition of sedimentation	xxiv	189.
„ of river banks, Assam Earthquake	xxix	106.
Suess, E.	xxiii	9, 10, 69.
„ E.	xxxiv	33.
„ „	(4).	
„ E.	xxviii	23, 27.

SUBJECT.	Volume.	Page.
Suess, F. E.	xxix	57.
„ Dr. F.	xxviii	2.
„ Dr. F.	xxxii	132.
Sugammadevi Betta	xxv	3, 58, 63, 132; 147, 162.
Sujánpur syncline	xxxii	214.
Sujikonda	xxv	136, 137.
Sujkot to Hurro R. section	xxvi	195—198.
Sukhal gully, coal at.	xxxii	204, 248, 263.
Sukkur, boring at — for artesian water	xxxii	75.
Sukri river, mica granite on	xxxv	68.
<i>Sulcacutus</i> beds	xxviii	2.
Suleimanite	xxii	221.
Sulhud, section E. N. E. of	xxvi	103.
„ section from, to Nugukkee	xxvi	111—114.
Sulphur, extraction of — in Baluchistán	xxxi	279, 294
„ in Káshmir.	xxii	332.
„ Persian Gulf	xxxiv	16, 17, 104, (4). 131, 142, 143, 155—156.
„ springs, Persian Gulf	xxxvi	62, 145.
Sumatra, earthquake of 1892	xxix	370.
Sun's heat as an agent of denudation	xxxv	10.
Supra-Kuling series	xxii	129 sqq., 167 sqq.
Sur, Devendra Bijoy.	xxix	102.
„ freshwater beds of	xxxiv	54.
Surface features, of Chandi hills and neighbourhood	(4).	147.
„ features, of Chokamb and Kotri duns	xxiv	137.
„ features, of country between Kotah and Patli duns	xxiv	109.
„ features, of country between Kotedwar and Mitawala sot	xxiv	144, 145.
„ features, of Himalayan rocks north of main boundary	xxiv	126.
„ features, of Kotah dun	xxiv	98.
„ features, of Nandhaur R.	xxiv	161.
„ features, of Patli dun	xxiv	119.
„ features, of Sub-Himalayan zone generally	xxiv	65, 66.
„ waves, Assam Earthquako	xxix	5, 6, 7, 20, 26, 27, 34, 36, 37, 38, 40, 227, 248, 253, 334, 335.
Sursagar, conglomerates at base of Vindhya near	xxxv	45.
<i>Sus hysudricus</i>	xxi	115.
Sutlej	xxiii	15, 16, 23, 39, 43, 79, 25, 80—85, 123, 129, 156, 224.
„ valley	xxiii	43, 44, 131, 195, 207, 223.
Suttoruh, section near	xxvi	198—199.
Swalkot	xxviii	107.
Sydpoor section	xxvi	213.

SUBJECT.	Volume.	Page.
Syenite of Baluchistán	xxxi	203, 230, 231, 289.
„ Bellary district	xxv	26—73.
„ quartz	xxi	8.
„ pegmatite	xxxiv	31, 58.
Syenitoid gneiss	xxviii	171.
Sykes, Col.	xxxi	183, 271.
Symes, M.	xxvii	51, 221, 241, 259.
Syncline of Dharwars in archæan gneiss	xxv	92 sqq., 13 sqq.
Synclines, of Sangar Marg Coal-field	xxxii	211, 214, 215.
<i>Syringosphæridæ</i>	xxii	184.
T		
<i>Tæniopteris</i>	xxi	81.
Tafui hill	xxxi	223, 224.
Tagling limestone	xxii	125, 170, 172, 173, 174, 175.
„ „	xxiii	11, 12, 74, 123, 127.
„ „ of Wynne and Waagen	xxvi	102—103.
Tagore, Sir Surendro Mohan	xxxiv	14, 76, 112.
Takachull peaks	xxiii	21, 185.
Takht-i-Suleiman	xxii	217, 221, 344.
Taklakar	xxiii	193.
Tal series	xxiv	63, 130.
Talc distinguished from mica	xxxiv	12, 13.
Talc-schist	xxxiv	41, 61.
„ schists of Hatât series	xxxiv	8.
Talchirs	(4).	
„ boulders of — lying on Barâkars	xxiii	210.
„ boundary with metamorphics	xxiv	40.
„ Lithology of	xxiv	14, 15, 16, 17.
„ of Kalahandi State	xxiv	18.
„ of Rampur Coal-field	xxxiii	12.
„ Rewah basin	(pt. 3).	
„ Satpura basin	xxxii	91, 93.
„ thickness of	xxi	148.
„ Western Rajputana	xxiv	14-20.
Talcose schists	xxiv	18.
„ schists, Hazara	xxxv	1, 25, 31.
Talus	xxi	9, 13.
„ alluvial, of Kashmir	xxvi	61.
„ concealing boundary of gneiss and Dharwars	xxxi	188, 209, 221, 228.
„ fans of Bellary district	xxxii	24.
„ Lateritoid — terraces	xxii	50.
Tamia river, outcrop of coal in	xxv	100, 125.
Tanakki section	xxv	182.
	xxv	178.
	xxiv	41.
	xxvi	99—100.

SUBJECT.	Volume.	Page.
Tanawal sections	xxvi	228—239.
Tandi, Panjal system near	xxii	247.
Tandiani hills	xxvi	94—95, 146.
"Tangi"	xxxi	188.
Tangs, origin of	xxxiv	81.
	(4).	
Tangyi hills	xxvii	172, 173.
	xxviii	31 sqq.
Tank Block gold-mine	xxiii	9, 12, 14, 19,
	(pt. 1).	46.
Tanks filled up by earthquake	xxix	18, 104, 310.
Táuktse, Panjals of	xxii	257.
Tanner, Lieut-Col. H. C. B.	xxii	30, 31, 154,
		309.
Tanol quartzites	xxvi	237—239.
Tanols	xxvi	56.
Tarái	xxii	29.
Taratra, granite at	xxxv	76.
Tarwa, Malanis at	xxxv	71.
Tata, G. P.	xxxi	180, 216, 252.
" G. W.	xxii	70.
Taumi hill	xxvi	95, 164—166.
Taung bogyi	xxvii	75.
Taungle yo	xxvii	127, 136.
Tawa Coal-field	xxiv	40—45.
<i>Taxites tenerrimus</i>	xxi	82.
Taylor and Sons, Messrs. John	xxiii	2.
	(pt. 1).	
Teall, J. J. H.	xxvi	73, 77—79.
" J. J. H.	xxviii	223.
Teer, sections near	xxvi	232—234.
Tehra (Taila) sot	xxiv	98.
Tekkul koté hills	xxv	61.
Teklakar stream	xxiii	26.
Teligi Hill	xxv	79.
<i>Tellina exarata</i>	xxi	122.
" <i>hilli</i>	xxvii	2, 13.
" <i>kingi</i>	xxvii	2, 14.
" <i>sub-donacialis</i>	xxi	121, 122.
<i>Temnechinus affinis</i>	xxi	121.
" <i>costatus</i>	xxi	121.
" <i>rousseauxi</i>	xxi	121.
" <i>tuberculosis</i>	xxi	121.
<i>Tentaculites</i>	xxii	209.
Teori, sand at	xxxv	38, 40.
Tera Gadh anticlinal	xxiii	190, 192, 193.
<i>Terebra fuscata</i>	xxxvii	3, 5, 39.
<i>Terebratula</i>	xxii	132, 159, 171,
		172, 173.
<i>Terebratuloidea minor</i>	xxviii	111, 112.
Terraces, gravel	xxxi	210.
" gravel, Kumaon and Garhwál	xxiv	91, 100, 113,
		114.
" lateritoid	xxv	178.

SUBJECT.	Volume.	Page.
Terraces, in Bahrain	xxxiv (4).	122.
„ in Quishm	xxxiv (4).	125.
Tertiaries, Himalayas	xxiii	14, 23, 46, 47, 82—87, 123, 129—131, 227—229.
„ Hundes	xxiii	14, 23, 47, 82— 87, 123, 129— 131, 227, 228.
„ Hundes thickness of —	xxiii	131.
„ Kumáon and Garhwál	xxiv	62—64.
„ lower and middle	xxiii	82—84.
„ unconformity in —	xxiii	130, 131, 228, 229.
„ younger, fossils of —	xxiii	85, 86.
„ rock stages of Sub-Himalaya compared to high level gravels	xxiv	196.
Tertiary epoch, changes in —	xxiii	46.
„ strata of Jaisalmir	xxv	34.
„ System of Assam	xxviii	71—95.
„ System of Burma	xxvii	102—123.
„ System of Kashmir	xxx	81—121.
„ System of Kathiáwár	xxi	107 sqq.
Tesingri, Malanis at	xxxv	49.
<i>Tetraodon</i>	xxviii	46.
Thajwaz, Zánkár System at	xxii	146.
Thakal gadh ganda	xxiv	141.
<i>Thamnathea decipiens</i>	xxi	41.
Thanam valley	xxiii	26, 223.
Thayetmyo, Petroleum in Prome and—	xxvii	75—77.
Theobald, W.	xxi	77, 96, 127.
„ W.	xxii	141.
„ W.	xxiv	243.
„ W.	xxiii	75.
„ W.	xxvi	45—46.
„ W.	xxvii	1, 29, 30.
„ W.	xxviii	80.
„ W.	xxv	200.
<i>Thinnfeldia odontopteroides</i>	xxi	209.
Thob, Malanis at	xxxv	50.
Thompson, R. W.	xxxiv	113.
Thornhill Island	xxxv	201.
Thrusting, differential	xxiv	141.
Thrust plane	xxxi	262, 263.
„ plane, Assam Earthquake	xxix	166.
„ planes	xxxii	195.
„ planes, (see also Faults, reversed)	xxiv	123, 197.
Thumka Gadh	xxiii	184, 188, 189.
Thurloe, J. W.	xxix	30, 64.
Tibet, mica in —	xxxiv	53.
„ see Geological structure of Chitichun region	xxviii	1—27.
„ plateau, see Hundes plateau.		

SUBJECT.	Volume.	Page.
"Tibetan series" of Malla Johar	xxxii	145.
Tide gauge	xxix	57, 63.
Tide-producing forces	xxxv	125, 130.
Tikat	xxxi	159.
Tilling	xxiii	217, 219— 221.
Timal sot	xxiv	140.
Timappangarh Drug	xxv	111.
Timber at Kolar Gold-fields	xxxiii (pt. 1).	57.
Time, in Burma	xxix	68.
" standards in use	xxix	55.
Tin-stone in Hazaribagh	xxxiv	50.
Ting Jung La	xxiii	133.
Tinguaite in Western Rajputana	xxxv	75, 93.
Tinkar	xxiii	163.
Tinnevely district	xxviii	190.
Tipam series	xxviii	91.
Tippor, G. H. Geology of the Andaman Islands	xxxv	195—212.
Tirah, Geology of — and Bazar Valley	xxviii	96—117.
Tirati, N. section	xxvi	170—171.
Tirrupur	xxviii	169, 170.
Titanic acid as ilmenite	xxviii	126.
Titaniferous iron-ore	xxviii	126, 155, 157, 221.
Tithonians	xxiii	80, 134.
Toba plateau	xxxi	218.
Todung-gar	xxiii	26.
Tonk, mica in —	xxxiv	71.
Tope hill	xxvi	95, 158—162.
Toranagal	xxv	200.
" hill	xxv	51.
Torbernite	xxxiv	32.
Tourmaline	xxxi	62.
"	xxxiii (pt. 1).	11.
" in gneiss of Kashmir	xxii	267, 300, 304.
" in Himalayas	xxiii	44.
" in pegmatite	xxxiv	32, 51, 63.
Tozgi	xxxi	250—252, 285—286.
Trachyte of Deccan Trap	xxi	57, 93.
" Persian Gulf	xxxiv (4).	16, 137, 138.
Transition series of Son Valley, <i>see</i> under Bijawar series.		
Transversale Horizontalverschiebungen	xxx	139.
Transverse dislocations	xxx	139.
Trap, age of —	xxiii	46—49.
" Balchdhura pass	xxiii	155, 156.
" contemporaneous — in Dharwars	xxv	82 sqq., 121, 120 sqq.
" of Kashmir	xxii	111 sqq., 197, 198, 214, 218 sqq., 341.
" N. of main boundary Gola R.	xxiv	158, 159.

SUBJECT.	Volume.	Page.
Trap, <i>see</i> Deccan Trap		
" Spiti, interbedded	xxiii	58.
" dykes	xxvi	75—81.
" -dykes, dislocation of	xxx	141.
" -shoten " bands	xxx	139, 140, 146.
" -shoten " gneiss	xxviii	182, 198, 248.
" -shoten " gneiss	xxxiii	13.
	(2).	
Trappen Grits	xxi	90.
" <i>Traumatocrinus</i> " limestone	xxxii	142.
Travertine in Baluchistan	xxxi	285, 287.
" of Bellary district	xxv	188.
" of Sátúra region	xxiv	57.
Trees damages by shock of Assam Earthquake	xxix	81, 118, 123, 138, 141, 150.
Tremolite in gneiss of Káshmir	xxii	277.
" -gneiss of Bellary district	xxv	38.
Triangular chaors	xxiv	104, 109, 120, 141, 151.
Trias, Bithir Gadh	xxiii	188.
" Central Himalayas	xxiii	12, 66—72, 105, 107, 118, 119, 121—123, 136, 137, 142—149, 153, 158, 166, 168—172, 174, 175, 177, 179—183, 188, 189, 202—205, 207, 218—223, 226, 228.
" Dawe	xxiii	179, 181.
" Dhauli Ganga	xxiii	182.
" divisions of —	xxiii	68—70.
" Dogkwa Aur	xxiii	203, 205.
" fossils of —	xxiii	219.
" Girthi valley	xxiii	153.
" Hop Gadh	xxiii	202—205.
" Kuti Yangti	xxiii	183, 189.
" Lissar valley	xxiii	166, 168—172, 174, 175, 177.
" Marchauk pass	xxiii	118.
" Muth	xxiii	218.
" Niti peaks	xxiii	118, 121, 122.
" Vimkin	xxiii	107, 136.
" Shal-Shal	xxiii	142—149.
" Silakank pass	xxiii	118, 119.
" similarity with Alpine trias	xxiii	69.
" Spiti	xxiii	207, 220—223.
" thickness of —	xxiii	68.
" Uttardhura pass	xxiii	158.

SUBJECT.	Volume.	Page.
Trias, lower, of Central Himalayas	xxiii	12, 66—71, 123, 136, 137, 166, 168-172, 174, 175, 179—183, 219, 221, 232.
„ lower, Kuti Yangti	xxiii	183.
„ lower Lissar valley	xxiii	166, 168—172, 174, 175.
„ lower, Pin river	xxiii	219, 221, 223.
„ lower, Rimkin Paiar	xxiii	136.
„ lower, zones of — in Central Himalayas	xxiii	70.
„ middle	xxiii	123.
„ upper	xxiii	69, 72, 123.
„ upper, fossils of —	xxiii	72.
„ upper, fossil zones of —	xxiii	69.
„ upper, in eastern sections	xx ii	72.
„ upper, Spiti	xxiii	72.
„ limestone, Hazara	xxvi	27—29.
„ series, Hazara	xxvi	25—29.
„ volcanics, Hazara	xxvi	25—26.
Triassic fossils from Persian Gulf	xxxiv	11, 100.
„ of Chitichun	xxviii	(4).
„ of Chitichun	xxviii	1—27.
„ of Kashmir, <i>see</i> Lilang series.	xxviii	8, 10.
„ of Malla Johar	xxxii	127—183.
„ of Tirah and Bazār	xxviii	105, 113.
Trichinopoly	xxxiv	67.
Trichites in Daccan Trap	xxi	55.
Trigonæ beds of jurrassics	xxvi	33.
Trigonometrical Survey	xxix	138, 361.
„ „ maps	xxiv	61.
Triloknath, Panjal System near	xxii	248.
„ „ metamorphics near	xxii	302.
Trionyx	xxvii	79, 103, 105.
„ „	xxviii	46.
Triplite	xxxiv	32, 51.
Trisul	xxiii	21, 90.
<i>Triton daridschni</i>	xxvii	3, 29.
„ <i>pardalis</i>	xxvii	2, 30.
<i>Trivia smithi</i>	xxvii	3, 26.
<i>Trizygia speciosa</i>	xxi	179.
<i>Trochus blanfordi</i>	xxvii	2, 16.
„ <i>buddha</i>	xxvii	2, 16.
„ <i>cognatus</i>	xxi	121.
„ <i>cumulans</i>	xxi	119, 121.
„ <i>loryi</i>	xxi	177, 122.
<i>Tropites</i>	xxxii	143, 147.
„ True veins ”	xxviii	220.
„ „	xxx	184.
Tsang Tsok La	xxiii	25, 199, 202, 203, 205.
Tsaprang	xxiii	203, 205.
Tsarap Valley	xxii	172, 174.
Tschermak	xxxiv	17, 25.

SUBJECT.	Volume.	Page.
" <i>Tso</i> ," explanation of term	xxii	3.
Tso-movari	xxxi	303, 308.
Tufa, calcareous	xxiv	78, 92, 94, 129.
" " Western Rajputana	xxxv	12, 41.
" of Sātpura region	xxiv	57.
Tuff of Baluchistan	xxxi	195, 202, 228, 229, 232, 237, 243, 249, 257, 261, 277.
Tuffs of Bijawars	xxxi	89, 90.
" Hormuz series	xxxiv	16, 111, 132.
" in flysch of Malla Johar, <i>see</i>	(4).	137.
" of Vindhya	xxxii	151, 156, 157.
" Western Rajputana	xxii	93.
" Western Rajputana	xxxv	21, 23, 48, 50, 52, 58, 60, 65, 69, 78, 79.
" " " petrology of	xxxv	89.
Tukchung	xxiii	44.
Tuktung	xxiii	161.
Tumati, section near	xxv	133, 139.
Tunding, coal-boarings at	xxiv	11.
Tungabhadra river	xxv	9, 54, 64, 69, 73, and pas- sim.
Turbeluh, section near	xxvi	240.
Turkistan, Neocomian of —	xxiii	81.
Turnawae sections	xxvi	124—127.
Turner, J. W.	xxix	35.
Turquoise	xxii	337.
<i>Turritella affinis</i>	xxvii	3, 21.
" <i>angulata</i>	xxi	117, 120.
" <i>subfasciata</i>	xxi	117.
Tusham hill, felsites of	xxxv	22, 88.
Twin hills	xxx	130.
Twingon tract of Yenangyaung oilfield	xxvii	97, 98, 124, 153, 162—169, 206—210.
Twinning of mica	xxxiv	21.
Twinzayo community	xxvii	206—210, 226.
U		
Ubbalagandi gate	xxv	115.
Uchingi Drug hills	xxv	5, 33.
Uhlig, V.	xxviii	13, 14, 17, 21.
" Prof.	xxxii	133.
Uja Tirche glacier	xxiii	99, 150, 152.
Ultra-basic charnockites	xxviii	134, 164.
" forms of the charnockite series	xxx	128.
" rock of Indus R.	xxvi	84.

SUBJECT.	Volume.	Page.
Uma dun	xxiv	123.
Umāria, coal-field of	xxi	154—164.
Umia Beds of Kāthiāwār	xxi	78—84.
<i>Uncinulus timorensis</i>	xxxii	141.
Unconformability—Unconformities in Western Rajputana	xxxv	7, 19, 26, 31, 77.
Unconformity at base of Nummulitics, Srikot hill	xxvi	132.
„ at top of Pegu series	xxviii	43, 60.
„ between Bakhtiyari series and recent deposit	xxxiv	80.
„ between Fars and Bakhtiyari series	(4).	
„ between Fars and Bakhtiyari series	xxxiv	70.
„ between Miliolite and Fars series	(4).	
„ between Miliolite and Fars series	xxxiv	137.
„ between recent and U. Siwalik	(4).	
„ between Siwalik conglomerate and Himalayan rocks	xxiv	79, 80.
„ between Upper and Lower Vindhyan	xxiv	96, 165.
„ between uppermost and lowermost beds of Siwalik series	xxxi	115.
„ at close of carboniferous	xxiv	87, 90, 33, 90, 104—106, 165.
„ in cretaceous of Himalayas	xxiii	114, 116, 212, 217.
„ in tertiaries of Himalayas	xxiii	81.
„ local — in Pegu series of Yenangyaung	xxiii	130, 131, 228, 229.
„ local in Siwalik conglomerate	xxvii	123—126.
Unfelt earthquake, Assam 1897	xxix	81, 151.
<i>Unio</i> , in Barmer sandstones	xxix	227, 239.
United States, mica in	xxxv	34.
Upheaval of Himalaya, continuing at present day.	xxxiv	32, 43, 89, 90, 94.
„ „ popular misconceptions regarding	xxiv	186.
Uralite	xxiv	61—64.
Urals, corundum—syenite in	xxxi	73, 79, 83, 84.
Uraninite in pegmatite	xxx	205, 210, 216.
Uranium ochre.	xxxiv	31, 51.
Uri, Zānskār System near	xxxiv	32.
Urmi Lake	xxii	193, 194.
„ series	xxxiv	4.
„ series at Birkah Sifah, possible occurrence of	(4).	
„ series at Birkah Sifah, possible occurrence of	xxxiv	22—25, 30, 73, 84.
Utatur group in Hazara	(4).	108.
„ stage	xxvi	37.
Uttardhura pass	xxi	38.
„ synclinal	xxiii	25, 132, 150, 156, 164, 172.
„ synclinal	xxiii	150, 152, 153, 156, 157.

SUBJECT.	Volume.	Page.
V		
Vaikritas	xxiii	41, 42, 45, 49, 51, 52, 55, 65, 90, 92, 159, 161, 162, 198, 225.
" Dharma	xxiii	161.
" Kali river	xxiii	162.
" Milam	xxiii	159.
" Nilan	xxiii	198.
" Painkanda area	xxiii	90, 92.
" Vallam diamonds "	xxx	159.
Variagated sandstone ; conglomerate in —	xxvi	49.
" " with coal, Hazara	xxvi	40.
Veins, contemporaneous —	xxxiv	33.
" True —	xxxiv	33.
" "true" or "fissure" in Wainád	xxxiii	19.
(2).		
<i>Velates schmideliana</i>	xxviii	2, 5.
Ventilation ("Kolar gold-mines")	xxxi	26.
(2).	xxxi	28.
Vents, <i>see</i> Sand-vents	(pt. 1).	
" Western Rajputana	xxix	
<i>Venus cancellata</i>	xxxv	22, 25, 48, 51.
" <i>granosa</i>	xxi	121.
" <i>non-scripta</i>	xxi	117, 119.
" <i>sp. cf. scalaris</i>	xxi	119, 120, 121.
Verchère, Dr. A. M.	xxvii	12.
" Dr. A. M.	xxii	passim.
" Dr. A. M.	xxvi	26—29, 50—51, 113, 187, 278.
<i>Vertebraria</i>	xxi	152, 175,, 189.
Vertical component, Assam Earthquake	xxix	120, 352.
" flow-structure in Malani rhyolites	xxxv	48, 68.
Verticose shocks	xxix	212, 217, 220, 223.
Vesicular Malani rhyolite	xxxv	47, 58, 67, 78.
Vesuvius, Mount	xxxii	170, 171, 172.
Vicary, Major, erratics (?) near Hassan Abdul	xxvi	46.
Victoria, low grade ores of	xxxiii	66.
(2).		
Vigne, G. T.	xxii	10, 157.
Vijayanagar	xxv	200.
<i>Vincularia</i>	xxii	159.
Vindhians (= Vindhya)	xxiii	225.
Vindhya, age of — in Narbáda Valley	xxi	19.
" prospects of Artesian water in —	xxxii	82—83.
" relation of Lower to Upper —	xxxi	155.
Vindhyan limestone Western Rajputana	xxxv	26, 32.
" Range	xxi	5, 6.
" sandstones, Western Rajputana	xxxv	26, 28, 29, 30, 44.
" " of Narbáda Valley	xxi	2, 15—20.

SUBJECT.	Volume.	Page.
Vindhyan series, struck in boring at Agra	xxxii	39, 44.
" " Volcanic rocks of Lower —	xxxii	93—108, 167.
" System of Son Valley	xxxii	11—29, 32 and passim.
Vinutini, G.	xxix	234.
Violence of the shock, Assam Earthquake	xxix	78.
Viran Drug	xxv	41.
Virapur	xxv	66, 164.
Virgal beds	xxviii	17.
Viscid character of lavas, Western Rajputana	xxxv	23.
Vishnu Ganga	xxiii	28.
Viss, value of — in English equivalents	xxvii	106.
Vizágapatam, mica in —	xxxiv	67.
Vizianagram, artesian boring at —	xxxii	88.
Vogt, J. H. L.	xxviii	134, 209.
" J. H. L.	xxx	134.
Volcanic ash in boulder bed of Salt Range	xxxv	90.
" ash, <i>see</i> ash.		
" cone, conjectural, near Nagona	xxxv	51.
" focus of Vindhyan volcanics of Son Valley	xxxii	104.
" rocks of Baluchistan, classification of	xxxii	288.
" rocks of Bijawar series	xxxii	70—90.
" rocks of cretaceous and tertiary age in Baluchistan	xxxii	195—197, 200— 203, 208, 228, 229, 230, 232, 237, 243, 244, 245, 247, 249, 257, 264, 267, 269, 288.
" rocks of Lr. Vindhyan	xxxii	93—108.
" rocks of Malla Johar	xxxii	120, 133, 136, 137, 151, 153, 158.
" rocks of Trias ago, Hazara	xxvi	25—27.
" of Lower Vindhyan	xxxii	17.
Volcanism of Kashmir	xxxii	41—45.
Volcanoes, of Barron Island and Narcondam	xxi	251.
" of Burma and Baluchistan compared	xxxii	287.
" recent — of Baluchistan	xxxii	217, 270—287.
" subærial, Western Rajputana	xxxv	21.
<i>Voluta dentata</i>	xxvii	3, 37.
" <i>jugosa</i>	xxi	109.
<i>Volvaria birmanica</i>	xxvii	2, 37.
Von John, Herr C.	xxviii	3.
Vostizzia earthquake, 1861	xxix	86, 100.
Voysey, Dr.	xxiv	239.
Vredenburg, E., — <i>see</i> Geology of the Son Valley, etc.	xxxii	1—178.
" E.	xxix	2, 302.
" E.	xxxiv	71.
" E.	xxiv	18, 20, 24, 26, 27, 29, 32, 35, 36, 38, 88, 120.
" E.	xxxv	201, 203.
" E., Recent Artesian Experiments in India	xxxii	1—88.

SUBJECT.	Volume.	Page.
Vredenburg, E., <i>see</i> Oldham R. D.		
" E., Sketch of Baluchistan Desert . . .	xxxi	179—302.
W		
Waagen, W.	xxvi	13, 33, 190.
" W.	xxviii	10, 11.
" and Wynne, <i>see</i> Wynne and Waagen.		
Waddell, L. A.	xxxiv	14, 53, 113.
Wadhwan	xxxii	72, 73.
" sandstones	xxi	84—90.
Wahner, F.	xxix	57.
Wainád, Gold-fields of	xxxiii	1—48.
" mica in	(pt. 2).	
<i>Waldheimia blanfordi</i>	xxiv	65.
Walker, T. L.	xxii	175.
" T. L.	xxviii	47.
" T. L.	xxviii	121, 142, 149,
" T. L.		156, 166.
" T. L.	xxx	181, 187, 188.
" T. L.	xxxii	128.
" T. L.	xxxiii	16.
" T. L.	(2).	
" T. L.	xxxiv	18, 19, 20, 59.
" T. L.; Geology of Kalahandi State . . .	xxxiii	1—22.
Wallace, A. R.	(pt. 3).	
Walther, Dr. J., "Denudation in der Wüste" . . .	xxiv	114, 115.
Wánla, section near	xxxv	10.
Warán	xxii	176.
Wardwan Valley, metamorphics of	xxviii	104.
" " Zaskar System of	xxii	298.
Warneford, R.	xxix	150, 189, 228.
Warren and Stover, Messrs.	xxix	36, 65.
Warth, H.	xxvii	191.
" H.	xxviii	121, 178.
" H.	xxx	118, 157.
" H.	xxxiv	59, 113.
Water in igneous magmas	xxxiv	34.
Waterfall formed by fault	xxix	139, 141.
Water-supply	xxii	1—3.
" at Kolar	xxxiii	43—44.
Watt, Dr. G.	(pt. 1).	
Wave, acceleration of —, Assam Earthquake . . .	xxxiii	3.
" period, height and amplitude, Assam Earthquake .	(pt. 1).	
" velocity of particle, Assam Earthquake . . .	xxix	78, 344.
" velocity of propagation, Assam Earthquake . . .	xxix	7, 8, 35, 82,
" visible — of Assam Earthquake		117, 227.
Weathering of Charnockite series	xxix	81, 343.
Weean and Kothair groups of Verchère	xxix	53, 70, 74, 247.
	xxix	7, 20, 37, 334.
	xxviii	178, 185, 197.
	xxvi	29.

SUBJECT.	Volume.	Page.
Weiss	xxviii	204.
Wells, Western Rajputana	xxxv	42, 43.
„ artesian	xxxii	1—88.
„ filled up, Assam earthquake	xxix	18, 104, 316.
„ oil. Burmese native — of Yenangyat	xxvii	251—253.
„ oil. Depth of Burmese Native —	xxvii	216, 227—231.
„ oil. Drilled — of Burma	xxvii	117, 137—157, 169—170, 179— 183, 245—25 255—256.
„ oil. Drilled — of Yenangyat	xxvii	255—256.
„ oil. Native Burmese	xxvii	162—169, 210— 245, 251—255.
„ oil. Number of Burmese Native	xxvii	218—226.
„ oil. Production of Burmese Native	xxvii	231—244.
„ oil. Records of —	xxvii	119—123.
„ oil. Royal — of Yenangyaung	xxvii	221.
„ oil. Value of Burmese Native	xxvii	217.
„ spring	xxxii	8.
Well-diggers at Yenangyaung, wages of	xxvii	212.
West Balaghat gold-lode	xxxiii (pt. 1).	9, 11, 16.
West C. D.	xxix	348.
Western Ghats.	xxviii	121, 180.
Westmacott, E. V.	xxix	328.
Whewell	xxx	185.
Whish —	xxxiv (4).	124.
White, G. G.	xxix	66.
“White Elephant” rocks	xxx	107, 137, 154.
White Quartzite (carboniferous), fossils of —	xxiii	62.
„ Quartzite (carboniferous), Nilang area	xxiii	62.
„ Quartzite (carboniferous), Niti sections	xxiii	62.
„ Quartzite (carboniferous), Spiti	xxiii	63.
„ Quartzite (carboniferous), thickness of —	xxiii	62.
Whitecliff Island	xxxv	201.
Williams, G. H.	xxviii	168, 218.
„ G. H.	xxxiv	30.
„ O. O.	xxix	29.
„ S. M. J.	xxix	33.
Wilsha	xxiii	183, 185, 189
Wilson, W. L.	xxxi	3.
Wind as an agent of denudation	xxxv	10.
„ deposits, Persian Gulf	xxxiv (4).	55, 57, 96, 100, 126.
Window-panes of mica	xxxiv	72.
Wingate, Capt.	xxiv	241.
Wodagola	xxv	181.
Wood, fossil — of Assam	xxviii	84.
„ fossil (in Gondwanas)	xxi	22.
„ fossil, in Lathi group	xxxv	34.
Woodward, A. Smith	xxxiv (4).	22.
Workshops (Kolar)	xxxiii (pt. 1).	37.

SUBJECT.	Volume.	Page.
Wrekin, rhyolites of	xxxv	88.
Wright's level (Skull reef), Wainád	xxxiii (2).	21, 22.
Wuenheim, pyromeride of	xxxv	86.
Wylie, H.	xxix	38.
Wynaad (Mysore and West Mysore) gold-mine	xxxiii (pt. 1).	9, 69.
Wynne, A. B.	xxviii	27, 28, 29, 99.
„ A. B.	xxvi	13, 16, 43, 45, 48—51, 133, 190, 193, 217, 225, 233, 241, 269.
„ and Waagen	xxvi	17, 23—25, 29, 33, 34, 36, 186.
X		
<i>Xenaspis</i>	xxviii	7, 9, 12.
„	xxvii	179, 181.
„ <i>Middlemissi</i>	xxviii	10.
Xenoliths	xxviii	127, 216, 235, 244.
„ in dome-gneiss	xxxiv	47.
Y		
Yaw river	xxviii	33, 46, 48, 49.
Yebyu, oil at	xxvii	184, 187.
„ Yenán	xxvii	49.
Yenan village, oil at —	xxvii	184, 187.
„ Daung	xxviii	54.
Yenandaung, petroleum at	xxvii	75.
Yenangyat, fossils from	xxvii	1 sqq., 107, 108.
„ oil-field, description of	xxvii	170—183.
„ oil-field, economic importance of	xxvii	251—256.
„ oil-field, geology of	xxviii	30—54.
„ oil-field, prospects of	xxvii	182—183.
Yenangyaung, anticline	xxviii	58—66.
„ fossils from	xxvii	1 sqq., 79.
„ oil-field, description of	xxvii	95—170.
„ oil-field, early history of	xxvii	50—74.
„ oil-field, economic importance of	xxvii	206—251.
„ oil-field, legendary history of	xxvii	47—50.
„ Petroleum Co.	xxvii	263.
„ stage	xxvii	106—107, 172— 174.
„ stage of Singu and Yenangyat	xxviii	38—43.
Yule, Capt.	xxvii	64—67, 207, 214, 219, 222, 240, 241, 259, 260.

SUBJECT.	Volume.	Page.
Z		
Zánská basin	xxii	122, 163 sqq.
„ basin Panjal System in	xxii	250.
„ Range, <i>see</i> Geology of Káshmir and Chamba	xxii	..
„ Range, metamorphics of	xxii	294.
„ System of Káshmir	xxii	122—208.
Zeolites of Deccan Trap	xxi	92.
„ Zeugen west of Jodhpur	xxxv	45.
Zinc-spinel	xxx	202.
Zircon in elaeolite-syenite	xxx	180.
„ in felspar-rock	xxx	202, 213.
Zirkel, F.	xxviii	135, 216, 220.
„ hexagonal inclusions in quartz phenocrysts	xxxv	80.
Zoisite	xxviii	116.
„	xxxi	318.
Zoji-la, Panjal System of	xxii	233.
„ Zánská System near	xxii	146.
Zonal structure, continued out of Hazara	xxvi	269.
„ structure, Garhwal and Kumaun	xxvi	272.
„ structure, Káshmir	xxvi	271—272.
„ structure, Safed Koh	xxvi	270—271.
„ structure, W. Punjab	xxvi	269—270.
„ corrosion of quartz phenocrysts, in Malani thuyolites	xxxv	79.
„ Crystalline and metamorphic — in Hazara	xxvi	227—259.
„ in felspar phenocrysts in Malani thuyolites.	xxxv	82.
„ Nummulitic — in Hazara	xxvi	171—221.
„ U. Tertiary in Hazara	xxvi	221—226.
„ of disturbance, general in Hazara	xxvi	86—88.
Zwemer, S. M.	xxxiv	112, 124, 125,
	(4).	143.

CALCUTTA
SUPERINTENDENT GOVERNMENT PRINTING, INDIA
8, HASTINGS STREET